

Edition 5.1 2008-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances Psafety/IEW Part 2-16: Particular requirements for food waste disposers (Standards.iten.al)

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-16: Règles particulières pour les broyeurs de déchets

d296524eed03/iec-60335-2-16-2002amd1-2008-csv





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Email: inmail@iec.cl Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub ARD PREVIEW

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email. IEC 60335-2-16:2002+AMD1:2008 CSV

Electropedia: www.electropedia.olrg.ds.iteh.ai/catalog/standards/sist/09ede900-ce73-47cc-89b6

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: <u>csc@iec.ch</u> Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

■ Service Clients: <u>www.iec.ch/webstore/custserv/custserv_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 5.1 2008-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances - Safety-IEW Part 2-16: Particular requirements for food waste disposers

Appareils électrodomestiques et analogues 5 Sécurité – Partie 2-16: Règles particulières pour les broyeurs de déchets

d296524eed03/iec-60335-2-16-2002amd1-2008-csv

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 13.120; 97.040.50 ISBN 2-8318-9753-X

CONTENTS

FΟ	REWORD	3
INT	FRODUCTION	5
1	Scope	6
2	Normative references	6
3	Definitions	6
4	General requirement	7
5	General conditions for the tests	7
6	Classification	7
7	Marking and instructions	7
8	Protection against access to live parts	8
9	Starting of motor-operated appliances	8
10	Power input and current	8
11	Heating	8
12	Void	8
13		8
14	TICK STANDARD PREVIEW	8
15	Moisture resistance (standards.iteh.ai)	9
16	Leakage current and electric strength	9
17	Overload protection of transformers and associated circuits	9
18	Overload protection of transformers and associated circuits https://standards.iteh.ai/catalog/standards/sist/09ede900-ce73-47cc-89b6- Endurance	9
19	Abnormal operation	9
20	Stability and mechanical hazards	
21	Mechanical strength	10
22	Construction	10
23	Internal wiring	11
24	Components	11
25	Supply connection and external flexible cords	11
26	Terminals for external conductors	11
27	Provision for earthing	11
28	Screws and connections	11
29	Clearances, creepage distances and solid insulation	11
30	Resistance to heat and fire	12
31	Resistance to rusting	12
32	Radiation, toxicity and similar hazards	12
Anı	nexes	13
Bib	oliography	13

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-16: Particular requirements for food waste disposers

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their Anational Oard Stegional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
 d296524eed03/iec-60335-2-16-2002amd1-2008-csv
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-16 consists of the fifth edition (2002) [documents 61/2278/FDIS and 61/2332/RVD] and its amendment 1 (2008) [documents 61/3542/FDIS and 61/3596/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 5.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric food waste disposers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below.

- Clause 1: The installation of food waste disposers is not allowed (Austria, Germany and Netherlands).
- Clause 1: Permission to install food waste disposers depends upon the local authority responsible for the sewage system (Czech Republic, Denmark, Finland, France, Italy, Japan, Norway, Slovakia, Switzerland and Turkey).
 https://standards.iteh.ai/catalog/standards/sist/09ede900-ce73-47cc-89b6-
- Clause 1: Permission to install food waste disposers depends upon the national authority (China).
- 3.1.9: Normal operation is different (USA).
- 6.1: Class 0I appliances are allowed (Japan).
- 11.7: The operating cycles are different (USA).
- 15.2: The test methods are different (USA).
- 19.7: The test methods are different (USA).
- 19.9: A running overload test is carried out (USA).
- 20.101: The test is different (USA).
- 22.104: The test is not carried out (USA).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- · amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of the amendment 1 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-16: Particular requirements for food waste disposers

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **food waste disposers** for household and similar purposes, their **rated voltage** being not more than 250 V.

Appliances not intended for normal household use but that nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or D PREVIEW
 - lack of experience and knowledge ards.iteh.ai)

prevents them from using the appliance safely without supervision or instruction;

children playing with the appliance 5-2-16:2002+AMD1:2008 CSV

https://standards.iteh.ai/catalog/standards/sist/09ede900-ce73-47cc-89b6-

NOTE 101 Attention is drawn to the fact that liec-60335-2-16-2002 and 1-2008-csv

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities, and similar authorities;
- the installation of **food waste disposers** may be restricted or not allowed.

NOTE 102 This standard does not apply to

- portable food waste disposers;
- food waste disposers of the incinerator type;
- appliances intended exclusively for industrial or commercial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable.

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

The hopper is filled with 30 cubes of soft pinewood, the side of each cube having a length of 12 mm \pm 2 mm. The appliance is operated with water having a temperature between 10 °C and 24 °C flowing through the appliance at a rate of 8 l/min. If the hopper cannot contain all the cubes at the same time, they are added as quickly as possible during the operation of the appliance.

3.101

food waste disposer

appliance installed in the outlet of a sink and used for reducing food waste to small particles that are discharged with water into the drainage system

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

iTeh STANDARD PREVIEW

5.101 Except for Clause 10 and 20.102, the conditions of **normal operation** may be simulated by loading the appliance by means of a dynamometer or by blocking the outlet and maintaining the head of water at a constant level.

IEC 60335-2-16:2002+AMD1:2008 CSV

6 Classification ttps://standards.iteh.ai/catalog/standards/sist/09ede900-ce73-47cc-89b6-d296524eed03/iec-60335-2-16-2002amd1-2008-csv

This clause of Part 1 is applicable except as follows.

6.1 *Modification:*

Appliances shall be class I, class II or class III.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.12 Addition:

The instructions shall state the substance of the following:

- do not use this appliance to dispose of hard materials such as glass and metal;
- switch off or unplug the appliance before attempting to free a jammed rotor with an implement.

If a minimum water flow rate is necessary for the operation of the appliance, this information shall be stated.

7.12.1 Addition:

The instructions shall state that the appliance must be installed so that reset buttons and reversing switches are readily accessible.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable except as follows.

10.1 Addition:

The representative period is between the fifth second and the fifteenth second of operation.

iTeh STANDARD PREVIEW

10.2 Addition:

(standards.iteh.ai)

The representative period is between the fifth second and the fifteenth second of operation.

IEC 60335-2-16:2002+AMD1:2008 CSV

11 Heating

https://standards.iteh.ai/catalog/standards/sist/09ede900-ce73-47cc-89b6-d296524eed03/iec-60335-2-16-2002amd1-2008-csv

This clause of Part 1 is applicable except as follows.

11.7 Replacement:

Appliances of the continuous-feed type are operated for 4 min.

Appliances of the batch-feed type are operated for two periods of 2 min with a rest period of 30 s during which they are switched off.

12 Void

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.2 Replacement:

Appliances shall be constructed so that obstruction of the outlet does not affect their electrical insulation.

Compliance is checked by the following test.

The outlet of the appliance is blocked and the sink filled with water to a depth of 200 mm, measured from the lowest point inside the sink. The appliance is supplied at **rated voltage** and operated until a **protective device** operates or for 15 min, whichever is shorter. The appliance is operated again after a rest period of 15 min.

The appliance shall then withstand the electric strength test of 16.3 and inspection shall show that there is no trace of water on insulation that could result in a reduction of **clearances** and **creepage distances** below the values specified in Clause 29.

16 Leakage current and electric strength

This clause of Part 1 is applicable. ANDARD PREVIEW

(standards.iteh.ai)

17 Overload protection of transformers and associated circuits

IEC 60335-2-16:2002+AMD1:2008 CSV

This clause of Parthtpis/applicable.ai/catalog/standards/sist/09ede900-ce73-47cc-89b6-d296524eed03/iec-60335-2-16-2002amd1-2008-csv

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.7 *Modification:*

Appliances are operated without water for

- 30 s, for continuous-feed types;
- 5 min, for batch-feed types.

19.9 Not applicable.

20 Stability and mechanical hazards

This clause of Part 1 is applicable except as follows.

20.2 Addition:

The test probe is not applied to the inlet of the appliance.

20.101 Access to moving parts through the inlet opening shall be prevented unless the motor is automatically switched off when a cover is removed.

Compliance is checked by inspection and by means of test probe 31 of IEC 61032 applied with a force of 50 N to the inlet opening. It shall not be possible to touch moving parts with the probe and they shall be located at least 100 mm from the top of the inlet.

- NOTE 1 The appliance is adjusted for the thinnest sink bottom.
- NOTE 2 Detachable parts preventing food waste from being ejected or preventing utensils from falling into the grinding chamber are removed.
- **20.102** Food waste shall not be ejected through the inlet opening.

Compliance is checked with the appliance supplied at rated voltage and operated under normal operation. Pieces of the wooden cubes shall not be ejected into the sink.

21 Mechanical strength

This clause of Part 1 is applicable. ITeh STANDARD PREVIEW

22 Construction

(standards.iteh.ai)

This clause of Part 1 is applicable except as follows 101 2008 CSV

https://standards.iteh.ai/catalog/standards/sist/09ede900-ce73-47cc-89b6-

22.101 Appliances shall incorporate3aprotective device11-2008-csv

Compliance is checked by inspection.

22.102 The reset button of a protective device shall be recessed or otherwise guarded.

Compliance is checked by applying a rod in any direction when the contacts of the protective device are in the closed position. The rod has a diameter of 76 mm ± 0,1 mm and a flat end. There shall be a distance of at least 1,5 mm between the rod and the button.

The protective device shall not be prevented from operating with the rod applied and shall not automatically reset.

22.103 Appliances shall be so constructed that the feed chamber and guards can be cleaned.

Compliance is checked by inspection.