

Edition 8.0 2013-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

Limites et méthodes de mesure des perturbations radioélectriques produites par les appareils électriques d'éclairage et les appareils analogues





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore iec.ch/justqublished

Stay up to date on all new EC publications. Just Published details all new publications beleased. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc


Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 8.0 2013-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment

Limites et méthodes de mesure des perturbations radioélectriques produites par les appareils électriques d'éclairage et les appareils analogues



INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 33.100.10 ISBN 978-2-83220-798-7

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CISPR/F/Publication CISPR 15 (2013), eighth edition/I-SH 01

LIMITS AND METHODS OF MEASUREMENT OF RADIO DISTURBANCE CHARACTERISTICS OF ELECTRICAL LIGHTING AND SIMILAR EQUIPMENT

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by subcommittee CISPR F: Interference relating to household appliances, tools, lighting equipment and similar apparatus, of IEC technical committee CISPR: International special committee on radio interference.

The text of this interpretation sheet is based on the following documents:

ISH	Report on voting
CISPR/F/583/ISH	CISPR/F/591/RVD

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

CISPR 15 interpretation sheet on the assessment of retrofit Extra Low Voltage LED lamps

Introduction

During the CISPR meeting in Seoul 2011 the IARU reported that a number of LED lighting products are causing interference with amateur radio reception. See item 15 of the minutes CISPR/1218/RM.

In addition to this verbal report, the IARU submitted in January 2012 a detailed written report which was circulated as CISPR/F/565/INF. Major sources of interference are some types of Extra Low Voltage (e.g. 12 V) LED lamps for which the current CISPR 15 requirements are not clear. Additional clarification of the standard was requested urgently.

In response the CISPR F management committee issued document CISPR/F/568/INF setting out an action plan to resolve the issue at short notice.

Part of the solution is this Interpretation Sheet which details the assessment of retrofit ELV LED lamps.

June 2013 ICS 33.100.10

Question: How are the requirements of CISPR 15 applied to retrofit Extra Low

Voltage (ELV) LED lamps?

Interpretation: When assessing retrofit ELV LED lamps against the requirements of

CISPR 15 the following procedure shall be applied.

ELV LED lamps without active switching electronic components are considered to fulfil the requirements of CISPR 15 without test.

All other types of retrofit ELV LED lamps shall be tested in conjunction with a wire wound 50 or 60 Hz ring-core transformer. The use of such a transformer is considered to be the worst-case condition and shall be used unless it is clearly stated in the manufacturer's instructions that the lamp is unsuitable for use with such a transformer. In this case measurements shall be performed in combination with a typical compliant electronic transformer for halogen lamps.

The combination of transformer and ELV LED lamp shall comply with the mains disturbance voltage limits of Table 2a and the radiated disturbance limits of Tables 3a and 3b.

During the disturbance voltage measurement, the ELV LED lamp is mounted in a conical metal housing as described in Figure 7. The ELV LED lamp is then connected to the transformer by a flexible 3-core cable consisting of two ELV supply conductors and the earth connection to the conical housing. The length of this cable shall be as short as possible. The metal conical housing shall be positioned with its cable entrance close to the transformer.

The combination of transformer and conical metal housing shall be tested as a luminaire in accordance with the requirements of 8.2.

When performing the radiated disturbance measurements in accordance with Clause 9, the conical metal housing shall not be used.

References are to CISPR 15:2013.

https://standards.iteh.a/cxalog/standards/sph.ads-011-6

CISPR/F/Publication CISPR 15 (2013), eighth edition/I-SH 02

LIMITS AND METHODS OF MEASUREMENT OF RADIO DISTURBANCE CHARACTERISTICS OF ELECTRICAL LIGHTING AND SIMILAR EQUIPMENT

INTERPRETATION SHEET 2

This interpretation sheet has been prepared by subcommittee CISPR F: Interference relating to household appliances, tools, lighting equipment and similar apparatus, of IEC technical committee CISPR: International special committee on radio interference.

The text of this interpretation sheet is based on the following documents:

ISH	Report on voting
CISPR/F/584/ISH	CISPR/F/592/RVD

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

CISPR 15 interpretation sheet on: Test conditions for wall dimmers

Introduction

More and more incandescent lamps are replaced by energy saving lamps (fluorescent and LED). Some types are diminable by phase control of the supply voltage. New wall dimmers are developed to improve the dim performance when the dimmer is loaded with energy saving lamps. CISPR 15 is not clear on how to test these types of wall dimmers.

This interpretation speet has been prepared by the Joint 17B-23B-34A-77A IEC Forum on the dimming of electronic self-ballasted lamps and was finalized during the CISPR/F/WG2 meeting in Bangkok.

Question: How to test a wall dimmer which is suitable for energy saving lamps?

Relevant text CISPR 15:

Clause 8 of CISRR 15 specifies the 'Method of measurement of disturbance voltages'.

8.3.1 'Directly operating devices' specifies the test arrangement of independent directly operating light regulating devices such as wall dimmers.

The second paragraph reads:

'Unless otherwise specified by the manufacturer, the regulating device shall be measured with the maximum allowed load consisting of incandescent lamps as specified by the manufacturer.'

Answer:

- 1) Independent directly operating light regulating devices (e.g. wall dimmers) which are suitable for incandescent lamps and other types of lighting equipment (e.g. self-ballasted lamps) shall be tested with incandescent lamps.
- 2) Independent directly operating light regulating devices which are only suitable for lighting equipment other than incandescent lamps shall be tested with the appropriate lighting equipment as provided by the manufacturer.

The above will be included in the full revision of CISPR 15, following the 8th edition.



CONTENTS

FΟ	REWC)RD		6
1	Scop	e		8
2	Norm	ative re	ferences	9
3	Term	s and d	efinitions	9
4	Limits	Limits		
	4.1		ency ranges	
	4.2		on loss	
	4.3		pance voltages	10
		4.3.1	Maine terminale	10
		4.3.2	Load terminals	11
		4.3.3	Control terminals	11
	4.4	Radiate	ed electromagnetic disturbances	11
		4.4.1	Frequency range 9 kHz to 30 MHz	11
		4.4.2	Frequency range 30 MHz to 300 MHz	12
5	Appli		f the limits	—
	5.1		al	12
	5.2	Indoor	luminaires	13
		5.2.1	General	13
		5.2.2	Incandescent lamp luminaires	13
		5.2.3	Fluorescent lamp luminaires	13
		5.2.4	Other luminaires	13
	5.3	Indepe	ndent auxiliaries exclusively for use with lighting equipment	.13
		5.3.1	General	13
		5.3.2	Independent light regulating devices	14
		5.3.3	Independent transformers and convertors for incandescent lamps or LED light sources.	.14
		5.3.4	Independent ballasts for fluorescent and other discharge lamps	
		5.3.5	Semi-luminaires	
			Independent starters and igniters	
	5.4	(ullasted lamps	
	5.5 <	Outdoo	or lighting appliances	15
		5.5.1	General	15
		5.5.2	Mounting system	16
		5.5.3	Integrated switching devices	16
		5.5.4	Incandescent lamp luminaires	16
		5.5.5	Fluorescent lamp luminaires	16
		5.5.6	Other luminaires	16
	5.6	UV and	d IR radiation appliances	16
		5.6.1	General	16
		5.6.2	IR radiation appliances	16
		5.6.3	UV fluorescent lamp appliances	
		5.6.4	Other UV and/or IR appliances	
	5.7	Transp	ort lighting	
		5.7.1	General	
		5.7.2	External lighting and signalling	
		5.7.3	Lighting of on-board instruments	
		5.7.4	Lighting of interior cabins and rooms	17

	5.8		ments for luminaires for cold cathode tubular discharge lamps (e.g. bes) used, for example, for advertising purposes	17
	5.9		tained emergency lighting luminaires	
	0.0		General	
		5.9.2 N	Measurement in the mains on mode, i.e. operating condition prior to he disruption of the mains supply	
		5.9.3 N	Measurement in emergency mode, i.e. operating condition after	
	5.10		able starters for fluorescent lamps	
			t sources and associated luminaires	
6		_	ditions for lighting equipment	
	6.1	General		19
	6.2		equipment	19
	6.3		voltage and frequency	19
	6.4		conditions	19
	6.5	Lamps		19
		6.5.1	Гуре of lamp used	19
		6.5.2 A	Ageing time of lamps	19
			Stabilization time of lamps	19
	6.6	Replace	able starters	20
7	Meth	od of inse	ertion loss measurement.	20
	7.1	Circuits	for the measurement of insertion loss	20
	7.2		ng arrangement and procedure	
			Radiofrequency generator	
			Balance to-unbalance transformer	
			Measuring receiver and network	
			Dummy lamps 411 (1) 11-a23b-4ed1-9994-4dbb475786c5/c1	
		7.2.5 / N	Measuring arrangements 15 2013	21
	7.3	Luminai		
	7.4	Measure	ment procedure	22
			General	22
		7.4.2	Voltage U	22
			(oltage V ₂	
	<	\	Calculation of insertion loss	
		/ //	Orientation of dummy lamps	
8	Meth		surement of disturbance voltages	
	8.1	Measurir	ng arrangement and procedure	22
			Mains terminal voltage measurement	
			_oad terminal voltage measurement	
			Control terminal voltage measurement	
			_ight regulation	
			Measurements with an average detector	
	8.2		nd outdoor luminaires	
	8.3		dent light regulating devices	
		•	Directly operating devices	
			Devices having a remote control function	
	8.4		dent transformers and convertors for incandescent lamps or LED light	
	8.5		dent ballasts for fluorescent and other discharge lamps	
	8.6	•	acted lamns and semi-luminaires	25

	8.7	UV and IR radiation appliances	26			
	8.8	Self-contained emergency lighting luminaires	26			
	8.9	Independent starters and igniters for fluorescent and other discharge lamps	26			
9	Meth	Nethod of measurement of radiated electromagnetic disturbances				
	9.1	Measuring arrangement and procedure related to Subclause 4.4.1	27			
		9.1.1 Measuring equipment	27			
		9.1.2 Measurements in three directions				
		9.1.3 Wiring instructions				
		9.1.4 Light regulation				
	9.2	Measuring arrangement and procedure related to Subclause 4.4.2				
	9.3	Indoor and outdoor luminaires				
	9.4	Independent convertors for incandescent lamps or LED light sources				
	9.5	Independent ballasts for fluorescent and other discharge lamps				
	9.6	Self-ballasted lamps and semi-luminaires				
	9.7	UV and IR radiation appliances				
10	9.8	Self-contained emergency lighting luminaires				
10						
	10.1					
		Non-compliance				
11		surement uncertainty				
		(normative) Electrical and constructional requirements for the low-capacitance	20			
		o-unbalance transformer	42			
Anr	nex B	(normative) Independent method of measurement of radiated disturbances	47			
		(normative) Example test arrangements during CISPR 32 radiated disturbance	ispr-			
		ment 1527012	50			
Anr	nex D	(informative) Applicability of methods and limits for different types of				
	ipmer		52			
Bib	liogra	phy	58			
Fig	ure 1	Insertion loss measurement on linear and U-type fluorescent lamp				
		6	30			
Fig	ure 2 -	 Insertion loss measurement on circular fluorescent lamp luminaires 	31			
		Insertion loss measurement on luminaires for single-capped fluorescent h integrated starter	32			
	•	– Configuration of linear and U-type dummy lamps				
_		– Configuration of circular dummy lamps				
_		- Dummy lamp for 15 mm fluorescent lamps				
		Dummy lamp for 15 mm single-capped fluorescent lamps				
•		e – Dummy lamp for single-capped fluorescent lamps, linear-shaped, twin tube,	50			
		neter 12 mm	37			
		 Dummy lamp for single-capped fluorescent lamps, linear-shaped, quad tube, 12 mm 	38			
Fig	ure 5 -	- Measuring arrangements for an independent light regulating device,				
		er or convertor	39			
		 Measuring arrangements for measuring a luminaire (Figure 6a), an ent ballast (Figure 6b) and a self-ballasted lamp (Figure 6c) 	40			

Figure A.1 – Isolation test configuration	Figure 7 – Conical metal housing for self-ballasted lamps	41
Figure A.2b – Details of transformer core construction	Figure A.1 – Isolation test configuration	43
Figure A.2c – Details of transformer core construction	Figure A.2a – Balance-to-unbalance transformer circuit	44
Figure A.2d – Construction of transformer	Figure A.2b – Details of transformer core construction	45
Figure B.1 – Test set-up for CDN method	Figure A.2c – Details of transformer core construction	45
Figure B.2 – Calibration set-up for determining CDN voltage division factor	Figure A.2d – Construction of transformer	46
Table 1 – Minimum values of insertion loss	Figure B.1 – Test set-up for CDN method	48
Table 2a – Disturbance voltage limits at mains terminals	Figure B.2 – Calibration set-up for determining CDN voltage division factor	49
Table 2a – Disturbance voltage limits at mains terminals		
Table 2b – Disturbance voltage limits at load terminals	Table 1 – Minimum values of insertion loss	10
Table 2c – Disturbance voltage limits at control terminals	Table 2a – Disturbance voltage limits at mains terminals	10
Table 3a – Radiated disturbance limits in the frequency range 9 kHz to 38 MHz	Table 2b – Disturbance voltage limits at load terminals	11
Table 3b – Radiated disturbance limits in the frequency range 30 MHz to 300 MHz at a measuring distance of 10 m	Table 2c – Disturbance voltage limits at control terminals	11
measuring distance of 10 m	Table 3a – Radiated disturbance limits in the frequency range 9 kHz to 30 MHz	12
Table B.1 – Common mode terminal voltage limits, CDN method		12
Table C.1 – Arrangement of typical luminaires during the CISPR 32 radiated disturbance measurement	Table 4 – Sample size and corresponding k factor in a non-central t-distribution	28
disturbance measurement	Table B.1 – Common mode terminal voltage limits, CDN method	48
Tables or Subclauses)		50
Tables or Subclauses)		52
		53
		pr- 56

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIMITS AND METHODS OF MEASUREMENT OF RADIO DISTURBANCE CHARACTERISTICS OF ELECTRICAL LIGHTING AND SIMILAR EQUIPMENT

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication. 1-9994-4dbb475786c5/cispre
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard CISPR 15 has been prepared by subcommittee CIS/F: Interference relating to household appliances tools, lighting equipment and similar apparatus, of IEC technical committee CISPR: International special committee on radio interference.

This eighth edition cancels and replaces the seventh edition published in 2005, its Amendment 1 (2006) and Amendment 2 (2008). It is a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- inclusion of LED light sources and luminaires, clarification of test supply voltage and frequency, and improvements to clause 5 relating to the application of limits to the various types of lighting equipment covered under the scope of CISPR 15;
- notes relating to Japan in Tables 2a and 3a have been removed;
- introduction of requirements for flashing type emergency lighting luminaires utilizing xenon lamps;
- introduction of requirements for neon and other advertising signs;

clarification of the requirement for radiated disturbances between 30 MHz and 300 MHz in case the operating frequency of the light source is below 100 Hz.

The text of this standard is based on the following documents:

FDIS	Report on voting	
CIS/F/598/FDIS	CIS/F/602/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,



LIMITS AND METHODS OF MEASUREMENT OF RADIO DISTURBANCE CHARACTERISTICS OF ELECTRICAL LIGHTING AND SIMILAR EQUIPMENT

1 Scope

This standard applies to the emission (radiated and conducted) of radiofrequency disturbances from:

- all lighting equipment with a primary function of generating and/or distributing light intended for illumination purposes, and intended either for connection to the low voltage electricity supply or for battery operation;
- the lighting part of multi-function equipment where one of the primary functions of this is illumination;
- independent auxiliaries exclusively for use with lighting equipment.
- UV and IR radiation equipment;
- neon advertising signs;
- street/flood lighting intended for outdoor use;
- transport lighting (installed in buses and trains).

Excluded from the scope of this standard are:

- lighting equipment operating in the ISM frequency bands (as defined in Resolution 63 (1979) of the ITU Radio Regulation);
- lighting equipment for aircraft and airports;
- apparatus for which the electromagnetic compatibility requirements in the radio-frequency range are explicitly formulated in other CISPR standards.

NOTE Examples are:

- built-in lighting devices in other equipment, for example scale illumination or neon devices;
- photocopiers;
- slide projectors;
- lighting equipment for road vehicles.

The frequency range covered is 9 kHz to 400 GHz.

Multi-function equipment which is subjected simultaneously to different clauses of this standard and/or other standards shall meet the provisions of each clause/standard with the relevant functions in operation.

The limits in this standard have been determined on a probabilistic basis to keep the suppression of disturbances within economically reasonable limits while still achieving an adequate level of radio protection and electromagnetic compatibility. In exceptional cases, additional provisions may be required.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility

IEC 60155, Glow-starters for fluorescent lamps

IEC 61000-4-6:2008, Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields

CISPR 11, Industrial, scientific and medical equipment Radio-frequency disturbance characteristics – Limits and methods of measurement

Amendment 1:2010

CISPR 16-1-1:2010, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus

Amendment 1:2010

CISPR 16-1-2:2003, Specification for radio disturbance and immunity measuring apparatus and methods — Part 1-2: Radio disturbance and immunity measuring apparatus — Ancillary equipment — Conducted disturbances

Amendment 1:2004 Amendment 2:2006

CISPR 16-1-4:2010, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Antennas and test sites for radiated disturbance measurements

Amendment 1:2012

CISPR 16-4-2:2011, Specification for radio disturbance and immunity measuring apparatus and methods — Part 4-2: Uncertainties, statistics and limit modelling — Uncertainty in EMC measurements

CISPR 32:2012, Electromagnetic compatibility of multimedia equipment – Emission requirements

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-161, as well as the following apply.

3.1

LED light source

device containing an LED or collection of LEDs used for the purpose of illumination