

**SLOVENSKI STANDARD
SIST EN 60684-3-248:2007****01-november-2007**

; JV_Y]nc`UWjg_YWj j'É' "XY. 'GdYVZ UWY'nUdcgUa YnbY'j fghYWj j'É' & (, "gh
Gd`cýbcbUa Ybg_YZrcd`c'bc`g_f `j YWj j'n`Xj c'bc`dc`jYZbg_c`ghYbcžc[bYj UfbYž
g'g_f b]a j'fUna Yfj & %' .% (.%f197 * \$* , (! !& , .&\$ \$+L

Flexible insulating sleeving -- Part 3: Specifications for individual types of sleeving --
Sheet 248: General purpose, heat-shrinkable, dual wall polyolefin sleeving, flame
retarded, shrink ratios 2:1, 3:1, 4:1 (IEC 60684-3-248:2007)

Isolierschläuche - Teil 3: Anforderungen für einzelne Schlauchtypen - Blatt 248:
Polyolefin-Wärmeschumpfschläuche mit Innenbeschichtung, Standardtyp, flammwidrig,
Schrumpfverhältnisse 2:1, 3:1, 4:1 (IEC 60684-3-248:2007)

<https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-315c1f3470ca/sist-en-60684-3-248-2007>

Gaines isolantes souples -- Partie 3: Spécifications pour types particuliers de gaines --
Feuille 248: Utilisation générale, thermorétractable, gaine a double paroi en polyoléfine,
retardée a la flamme, rapport de rétreint 2:1, 3:1, 4:1 (IEC 60684-3-248:2007)

Ta slovenski standard je istoveten z: EN 60684-3-248:2007

ICS:

29.035.20 Ú|æ cã } ã Á { ^ } ã [|æã \ ã Plastics and rubber insulating
{ æ^ |ãã materials

SIST EN 60684-3-248:2007**en,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60684-3-248:2007

<https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf4349cca/sist-en-60684-3-248-2007>

**Flexible insulating sleeving -
Part 3: Specifications for individual types of sleeving -
Sheet 248: General purpose, heat-shrinkable,
dual wall polyolefin sleeving, flame retarded,
shrink ratios 2:1, 3:1, 4:1
(IEC 60684-3-248:2007)**

Gaines isolantes souples -
Partie 3: Spécifications
pour types particuliers de gaines -
Feuille 248: Utilisation générale,
thermorétractable, gaine à double paroi
en polyoléfine, retardée à la flamme,
rapport de rétreint 2:1, 3:1, 4:1
(CEI 60684-3-248:2007)

Isolierschläuche -
Teil 3: Anforderungen
für einzelne Schlauchtypen -
Blatt 248: Polyolefin-
Wärmeschrumpfschläuche
mit Innenbeschichtung,
Standardtyp, flammwidrig,
Schrumpfverhältnisse 2:1, 3:1, 4:1
(IEC 60684-3-248:2007)

[SIST EN 60684-3-248:2007](https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf1349cca/sist-en-60684-3-248-2007)

[https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-](https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf1349cca/sist-en-60684-3-248-2007)

This European Standard was approved by CENELEC on 2007-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 15/359/FDIS, future edition 1 of IEC 60684-3-248, prepared by IEC TC 15, Solid electrical insulating materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60684-3-248 on 2007-04-01.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2008-01-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2010-04-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60684-3-248:2007 was approved by CENELEC as a European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60684-3-248:2007](https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf4349cca/sist-en-60684-3-248-2007)
<https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf4349cca/sist-en-60684-3-248-2007>

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60684-1	2003	Flexible insulating sleeving - Part 1: Definitions and general requirements	EN 60684-1	2003
IEC 60684-2	1997	Flexible insulating sleeving -	EN 60684-2	1997
A1	2003	Part 2: Methods of test	A1	2003
A2	2005		A2	2005
IEC 60757	1983	Code for designation of colours	HD 457 S1	1985
ISO 1817	2005	Rubber, vulcanized - Determination of the effect of liquids	-	-

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60684-3-248:2007](https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf4349cca/sist-en-60684-3-248-2007)

<https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf4349cca/sist-en-60684-3-248-2007>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60684-3-248:2007

<https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf4349cca/sist-en-60684-3-248-2007>

INTERNATIONAL STANDARD

IEC 60684-3-248

First edition
2007-02

Flexible insulating sleeving –

Part 3:

**Specifications for individual types of sleeving –
Sheet 248: General purpose, heat-shrinkable, dual
wall polyolefin sleeving, flame retarded, shrink
ratios 2:1, 3:1, 4:1**

ITC STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60684-3-248:2007](https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf4349cca/sist-en-60684-3-248-2007)

<https://standards.iteh.ai/catalog/standards/sist/e34351d3-268e-40dc-94bb-3f3cf4349cca/sist-en-60684-3-248-2007>

© IEC 2007 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

M

For price, see current catalogue

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references.....	6
3 Designation	7
4 Conditions of test.....	7
5 Requirements	7
6 Sleeving conformance.....	7
7 Elevated temperature performance test.....	8
Figure 1 – Test assembly for elevated temperature performance	8
Table 1 – Size of stepped mandrel for elevated temperature performance test.....	8
Table 2 – Dimensional requirements – Type AL and AH.....	9
Table 3 – Dimensional requirements – Type BL and BH.....	9
Table 4 – Dimensional requirements – Type CL and CH.....	10
Table 5 – Property requirements	11
Table 6 – Requirements for breakdown voltage.....	12
Table 7 – Resistance to selected fluids.....	13
Table 8 – Additional property requirements.....	13

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLEXIBLE INSULATING SLEEVING –

**Part 3: Specifications for individual types of sleeving –
Sheet 248: General purpose, heat-shrinkable, dual wall polyolefin
sleeving, flame retarded, shrink ratios 2:1, 3:1, 4:1**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60684-3-248 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

The text of this standard is based on the following documents:

FDIS	Report on voting
15/359/FDIS	15/372/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.