

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Low-voltage fuses –  
Part 3: Supplementary requirements for fuses for use by unskilled persons  
(fuses mainly for household and similar applications) – Examples of  
standardized systems of fuses A to F**

**Fusibles basse tension –  
Partie 3: Exigences supplémentaires pour les fusibles destinés à être utilisés  
par des personnes non qualifiées (fusibles pour usages essentiellement  
domestiques et analogues) – Exemples de systèmes de fusibles normalisés  
A à F**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Liens utiles:

Recherche de publications CEI - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Low-voltage fuses –**  
**Part 3: Supplementary requirements for fuses for use by unskilled persons**  
**(fuses mainly for household and similar applications) – Examples of**  
**standardized systems of fuses A to F**

**Fusibles basse tension –**  
**Partie 3: Exigences supplémentaires pour les fusibles destinés à être utilisés**  
**par des personnes non qualifiées (fusibles pour usages essentiellement**  
**domestiques et analogues) – Exemples de systèmes de fusibles normalisés**  
**A à F**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.120.50

ISBN 978-2-8322-0633-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	12
<b>INTRODUCTION.....</b>	<b>14</b>
1 General scope.....	15
1.2 Normative references.....	15
<b>Fuse system A – D type fuse system.....</b>	<b>16</b>
1 General.....	16
1.1 Scope.....	16
2 Terms and definitions.....	16
3 Conditions for operation in service.....	16
4 Classification.....	16
5 Characteristics of fuses.....	16
5.2 Rated voltage.....	16
5.3.1 Rated current of the fuse-link.....	17
5.3.2 Rated current of the fuse-holder.....	17
5.3.3 Rated current of the gauge-piece.....	17
5.5 Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder.....	17
5.6 Limits of time-current characteristics.....	17
5.6.1 Time-current characteristics, time-current zones and overload curves.....	17
5.6.2 Conventional times and currents.....	17
5.6.3 Gates.....	18
5.7 Breaking range and breaking capacity.....	18
5.7.2 Rated breaking capacity.....	18
6 Markings.....	18
6.4 Marking of the gauge-pieces.....	18
7 Standard conditions for construction.....	19
7.1 Mechanical design.....	19
7.1.2 Connections including terminals.....	19
7.1.3 Fuse-contacts.....	19
7.1.4 Construction of a gauge-piece.....	19
7.1.6 Construction of a fuse-carrier.....	20
7.1.7 Construction of a fuse-link.....	20
7.1.8 Non-interchangeability.....	20
7.1.9 Construction of a fuse-base.....	21
7.2 Insulating properties and suitability for isolation.....	21
7.3 Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	22
7.7 $I^2t$ characteristics.....	22
7.7.1 Pre-arcing $I^2t$ values.....	22
7.7.2 Operating $I^2t$ values.....	23
7.8 Overcurrent discrimination of "gG" fuse-links.....	23
7.9 Protection against electric shock.....	23
8 Tests.....	24
8.1.4 Arrangement of the fuse and dimensions.....	24
8.2 Verification of the insulating properties and the suitability for isolation.....	25

8.2.1	Arrangement of the fuse-holder .....	25
8.2.6	Creepage distances, clearances and distances through sealing compound.....	25
8.3	Verification of temperature rise and power dissipation .....	25
8.3.1	Arrangement of the fuse .....	25
8.3.3	Measurement of the power dissipation of the fuse-link.....	26
8.3.5	Acceptability of test results.....	26
8.5.1	Arrangement of the fuse .....	27
8.5.2	Characteristics of the test circuit.....	27
8.5.5	Test method .....	27
8.5.8	Acceptability of test results.....	27
8.7.4	Verification of overcurrent discrimination .....	27
8.9	Verification of resistance to heat .....	28
8.9.1	Fuse-base .....	28
8.9.2	Fuse-carrier.....	29
8.10	Verification of non-deterioration of contacts.....	30
8.10.1	Arrangement of the fuse .....	30
8.10.2	Test method .....	30
8.10.3	Acceptability of test results.....	31
8.11	Mechanical and miscellaneous tests.....	31
8.11.1	Mechanical strength.....	31
Annex AA (informative) Special test for cable overload protection (for fuse system A).....		70
<b>Fuse system B – Cylindrical fuses (NF cylindrical fuse system).....</b>		<b>71</b>
1	General.....	71
1.1	Scope.....	71
2	Terms and definitions.....	71
3	Conditions for operation in service.....	71
4	Classification.....	72
5	Characteristics of fuses .....	72
5.2	Rated voltage .....	72
5.3.1	Rated current of the fuse-link.....	72
5.3.2	Rated current of the fuse-holder .....	72
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder .....	72
5.6.2	Conventional times and currents.....	72
5.6.3	Gates .....	73
5.7.2	Rated breaking capacity .....	73
6	Markings .....	73
7	Standard conditions for construction.....	73
7.1	Mechanical design.....	73
7.1.2	Connections including terminals .....	73
7.1.6	Construction of a fuse-carrier .....	74
7.1.7	Construction of a fuse-link .....	74
7.1.8	Non-interchangeability.....	74
7.1.9	Construction of a fuse-base.....	74
7.2	Insulating properties and suitability for isolation .....	75

7.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	76
7.7	$I^2t$ characteristics .....	76
7.7.1	Pre-arcing $I^2t$ values .....	76
7.7.2	Operating $I^2t$ values.....	76
7.8	Overcurrent discrimination of "gG" fuse-links.....	76
7.9	Protection against electric shock .....	76
8	Tests .....	77
8.1.6	Testing of fuse-holders .....	77
8.3.1	Arrangement of the fuse .....	77
8.3.3	Measurement of the power dissipation of the fuse-link.....	78
8.4	Verification of operation .....	79
8.4.1	Arrangement of the fuse .....	79
8.5	Verification of the breaking capacity.....	79
8.5.1	Arrangement of the fuse .....	79
8.5.5	Test method .....	80
8.5.8	Acceptability of test results.....	80
8.7.4	Verification of overcurrent discrimination .....	80
8.8	Verification of the degree of protection of enclosures .....	80
8.8.1	Verification of protection against electric shock .....	80
8.9	Verification of resistance to heat .....	80
8.10	Verification of non-deterioration of contacts.....	81
8.10.1	Arrangement of the fuse .....	81
8.10.2	Test method .....	81
8.10.3	Acceptability of test results.....	81
8.12	Verification of the reliability of terminals .....	85

**Fuse system C – Cylindrical fuses (BS cylindrical fuse system) ..... 94**

1	General .....	94
1.1	Scope.....	94
2	Terms and definitions .....	94
3	Conditions for operation in service.....	94
4	Classification.....	94
5	Characteristics of fuses .....	95
5.2	Rated Voltage .....	95
5.3	Rated current .....	95
5.3.1	Rated current of the fuse-link.....	95
5.3.2	Rated current of the fuse-holder .....	95
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder .....	95
5.6	Limits of time-current characteristics .....	95
5.6.1	Time-current characteristics, time-current curves and overload curves .....	95
5.6.2	Conventional times and currents.....	95
5.7	Breaking range and breaking capacity .....	95
5.7.2	Rated breaking capacity .....	95
6	Markings .....	96
7	Standard conditions for construction.....	96

7.1	Mechanical design.....	96
7.1.2	Connections including terminals .....	96
7.1.6	Construction of a fuse-carrier .....	96
7.1.7	Construction of a fuse-link .....	96
7.1.8	Non-interchangeability.....	96
7.1.9	Construction of a fuse-base.....	96
7.2	Insulating properties and suitability for isolation .....	96
7.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	97
7.7	$I^2t$ characteristics .....	97
7.9	Protection against electric shock .....	97
8	Tests .....	97
8.1	General .....	97
8.1.4	Arrangement of the fuse .....	97
8.3	Verification of temperature rise and power dissipation .....	97
8.3.1	Arrangement of the fuse .....	97
8.3.3	Measurement of the power dissipation of the fuse-link.....	97
8.4	Verification of operation .....	97
8.4.1	Arrangement of fuse .....	97
8.5	Verification of breaking capacity.....	97
8.5.1	Arrangement of the fuse .....	97
8.5.2	Characteristics of the test circuit.....	97
8.5.5	Test method .....	98
8.5.8	Acceptability of test results.....	98
8.10	Verification of non-deterioration of contacts.....	98
8.10.1	Arrangement of the fuse .....	98
8.10.2	Test method .....	98
8.10.3	Acceptability of test results.....	98

<b>Fuse system D – Cylindrical fuses (Italian cylindrical fuse system)</b> .....	<b>108</b>
<b>1 – General</b> .....	<b>108</b>
1.1 – Scope.....	108
<b>2 – Terms and definitions</b> .....	<b>108</b>
<b>3 – Conditions for operation in service</b> .....	<b>108</b>
<b>4 – Classification</b> .....	<b>108</b>
<b>5 – Characteristics of fuses</b> .....	<b>108</b>
5.3.1 – Rated current of the fuse-link.....	108
5.3.2 – Rated current of the fuse holder.....	109
5.5 – Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse holder .....	109
5.6 – Limits of time-current characteristics .....	110
5.6.1 – Time-current characteristics, time-current zones and overload curves .....	110
5.6.2 – Conventional times and currents.....	110
5.6.3 – Gates .....	110
5.7.2 – Rated breaking capacity.....	110
<b>6 – Markings</b> .....	<b>111</b>
<b>7 – Standard conditions for construction</b> .....	<b>111</b>
7.1 – Mechanical design.....	111

7.1.2	Connections including terminals	111
7.1.6	Construction of a fuse carrier	111
7.1.7	Construction of a fuse link	111
7.1.8	Non interchangeability	112
7.1.9	Construction of a fuse base	112
7.2	Insulating properties and suitability for isolation	112
7.3	Temperature rise, power dissipation of the fuse link and acceptable power dissipation of the fuse holder	113
7.7	$I^2t$ characteristics	113
7.7.1	Minimum pre-arcing $I^2t$ values at 0,01 s	113
7.7.2	Maximum operating $I^2t$ values at 0,01 s	114
7.9	Protection against electric shock	114
8	Tests	114
8.1.6	Testing of the fuse holder	114
8.3	Verification of temperature rise and power dissipation	115
8.3.1	Arrangement of the fuse	115
8.3.3	Measurement of the power dissipation of the fuse link	115
8.4	Verification of operation	116
8.4.1	Arrangement of the fuse	116
8.5	Verification of the breaking capacity	116
8.5.1	Arrangement of the fuse	116
8.5.5	Test method	116
8.5.8	Acceptability of test results	116
8.7.4	Verification of discrimination	116
8.9	Verification of resistance to heat	116
8.9.1	Test in heating cabinet	116
8.9.2	Ball pressure test	117
8.10	Verification of non-deterioration of contacts	117
8.10.1	Arrangement of the fuse	117
8.10.2	Test method	117
8.10.3	Acceptability of test results	118
8.11	Mechanical and miscellaneous tests	118

<b>Fuse system E – Pin-type fuses</b>	<b>128</b>	
1	General	128
1.1	Scope	128
2	Terms and definitions	128
2.3	Characteristic quantities	128
3	Conditions for operation in service	129
4	Classification	129
5	Characteristics of fuses	129
5.3.3	Rated current of the gauge piece	129
5.5	Rated power dissipation of the fuse link	129
5.6	Limits of time-current characteristics	129
5.6.2	Conventional times and currents	129
5.6.3	Gates	129
5.7.2	Rated breaking capacity	130
6	Markings	130



<del>6.1</del>	<del>Markings of fuse holders</del>	<del>130</del>
<del>6.2</del>	<del>Markings of fuse links</del>	<del>130</del>
<del>6.4</del>	<del>Markings of the gauge pieces</del>	<del>130</del>
<del>7</del>	<del>Standard conditions for construction</del>	<del>130</del>
<del>7.1.4</del>	<del>Construction of the gauge piece</del>	<del>130</del>
<del>7.1.6</del>	<del>Construction of a fuse carrier</del>	<del>130</del>
<del>7.1.7</del>	<del>Construction of a fuse link</del>	<del>131</del>
<del>7.1.8</del>	<del>Non interchangeability</del>	<del>131</del>
<del>7.1.9</del>	<del>Construction of a fuse base</del>	<del>131</del>
<del>7.3</del>	<del>Temperature rise, power dissipation of the fuse link and acceptable power dissipation of the fuse holder</del>	<del>131</del>
<del>7.9</del>	<del>Protection against electric shock</del>	<del>132</del>
<del>8</del>	<del>Tests</del>	<del>132</del>
<del>8.3</del>	<del>Verification of temperature rise and power dissipation</del>	<del>132</del>
<del>8.3.1</del>	<del>Arrangement of the fuse</del>	<del>132</del>
<del>8.3.3</del>	<del>Measurement of the power dissipation of the fuse link</del>	<del>132</del>
<del>8.3.4</del>	<del>Test method</del>	<del>133</del>
<del>8.5.5</del>	<del>Test method</del>	<del>134</del>
<del>8.10</del>	<del>Verification of non-deterioration of contacts</del>	<del>134</del>
<del>8.10.1</del>	<del>Arrangement of the fuse</del>	<del>134</del>
<del>8.10.2</del>	<del>Test method</del>	<del>134</del>
<del>8.10.3</del>	<del>Acceptability of test results</del>	<del>135</del>
	<b>Fuse system F – Cylindrical fuse-links for use in plugs (BS plugtop system)</b>	<b>141</b>
1	General	141
1.1	Scope	141
2	Terms and definitions	141
3	Conditions for operation in service	141
4	Classification	141
5	Characteristics of fuses	141
5.2	Rated voltage	141
5.3.1	Rated current of the fuse-link	142
5.3.2	Rated current of the fuse-holder	142
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	142
5.6.1	Time-current characteristics, time-current zones and overload curves	142
5.6.2	Conventional times and currents	142
5.6.3	Gates	142
5.7.2	Rated breaking capacity	142
6	Markings	142
7	Standard conditions for construction	143
7.1.7	Construction of a fuse-link	143
7.1.8	Non-interchangeability	143
7.2	Insulating properties and suitability for isolation	143
7.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder	143
7.7	$I^2t$ characteristics	143
7.7.1	Pre-arcing $I^2t$ values	143

7.9	Protection against electric shock .....	143
8	Tests .....	144
8.1.4	Arrangement of the fuse-link for tests .....	144
8.1.5	Testing of fuse-links .....	144
8.2.4	Acceptability of test results .....	145
8.3	Verification of temperature rise and power dissipation .....	146
8.3.1	Arrangement of the fuse .....	146
8.3.4	Test method .....	146
8.3.5	Acceptability of test results .....	146
8.4	Verification of operation .....	146
8.4.1	Arrangement of the fuse .....	146
8.5	Breaking-capacity tests .....	147
8.5.1	Arrangement of the fuse .....	147
8.5.2	Characteristics of the test circuit .....	147
8.5.4	Calibration of the test circuit .....	147
8.5.5	Test method .....	147
8.5.8	Acceptability of test results .....	147
8.7	Verification of $I^2t$ characteristics and overcurrent discrimination .....	148
8.7.3	Verification of compliance for fuse-links at 0,01 s .....	148
8.10	Verification of non-deterioration of contacts .....	148
8.11.1	Mechanical strength .....	148
Annex BB (informative) (for all fuse systems) – Alternative tests for tests No. 1 and No. 2 of Table 20 of IEC 60269-1 .....		154
Annex CC (informative) Recommendations for future designs of fuses (for all fuse systems) .....		156
Bibliography .....		157
IEC 60269-3:2010		
Figure 101	– Time-current zones for "gG" fuse-links .....	36
Figure 102	– Time-current zones for "gG" fuse-links .....	38
Figure 103	– Time-current zone for "gG" fuse-links 13 A and 32 A .....	40
Figure 104	– Dummy fuse-links according to 8.3 and 8.9.1.1 .....	41
Figure 105	– Test rigs for fuse-links .....	42
Figure 106	– Test rigs for fuse-links .....	43
Figure 107	– Test arrangement for fuse-bases according to 8.9.1.2 .....	44
Figure 108	– Example of a torque wrench according to 8.9.2 .....	45
Figure 109	– Measuring points for the voltage drop (B, C) or the temperature rise (A, D) .....	46
Figure 110	– Fuse-link, D-type. Sizes D01-D03 .....	47
Figure 111	– Fuse-link, D-type. Sizes DII-DIV .....	48
Figure 112	– Fuse-carrier, D-type. Sizes D01-D03 .....	50
Figure 113	– Fuse-carrier, D-type. Sizes DII-DIII .....	51
Figure 114	– Fuse-carrier, D-type. Size DIV .....	52
Figure 115	– Edison thread for D-type fuses; limit dimensions .....	53
Figure 116	– Gauges for Edison thread for D-type fuses for screwed shells of fuse-carrier go ring gauges .....	54
Figure 117	– Gauges for Edison thread, D-type fuses, go and not-go plug gauges for screwed shells of fuse-bases .....	55
Figure 118	– Fuse-base, D-type. Sizes D01-D03 .....	57

Figure 119 – Fuse-base, D-type. Sizes DII-DIV .....	58
Figure 120 – Fuse-base, D-type for push-in gauge pieces. Size DII-DIII.....	60
Figure 121 – Gauge-piece and hand-key, D-type. Sizes D01-D03 .....	62
Figure 122 – Gauge-piece and hand-key, D-type. Sizes DII-DIV .....	63
Figure 123 – Gauge-piece and hand-key, D-type push-in gauge rings. Size DII-DIII.....	65
Figure 124 – Whitworth thread W 3/16 for screw-in gauge rings and corresponding fuse-bases of sizes DII and DIII .....	67
Figure 125 – Gauges C 17 for concentricity of fuse-bases .....	68
<b>Figure 126 – Test dummies DII, DIII, D01, D02 and D03 for fuse-carrier test .....</b>	<b>69</b>
Figure 201 – Fuse-link .....	86
Figure 202 – Dummy fuse-link .....	87
Figure 203 – Test-rig and ferrules for the measurement of the voltage drop and the verification of operating characteristics of the cartridge.....	88
Figure 204 – Fuse-base, A-type and B-type .....	90
Figure 205 – Housing for verification of operation of the fuse-links with a test rig according to Figure 203 .....	91
Figure 206 – Test rig and ferrules for verification of breaking capacity .....	92
Figure 207 – Gauge for verification of the upholding of the cartridge in the fuse-carrier during withdrawal.....	93
Figure 301 – Details of cylindrical fuse-links .....	100
Figure 302 – Typical outline dimensions of carriers and bases for 230 V cylindrical fuse-links .....	101
Figure 303 – Typical carrier and base for 400 V cylindrical fuse-links .....	102
Figure 304 – Time-current zones for "gG" fuse-link .....	103
Figure 305 – Time-current zones for "gG" fuse-link .....	104
Figure 306 – Standard test rig for power-dissipation test.....	105
Figure 307 – Breaking-capacity test rig .....	106
<b>Figure 401 – Cylindrical fuse-link type C .....</b>	<b>122</b>
<b>Figure 402 – Fuse base .....</b>	<b>123</b>
<b>Figure 403 – Time-current zones .....</b>	<b>124</b>
<b>Figure 404 – Time-current zones .....</b>	<b>125</b>
<b>Figure 405 – Test rig .....</b>	<b>126</b>
<b>Figure 406 – Dummy fuse-link .....</b>	<b>127</b>
<b>Figure 407 – Housing for verification of operation of the fuse links .....</b>	<b>127</b>
<b>Figure 501 – Pin type fuses – Fuse links .....</b>	<b>137</b>
<b>Figure 502 – Pin type fuses – Fuse holder .....</b>	<b>138</b>
<b>Figure 503 – Pin type fuses – Gauge pieces 230 V .....</b>	<b>139</b>
<b>Figure 504 – Dummy fuse link for the temperature rise test .....</b>	<b>140</b>
Figure 601 – Dimensions for cylindrical fuse-links (primarily used in plugs) .....	149
Figure 602 – Time-current zones for "gG" fuse-links .....	150
Figure 603 – Test fuse-base .....	151
Figure 604 – Typical diagram of the circuit used for breaking-capacity tests .....	153
Figure BB.1 – Instant of making for Test No. 1.....	155
Table 101 – Maximum values of power dissipation.....	17

Table 102 – Conventional time and current for "gG" fuse-links .....	18
Table 103 – Gates for specified pre-arcing times of "gG" fuse-links with rated currents 2 A, 4 A, 6 A, 10 A, 13 A and 35 A .....	18
Table 104 – Cross-sections of rigid (solid or stranded) or flexible copper conductors .....	19
Table 105 – Creepage distances, clearances and distances through sealing compound .....	22
Table 106 – Temperature-rise limits for terminals .....	22
Table 107 – Pre-arcing $I^2t$ values at 0,01 s for "gG" fuse-links .....	23
Table 108 – $I^2t$ values for the discrimination with circuit breakers .....	23
Table 109 – Survey of tests on fuse-links .....	24
Table 110 – Survey of tests on fuse-bases, fuse-carriers and gauge-pieces .....	24
Table 111 – Test torque for verification of temperature rise and power dissipation .....	26
Table 112 – Test according to 8.5.5.1 .....	27
Table 113 – Test currents and $I^2t$ limits for the discrimination test .....	28
Table 114 – Power dissipation of a dummy fuse-link at rated and conventional fusing currents including tolerances .....	29
Table 115 – Test-torque for mechanical strength .....	32
Table 116 – Mechanical strength of screw-thread .....	33
Table 201 – Maximum values of rated power dissipation and values of rated acceptable power dissipation .....	72
Table 202 – Conventional times and currents for "gG" fuse-links .....	73
Table 203 – Gates for specified pre-arcing times of "gG" fuse-links with rated currents lower than 16 A .....	73
Table 204 – Minimum rated breaking capacities .....	73
Table 205 – Nominal section of copper conductors that the terminals shall accept .....	74
Table 206 – Creepage distances and clearances .....	75
Table 207 – Temperature rise limits for terminals .....	76
Table 208 – Pre-arcing $I^2t$ values at 0,01 s for "gG" fuse-links .....	76
Table 209 – Survey of tests on fuse-link .....	77
Table 210 – Survey of tests on fuse-holder and number of fuse-holders to be tested .....	77
Table 211 – Screw-thread diameters and applied torques .....	78
Table 212 – Values concerning the choice and the adjustment of the test base .....	79
Table 213 – Values for adjustment of the test base .....	79
Table 214 – Hammer and height of fall for test for verification of resistance to shocks .....	83
Table 215 – Torque to be applied to the fuse-carrier .....	84
Table 216 – Mechanical strength of screw-thread .....	84
Table 301 – Conventional time and current for "gG" fuse-links .....	95
Table 302 – Temperature-rise limits for terminals .....	97
Table 303 – Mechanical strength of screw-thread .....	99
<del>Table 401 – Fuse links: rated currents, sizes and colours of indicating devices (if any) .....</del>	<del>109</del>
<del>Table 402 – Rated currents of fuse holders .....</del>	<del>109</del>
<del>Table 403 – Maximum rated power dissipation of fuse-links .....</del>	<del>109</del>
<del>Table 404 – Rated acceptable power dissipation of fuse holder .....</del>	<del>110</del>
<del>Table 405 – Conventional times and currents for fuse links of <math>I_n &lt; 16</math> A .....</del>	<del>110</del>
<del>Table 406 – Gates for specified pre-arcing times of "gG" fuse-links with rated currents lower than 16 A .....</del>	<del>110</del>

<del>Table 407</del> — <del>Minimum rated breaking capacities</del> .....	111
<del>Table 408</del> — <del>Cross-sectional areas</del> .....	111
<del>Table 409</del> — <del>Creepage distances and clearances</del> .....	113
<del>Table 410</del> — <del>Temperature rise limits for terminals</del> .....	113
<del>Table 411</del> — <del>Minimum pre-arcing <math>I^2t</math> values at 0,01 s</del> .....	114
<del>Table 412</del> — <del>Maximum operating <math>I^2t</math> values at 0,01 s</del> .....	114
<del>Table 413</del> — <del>Survey of the complete tests on fuse holders and number of fuse holders to be tested</del> .....	115
<del>Table 414</del> — <del>Contact forces of the test rig</del> .....	115
<del>Table 415</del> — <del>Torque to be applied to the screw type fuse carrier</del> .....	116
<del>Table 416</del> — <del>Mechanical strength of screw thread</del> .....	118
<del>Table 501</del> — <del>Maximum values of rated power dissipation</del> .....	129
<del>Table 502</del> — <del>Conventional times and currents for fuse links of <math>I_n &lt; 16</math> A</del> .....	129
<del>Table 503</del> — <del>Gates for specified pre-arcing times of "gG" fuse links with rated currents lower than 16 A</del> .....	130
<del>Table 504</del> — <del>Temperature rise limits for terminals</del> .....	132
<del>Table 505</del> — <del>Torques</del> .....	132
<del>Table 506</del> — <del>Cross-sectional areas</del> .....	133
<del>Table 507</del> — <del>Power dissipation of the dummy fuse link</del> .....	133
<del>Table 508</del> — <del>Dummy fuse link</del> .....	134
<del>Table 509</del> — <del>Mechanical strength of screw thread</del> .....	136
Table 601 — Conventional times and conventional currents.....	142
Table 602 — Gates for specified pre-arcing times of "gG" fuse-links for use in plugs.....	142
Table 603 — Temperature-rise limits for terminals.....	143
Table 604 — Pre-arcing $I^2t$ values at 0,01 s for "gG" fuse-links.....	143
Table 605 — Survey of tests on fuse-links.....	145
Table 606 — Values for breaking-capacity tests.....	147
Table B.1 — Approximate values of prospective currents for breaking capacity test No. 2... 154	

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## LOW-VOLTAGE FUSES –

**Part 3: Supplementary requirements for fuses  
for use by unskilled persons  
(fuses mainly for household and similar applications) –  
Examples of standardized systems of fuses A to F**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This consolidated version of IEC 60269-3 consists of the fourth edition (2010) [documents 32B/553/FDIS and 32B/557/RVD], its amendment 1 (2013) [documents 32B/594/CDV and 32B/602A/RVC], its corrigendum 1 (2013) and its corrigendum 2 (2013). It bears the edition number 4.1.**

**The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience. A vertical line in the margin shows where the base publication has been modified by amendment 1. Additions and deletions are displayed in red, with deletions being struck through.**