

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Low-voltage fuses – Part 3: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household and similar applications) – Examples of standardized systems of fuses A to F**

**STANDARD PREVIEW**  
(standards.iteh.ai)  
IEC 60269-3:2010  
<https://standards.iteh.ai/catalog/standards/sist/672f5a48-fd18-4ddd-b6b4-3baea2327e4c/iec-60269-3-2010>

**Fusibles basse tension – Partie 3: Exigences supplémentaires pour les fusibles destinés à être utilisés par des personnes non qualifiées (fusibles pour usages essentiellement domestiques et analogues) – Exemples de systèmes de fusibles normalisés A à F**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tél.: +41 22 919 02 11  
Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Low-voltage fuses – Part 3: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household and similar applications) – Examples of standardized systems of fuses A to F**

<https://standards.iteh.ai/catalog/standards/sist/672f5a48-fd18-4ddd-b6b4-3baea2327e4c/iec-60269-3-2010>

**Fusibles basse tension – Partie 3: Exigences supplémentaires pour les fusibles destinés à être utilisés par des personnes non qualifiées (fusibles pour usages essentiellement domestiques et analogues) – Exemples de systèmes de fusibles normalisés A à F**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE **XG**  
CODE PRIX

ICS 29.120.50

ISBN 978-2-88910-088-0

## CONTENTS

FOREWORD.....	12
INTRODUCTION.....	14
1 General scope.....	15
1.2 Normative references .....	15
<b>Fuse system A – D type fuse system .....</b>	<b>16</b>
1 General.....	16
1.1 Scope.....	16
2 Terms and definitions .....	16
3 Conditions for operation in service.....	16
4 Classification.....	16
5 Characteristics of fuses .....	16
5.2 Rated voltage.....	16
5.3.1 Rated current of the fuse-link.....	17
5.3.2 Rated current of the fuse-holder .....	17
5.3.3 Rated current of the gauge-piece.....	17
5.5 Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder.....	17
5.6 Limits of time-current characteristics .....	17
5.6.1 Time-current characteristics, time-current zones and overload curves .....	17
5.6.2 Conventional times and currents.....	17
5.6.3 Gates.....	18
5.7 Breaking range and breaking capacity.....	18
5.7.2 Rated breaking capacity .....	18
6 Markings .....	18
6.4 Marking of the gauge-pieces .....	18
7 Standard conditions for construction.....	19
7.1 Mechanical design.....	19
7.1.2 Connections including terminals .....	19
7.1.3 Fuse-contacts.....	19
7.1.4 Construction of a gauge-piece .....	19
7.1.6 Construction of a fuse-carrier .....	20
7.1.7 Construction of a fuse-link.....	20
7.1.8 Non-interchangeability.....	20
7.1.9 Construction of a fuse-base.....	21
7.2 Insulating properties and suitability for isolation .....	21
7.3 Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	22
7.7 $I^2t$ characteristics .....	22
7.7.1 Pre-arcing $I^2t$ values.....	22
7.7.2 Operating $I^2t$ values.....	23
7.8 Overcurrent discrimination of "gG" fuse-links.....	23
7.9 Protection against electric shock .....	23
8 Tests.....	23
8.1.4 Arrangement of the fuse and dimensions .....	24
8.2 Verification of the insulating properties and the suitability for isolation .....	25

8.2.1	Arrangement of the fuse-holder .....	25
8.2.6	Creepage distances, clearances and distances through sealing compound.....	25
8.3	Verification of temperature rise and power dissipation .....	25
8.3.1	Arrangement of the fuse .....	25
8.3.3	Measurement of the power dissipation of the fuse-link.....	26
8.3.5	Acceptability of test results.....	26
8.5.1	Arrangement of the fuse .....	27
8.5.2	Characteristics of the test circuit.....	27
8.5.5	Test method .....	27
8.5.8	Acceptability of test results.....	27
8.7.4	Verification of overcurrent discrimination .....	27
8.9	Verification of resistance to heat .....	28
8.9.1	Fuse-base .....	28
8.9.2	Fuse-carrier.....	29
8.10	Verification of non-deterioration of contacts.....	30
8.10.1	Arrangement of the fuse .....	30
8.10.2	Test method .....	30
8.10.3	Acceptability of test results.....	31
8.11	Mechanical and miscellaneous tests.....	31
8.11.1	Mechanical strength .....	31
Annex AA (informative)	Special test for cable overload protection (for fuse system A).....	66
<b>ITEH STANDARD PREVIEW</b> (standards.iteh.ai)		
<b>Fuse system B – Cylindrical fuses (NF cylindrical fuse system)</b> .....		67
1	General .....	67
1.1	Scope.....	67
2	Terms and definitions .....	67
3	Conditions for operation in service.....	67
4	Classification.....	68
5	Characteristics of fuses .....	68
5.2	Rated voltage .....	68
5.3.1	Rated current of the fuse-link.....	68
5.3.2	Rated current of the fuse-holder .....	68
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder .....	68
5.6.2	Conventional times and currents.....	68
5.6.3	Gates .....	69
5.7.2	Rated breaking capacity .....	69
6	Markings .....	69
7	Standard conditions for construction.....	69
7.1	Mechanical design.....	69
7.1.2	Connections including terminals .....	69
7.1.6	Construction of a fuse-carrier .....	70
7.1.7	Construction of a fuse-link .....	70
7.1.8	Non-interchangeability.....	70
7.1.9	Construction of a fuse-base .....	70
7.2	Insulating properties and suitability for isolation .....	71

7.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	72
7.7	$I^2t$ characteristics .....	72
7.7.1	Pre-arcing $I^2t$ values .....	72
7.7.2	Operating $I^2t$ values.....	72
7.8	Overcurrent discrimination of "gG" fuse-links.....	72
7.9	Protection against electric shock .....	72
8	Tests.....	73
8.1.6	Testing of fuse-holders .....	73
8.3.1	Arrangement of the fuse .....	73
8.3.3	Measurement of the power dissipation of the fuse-link.....	74
8.4	Verification of operation .....	75
8.4.1	Arrangement of the fuse .....	75
8.5	Verification of the breaking capacity.....	75
8.5.1	Arrangement of the fuse .....	75
8.5.5	Test method .....	76
8.5.8	Acceptability of test results.....	76
8.7.4	Verification of overcurrent discrimination .....	76
8.8	Verification of the degree of protection of enclosures .....	76
8.8.1	Verification of protection against electric shock .....	76
8.9	Verification of resistance to heat .....	76
8.10	Verification of non-deterioration of contacts.....	77
8.10.1	Arrangement of the fuse .....	77
8.10.2	Test method .....	77
8.10.3	Acceptability of test results.....	77
8.12	Verification of the reliability of terminals.....	81
<b>Fuse system C – Cylindrical fuses (BS cylindrical fuse system) .....</b>		<b>90</b>
1	General .....	90
1.1	Scope.....	90
2	Terms and definitions .....	90
3	Conditions for operation in service.....	90
4	Classification.....	90
5	Characteristics of fuses .....	91
5.2	Rated Voltage .....	91
5.3	Rated current .....	91
5.3.1	Rated current of the fuse-link.....	91
5.3.2	Rated current of the fuse-holder .....	91
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder .....	91
5.6	Limits of time-current characteristics .....	91
5.6.1	Time-current characteristics, time-current curves and overload curves .....	91
5.6.2	Conventional times and currents.....	91
5.7	Breaking range and breaking capacity.....	91
5.7.2	Rated breaking capacity .....	91
6	Markings .....	92
7	Standard conditions for construction.....	92

7.1	Mechanical design.....	92
7.1.2	Connections including terminals .....	92
7.1.6	Construction of a fuse-carrier .....	92
7.1.7	Construction of a fuse-link.....	92
7.1.8	Non-interchangeability.....	92
7.1.9	Construction of a fuse-base.....	92
7.2	Insulating properties and suitability for isolation .....	92
7.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	93
7.7	$I^2t$ characteristics .....	93
7.9	Protection against electric shock .....	93
8	Tests.....	93
8.1	General.....	93
8.1.4	Arrangement of the fuse .....	93
8.3	Verification of temperature rise and power dissipation .....	93
8.3.1	Arrangement of the fuse .....	93
8.3.3	Measurement of the power dissipation of the fuse-link.....	93
8.4	Verification of operation .....	93
8.4.1	Arrangement of fuse .....	93
8.5	Verification of breaking capacity.....	93
8.5.1	Arrangement of the fuse .....	93
8.5.2	Characteristics of the test circuit.....	93
8.5.5	Test method .....	94
8.5.8	Acceptability of test results.....	94
8.10	Verification of non-deterioration of contacts.....	94
8.10.1	Arrangement of the fuse .....	94
8.10.2	Test method .....	94
8.10.3	Acceptability of test results.....	94
	<b>Fuse system D – Cylindrical fuses (Italian cylindrical fuse system).....</b>	<b>104</b>
1	General.....	104
1.1	Scope.....	104
2	Terms and definitions .....	104
3	Conditions for operation in service.....	104
4	Classification.....	104
5	Characteristics of fuses .....	104
5.3.1	Rated current of the fuse-link.....	104
5.3.2	Rated current of the fuse-holder .....	105
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder .....	105
5.6	Limits of time-current characteristics .....	106
5.6.1	Time-current characteristics, time-current zones and overload curves .....	106
5.6.2	Conventional times and currents.....	106
5.6.3	Gates .....	106
5.7.2	Rated breaking capacity .....	106
6	Markings .....	107
7	Standard conditions for construction.....	107
7.1	Mechanical design.....	107

7.1.2	Connections including terminals .....	107
7.1.6	Construction of a fuse-carrier .....	107
7.1.7	Construction of a fuse-link .....	107
7.1.8	Non-interchangeability .....	108
7.1.9	Construction of a fuse-base .....	108
7.2	Insulating properties and suitability for isolation .....	108
7.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	109
7.7	$I^2t$ characteristics .....	109
7.7.1	Minimum pre-arcing $I^2t$ values at 0,01 s .....	109
7.7.2	Maximum operating $I^2t$ values at 0,01 s .....	110
7.9	Protection against electric shock .....	110
8	Tests .....	110
8.1.6	Testing of the fuse-holder .....	110
8.3	Verification of temperature rise and power dissipation .....	111
8.3.1	Arrangement of the fuse .....	111
8.3.3	Measurement of the power dissipation of the fuse-link .....	111
8.4	Verification of operation .....	112
8.4.1	Arrangement of the fuse .....	112
8.5	Verification of the breaking capacity .....	112
8.5.1	Arrangement of the fuse .....	112
8.5.5	Test method .....	112
8.5.8	Acceptability of test results .....	112
8.7.4	Verification of discrimination .....	112
8.9	Verification of resistance to heat .....	112
8.9.1	Test in heating cabinet .....	112
8.9.2	Ball-pressure test .....	113
8.10	Verification of non-deterioration of contacts .....	113
8.10.1	Arrangement of the fuse .....	113
8.10.2	Test method .....	113
8.10.3	Acceptability of test results .....	114
8.11	Mechanical and miscellaneous tests .....	114
	<b>Fuse system E – Pin-type fuses .....</b>	<b>124</b>
1	General .....	124
1.1	Scope .....	124
2	Terms and definitions .....	124
2.3	Characteristic quantities .....	124
3	Conditions for operation in service .....	125
4	Classification .....	125
5	Characteristics of fuses .....	125
5.3.3	Rated current of the gauge-piece .....	125
5.5	Rated power dissipation of the fuse-link .....	125
5.6	Limits of time-current characteristics .....	125
5.6.2	Conventional times and currents .....	125
5.6.3	Gates .....	125
5.7.2	Rated breaking capacity .....	126
6	Markings .....	126



6.1	Markings of fuse-holders .....	126
6.2	Markings of fuse-links.....	126
6.4	Markings of the gauge-pieces.....	126
7	Standard conditions for construction.....	126
7.1.4	Construction of the gauge-piece .....	126
7.1.6	Construction of a fuse-carrier .....	126
7.1.7	Construction of a fuse-link .....	127
7.1.8	Non-interchangeability.....	127
7.1.9	Construction of a fuse-base .....	127
7.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	127
7.9	Protection against electric shock .....	128
8	Tests .....	128
8.3	Verification of temperature rise and power dissipation .....	128
8.3.1	Arrangement of the fuse .....	128
8.3.3	Measurement of the power dissipation of the fuse-link.....	128
8.3.4	Test method .....	129
8.5.5	Test method .....	130
8.10	Verification of non-deterioration of contacts.....	130
8.10.1	Arrangement of the fuse .....	130
8.10.2	Test method .....	130
8.10.3	Acceptability of test results.....	131
<b>STANDARD PREVIEW</b> (standards.iteh.ai)		
<b>Fuse system F – Cylindrical fuse-links for use in plugs (BS plugtop system) .....</b>		<b>137</b>
1	General .....	137
1.1	Scope.....	137
2	Terms and definitions .....	137
3	Conditions for operation in service.....	137
4	Classification.....	137
5	Characteristics of fuses .....	137
5.2	Rated voltage .....	137
5.3.1	Rated current of the fuse-link.....	138
5.3.2	Rated current of the fuse-holder .....	138
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder .....	138
5.6.1	Time-current characteristics, time-current zones and overload curves .....	138
5.6.2	Conventional times and currents.....	138
5.6.3	Gates .....	138
5.7.2	Rated breaking capacity .....	138
6	Markings .....	138
7	Standard conditions for construction.....	139
7.1.7	Construction of a fuse-link .....	139
7.1.8	Non-interchangeability.....	139
7.2	Insulating properties and suitability for isolation .....	139
7.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of the fuse-holder.....	139
7.7	$I^2t$ characteristics .....	139
7.7.1	Pre-arcing $I^2t$ values .....	139

7.9	Protection against electric shock .....	139
8	Tests .....	140
8.1.4	Arrangement of the fuse-link for tests .....	140
8.1.5	Testing of fuse-links .....	140
8.2.4	Acceptability of test results .....	141
8.3	Verification of temperature rise and power dissipation .....	142
8.3.1	Arrangement of the fuse .....	142
8.3.4	Test method .....	142
8.3.5	Acceptability of test results .....	142
8.4	Verification of operation .....	142
8.4.1	Arrangement of the fuse .....	142
8.5	Breaking-capacity tests .....	143
8.5.1	Arrangement of the fuse .....	143
8.5.2	Characteristics of the test circuit .....	143
8.5.4	Calibration of the test circuit .....	143
8.5.5	Test method .....	143
8.5.8	Acceptability of test results .....	143
8.7	Verification of $I^2t$ characteristics and overcurrent discrimination .....	144
8.7.3	Verification of compliance for fuse-links at 0,01 s .....	144
8.10	Verification of non-deterioration of contacts .....	144
8.11.1	Mechanical strength .....	144
Annex BB (informative) (for all fuse systems) – Alternative tests for tests No. 1 and No. 2 of Table 20 of IEC 60269-1 .....		150
Annex CC (informative) Recommendations for future designs of fuses (for all fuse systems) .....		152
Bibliography .....		153
Figure 101 – Time-current zones for "gG" fuse-links .....		35
Figure 102 – Time-current zones for "gG" fuse-links .....		36
Figure 103 – Time-current zone for "gG" fuse-links 13 A .....		37
Figure 104 – Dummy fuse-links according to 8.3 and 8.9.1.1 .....		38
Figure 105 – Test rigs for fuse-links .....		39
Figure 106 – Test rigs for fuse-links .....		40
Figure 107 – Test arrangement for fuse-bases according to 8.9.1.2 .....		41
Figure 108 – Example of a torque wrench according to 8.9.2 .....		42
Figure 109 – Measuring points for the voltage drop (B, C) or the temperature rise (A, D) .....		43
Figure 110 – Fuse-link, D-type. Sizes D01-D03 .....		44
Figure 111 – Fuse-link, D-type. Sizes DII-DIV .....		45
Figure 112 – Fuse-carrier, D-type. Sizes D01-D03 .....		47
Figure 113 – Fuse-carrier, D-type. Sizes DII-DIII .....		48
Figure 114 – Fuse-carrier, D-type. Size DIV .....		49
Figure 115 – Edison thread for D-type fuses; limit dimensions .....		50
Figure 116 – Gauges for Edison thread for D-type fuses for screwed shells of fuse-carrier go ring gauges .....		51
Figure 117 – Gauges for Edison thread, D-type fuses, go and not-go plug gauges for screwed shells of fuse-bases .....		52
Figure 118 – Fuse-base, D-type. Sizes D01-D03 .....		54

Figure 119 – Fuse-base, D-type. Sizes DII-DIV .....	55
Figure 120 – Fuse-base, D-type for push-in gauge pieces. Size DII-DIII.....	57
Figure 121 – Gauge-piece and hand-key, D-type. Sizes D01-D03 .....	59
Figure 122 – Gauge-piece and hand-key, D-type. Sizes DII-DIV .....	60
Figure 123 – Gauge-piece and hand-key, D-type push-in gauge rings. Size DII-DIII.....	62
Figure 124 – Whitworth thread W 3/16 for screw-in gauge rings and corresponding fuse-bases of sizes DII and DIII .....	64
Figure 125 – Gauges C 17 for concentricity of fuse-bases .....	65
Figure 201 – Fuse-link .....	82
Figure 202 – Dummy fuse-link .....	83
Figure 203 – Test-rig and ferrules for the measurement of the voltage drop and the verification of operating characteristics of the cartridge.....	84
Figure 204 – Fuse-base, A-type and B-type .....	86
Figure 205 – Housing for verification of operation of the fuse-links with a test rig according to Figure 203 .....	87
Figure 206 – Test rig and ferrules for verification of breaking capacity.....	88
Figure 207 – Gauge for verification of the upholding of the cartridge in the fuse-carrier during withdrawal.....	89
Figure 301 – Details of cylindrical fuse-links .....	96
Figure 302 – Typical outline dimensions of carriers and bases for 230 V cylindrical fuse-links .....	97
Figure 303 – Typical carrier and base for 400 V cylindrical fuse-links .....	98
Figure 304 – Time-current zones for "gG" fuse-link .....	99
Figure 305 – Time-current zones for "gG" fuse-link .....	100
Figure 306 – Standard test rig for power-dissipation test.....	101
Figure 307 – Breaking-capacity test rig.....	102
Figure 401 – Cylindrical fuse-link type C.....	118
Figure 402 – Fuse-base .....	119
Figure 403 – Time-current zones .....	120
Figure 404 – Time-current zones .....	121
Figure 405 – Test rig.....	122
Figure 406 – Dummy fuse-link .....	123
Figure 407 – Housing for verification of operation of the fuse-links .....	123
Figure 501 – Pin-type fuses – Fuse-links .....	133
Figure 502 – Pin-type fuses – Fuse-holder.....	134
Figure 503 – Pin-type fuses – Gauge-pieces 230 V.....	135
Figure 504 – Dummy fuse-link for the temperature-rise test .....	136
Figure 601 – Dimensions for cylindrical fuse-links (primarily used in plugs) .....	145
Figure 602 – Time-current zones for "gG" fuse-links .....	146
Figure 603 – Test fuse-base .....	147
Figure 604 – Typical diagram of the circuit used for breaking-capacity tests .....	149
Figure BB.1 – Instant of making for Test No. 1.....	151
Table 101 – Maximum values of power dissipation.....	17
Table 102 – Conventional time and current for "gG" fuse-links .....	18

Table 103 – Gates for specified pre-arcing times of "gG" fuse-links with rated currents 2 A, 4 A, 6 A, 10 A, 13 A and 35 A .....	18
Table 104 – Cross-sections of rigid (solid or stranded) or flexible copper conductors .....	19
Table 105 – Creepage distances, clearances and distances through sealing compound .....	22
Table 106 – Temperature-rise limits for terminals .....	22
Table 107 – Pre-arcing $I^2t$ values at 0,01 s for "gG" fuse-links .....	23
Table 108 – $I^2t$ values for the discrimination with circuit breakers .....	23
Table 109 – Survey of tests on fuse-links .....	24
Table 110 – Survey of tests on fuse-bases, fuse-carriers and gauge-pieces .....	24
Table 111 – Test torque for verification of temperature rise and power dissipation .....	26
Table 112 – Test according to 8.5.5.1 .....	27
Table 113 – Test currents and $I^2t$ limits for the discrimination test .....	28
Table 114 – Power dissipation of a dummy fuse-link at rated and conventional fusing currents including tolerances .....	29
Table 115 – Test-torque for mechanical strength .....	32
Table 116 – Mechanical strength of screw-thread .....	33
Table 201 – Maximum values of rated power dissipation and values of rated acceptable power dissipation .....	68
Table 202 – Conventional times and currents for "gG" fuse-links .....	69
Table 203 – Gates for specified pre-arcing times of "gG" fuse-links with rated currents lower than 16 A .....	69
Table 204 – Minimum rated breaking capacities .....	69
Table 205 – Nominal section of copper conductors that the terminals shall accept .....	70
Table 206 – Creepage distances and clearances .....	71
Table 207 – Temperature rise limits for terminals .....	72
Table 208 – Pre-arcing $I^2t$ values at 0,01 s for "gG" fuse-links .....	72
Table 209 – Survey of tests on fuse-link .....	73
Table 210 – Survey of tests on fuse-holder and number of fuse-holders to be tested .....	73
Table 211 – Screw-thread diameters and applied torques .....	74
Table 212 – Values concerning the choice and the adjustment of the test base .....	75
Table 213 – Values for adjustment of the test base .....	75
Table 214 – Hammer and height of fall for test for verification of resistance to shocks .....	79
Table 215 – Torque to be applied to the fuse-carrier .....	80
Table 216 – Mechanical strength of screw-thread .....	80
Table 301 – Conventional time and current for "gG" fuse-links .....	91
Table 302 – Temperature-rise limits for terminals .....	93
Table 303 – Mechanical strength of screw-thread .....	95
Table 401 – Fuse-links: rated currents, sizes and colours of indicating devices (if any) .....	105
Table 402 – Rated currents of fuse-holders .....	105
Table 403 – Maximum rated power dissipation of fuse-links .....	105
Table 404 – Rated acceptable power dissipation of fuse-holder .....	106
Table 405 – Conventional times and currents for fuse-links of $I_n < 16$ A .....	106
Table 406 – Gates for specified pre-arcing times of "gG" fuse-links with rated currents lower than 16 A .....	106
Table 407 – Minimum rated breaking capacities .....	107

Table 408 – Cross-sectional areas .....	107
Table 409 – Creepage distances and clearances .....	109
Table 410 – Temperature-rise limits for terminals .....	109
Table 411 – Minimum pre-arcing $I^2t$ values at 0,01 s .....	110
Table 412 – Maximum operating $I^2t$ values at 0,01 s .....	110
Table 413 – Survey of the complete tests on fuse-holders and number of fuse-holders to be tested .....	111
Table 414 – Contact forces of the test rig .....	111
Table 415 – Torque to be applied to the screw-type fuse-carrier .....	112
Table 416 – Mechanical strength of screw-thread .....	114
Table 501 – Maximum values of rated power dissipation .....	125
Table 502 – Conventional times and currents for fuse-links of $I_n < 16$ A .....	125
Table 503 – Gates for specified pre-arcing times of "gG" fuse-links with rated currents lower than 16 A .....	126
Table 504 – Temperature-rise limits for terminals .....	128
Table 505 – Torques .....	128
Table 506 – Cross-sectional areas .....	129
Table 507 – Power dissipation of the dummy fuse-link .....	129
Table 508 – Dummy fuse-link .....	130
Table 509 – Mechanical strength of screw-thread .....	132
Table 601 – Conventional times and conventional currents .....	138
Table 602 – Gates for specified pre-arcing times of "gG" fuse-links for use in plugs .....	138
Table 603 – Temperature-rise limits for terminals .....	139
Table 604 – Pre-arcing $I^2t$ values at 0,01 s for "gG" fuse-links .....	139
Table 605 – Survey of tests on fuse-links .....	141
Table 606 – Values for breaking-capacity tests .....	143
Table B.1 – Approximate values of prospective currents for breaking capacity test No. 2 ...	150

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## LOW-VOLTAGE FUSES –

**Part 3: Supplementary requirements for fuses  
for use by unskilled persons  
(fuses mainly for household and similar applications) –  
Examples of standardized systems of fuses A to F**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60269-3 has been prepared by subcommittee 32B: Low-voltage fuses, of IEC technical committee 32: Fuses.

This fourth edition of IEC 60269-3 cancels and replaces the third edition published in 2006 and constitutes a minor revision.

This part is to be used in conjunction with IEC 60269-1:2006, *Low-voltage fuses – Part 1: General requirements* and its Amendment 1 (2009).

This Part 3 supplements or modifies the corresponding clauses or subclauses of Part 1.

Where no change is necessary, this Part 3 indicates that the relevant clause or subclause applies.

Tables and figures which are additional to those in Part 1 are numbered starting from 101. Additional annexes are numbered AA, BB, etc.

The text of this standard is based on the third edition and the following documents:

FDIS	Report on voting
32B/553/FDIS	32B/557/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 60269 consists of the following parts, under the general title *Low-voltage fuses*:

**Part 1: General requirements**

NOTE This part includes IEC 60269-1 (third edition, 1998) and parts of IEC 60269-2 (second edition, 1986) and IEC 60269-3 (second edition, 1987).

**Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to J**

NOTE This part includes parts of IEC 60269-2 (second edition, 1986) and all of IEC 60269-2-1 (fourth edition, 2004).

**Part 3: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household or similar application) – Examples of standardized systems of fuses A to F**

NOTE This edition of IEC 60269-3 is based on edition 3. Edition 3 was a result of a restructuring of the IEC 60269 series of standards in 2006. Edition 3 included parts of IEC 60269-3 (second edition, 1987) and all of IEC 60269-3-1 (second edition, 2004).

**Part 4: Supplementary requirements for fuse-links for the protection of semiconductor devices**

NOTE This part includes IEC 60269-4 (third edition, 1986) and IEC 60269-4-1 (first edition, 2002).

**Part 5: Guidance for the application of low-voltage fuses**

NOTE Currently IEC/TR 61818 (2003).

A list of all parts of the IEC 60269 series, under the general title: Low-voltage fuses, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.