

## SLOVENSKI STANDARD SIST EN 62317-8:2007

01-september-2007

BUXca Yý U. SIST EN 62358:2005

**Feritna jedra – Mere – 8. del: E-jedra (IEC 62317-8:2006)** 

Ferrite cores - Dimensions -- Part 8: E-cores (IEC 62317-8:2006)

Ferritkerne - Maße - Teil 8: E-Kerne (IEC 62317-8:2006)

Noyaux ferrites - Dimensions -- Partie 8: Noyaux E (IEC 62317-8:2006) (standards.iteh.ai)

Ta slovenski standard je istoveten ZSTEN EN 62317-8:2006

https://standards.iteh.ai/catalog/standards/sist/7357e953-7069-4e65-8c04-

fla4350fbced/sist en 62317 8 2007

ICS:

29.100.10 Magnetne komponente Magnetic components

SIST EN 62317-8:2007 en,de

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62317-8:2007

https://standards.iteh.ai/catalog/standards/sist/7357e953-7069-4e65-8c04-fla4350fbced/sist-en-62317-8-2007

### **EUROPEAN STANDARD**

### EN 62317-8

## NORME EUROPÉENNE EUROPÄISCHE NORM

November 2006

ICS 29.100.10

Partly supersedes EN 62358:2004

**English version** 

Ferrite cores -Dimensions Part 8: E-cores (IEC 62317-8:2006)

Noyaux ferrites -Dimensions Partie 8: Noyaux E (CEI 62317-8:2006) Ferritkerne -Maße Teil 8: E-Kerne (IEC 62317-8:2006)

### iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2006-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in two official versions (English and German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

### **Foreword**

The text of document 51/864/FDIS, future edition 1 of IEC 62317-8, prepared by IEC TC 51, Magnetic components and ferrite materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62317-8 on 2006-10-01.

This standard replaces Table A.1 and Table B.1 of EN 62358:2004. New rectangular centre leg E-cores, which have been developed in the industry, were introduced in EN 62358, and are in widespread use. This standard has been revised to specify dimensions and effective parameters for these newer rectangular centre leg E-cores.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2007-07-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2009-10-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62317-8:2006 was approved by CENELEC as a European Standard without any modification. (standards.iteh.ai)

<u>SIST EN 62317-8:2007</u> https://standards.iteh.ai/catalog/standards/sist/7357e953-7069-4e65-8c04-fla4350fbced/sist-en-62317-8-2007

## Annex ZA

(normative)

## Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60205	2006	Calculation of the effective parameters of magnetic piece parts	EN 60205	2006

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62317-8:2007</u> https://standards.iteh.ai/catalog/standards/sist/7357e953-7069-4e65-8c04-fla4350fbced/sist-en-62317-8-2007

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62317-8:2007

https://standards.iteh.ai/catalog/standards/sist/7357e953-7069-4e65-8c04-fla4350fbced/sist-en-62317-8-2007

# INTERNATIONAL STANDARD

IEC 62317-8

First edition 2006-08

Ferrite cores - Dimensions -

Part 8: E-cores

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62317-8:2007</u> https://standards.iteh.ai/catalog/standards/sist/7357e953-7069-4e65-8c04-fla4350fbced/sist-en-62317-8-2007

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE

Р

## CONTENTS

FC	OREWORD	3
1	Scope	5
2		
3		
	3.1 Dimensions of E-cores with rectangular cross-section	
	3.2 Dimensional limits for coil formers	
An	nnex A (normative) Derived standards	12
An	nnex B (normative) An example of a gauge to check the dimensions of E-core	es
Fiç	igure 1 – Dimensions of E-cores with rectangular cross-section	6
Fig	igure 2 – Main dimensions of coil formers	10
Fig	igure B.1 – Gauge dimensions	13
Та	able 1 – Dimensions of E-cores with rectangular cross-sectionE.W	6
Та	able 2 – Effective parameter and Amin values decide and in the control of the con	8
Та	able 2 – Effective parameter and Ann values isiteh.ai) able 3 – Main dimensions of coil formers	10
	able B.1 – Gauge dimensionsSIST.EN 62317-8:2007	

fla4350fbced/sist-en-62317-8-2007

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### FERRITE CORES - DIMENSIONS -

Part 8: E-cores

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards. Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
  consensus of opinion on the relevant subjects since each technical committee has representation from all
  interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication 57e953-7069-4e65-8c04-
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62317-8 has been prepared IEC technical committee 51: Magnetic components and ferrite materials.

This standard cancels and replaces IEC 61246 published in 1994, its amendment 1 (2002) and replaces Table A.1 and Table B.1 of IEC 62358:2004. New rectangular centre leg E-cores, which have been developed in the industry, were introduced in IEC 62358, and are in widespread use. This standard has been revised to specify dimensions and effective parameters for these newer rectangular centre leg E-cores.

The text of this standard is based on the following documents:

FDIS	Report on voting
51/864/FDIS	51/872/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62317 consists of the following parts, under the general title Ferrite cores – Dimensions:

- Part 1: General specification (under consideration)
- Part 2: Pot cores (under consideration, currently available as IEC 60133: Dimensions of pot-cores made of magnetic oxides and associated parts)
- Part 3: Half pot cores (under consideration, currently available as IEC 62323: Dimensions of half pot-cores made of ferrite for inductive proximity switches)
- Part 4: RM-cores and associated parts
- Part 5: EP-cores (under consideration, currently available as IEC 61596: Magnetic oxide EP-cores and associated parts for use in inductors and transformers Dimensions)
- Part 6: ETD-cores (under consideration, currently available as IEC 61185: Ferrite cores (ETD-cores) intended for use in power supply applications Dimensions)
- Part 7: EER-cores
- Part 8: E-cores
- Part 9: Planar cores
- Part 10: PM-cores (under consideration, currently available as IEC 61247: PM-cores made of magnetic oxides and associated parts Dimensions)
- Part 11: EC-cores (under consideration, currently available as IEC 60647: Dimensions for magnetic oxide cores intended for use in power supplies (EC-cores))
- Part 12: Uncoated ring cores (under consideration, currently available as IEC TR 61604: Dimensions of uncoated ring cores of magnetic oxides)
- Part 13: PQ-cores (under consideration)

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

### FERRITE CORES - DIMENSIONS -

Part 8: E-cores

### Scope

This part of IEC 62317 specifies the dimensions that are of importance for mechanical interchangeability for E-cores with rectangular cross-section made of ferrite, the dimensions of coil formers to be used with them, and the effective parameter values to be used in calculations involving them.

The selecting core sizes to this standard is based on the philosophy of including those sizes, which are industrial standards, either by inclusion in national standards, or by broad-based use in industry. See IEC 62317-1 for more detail concerning the philosophy of selecting core sizes to be included.

NOTE Cores covered by this standard are intended for general applications at both low and high flux densities, but they also find uses in special applications such as pulse transformers. They are generally used in pairs.

Whilst the main application of this standard is expected to be for ferrite cores, its validity for iron powder cores should not be overlooked.

Coil formers are not specified for E-cores smaller than E 8/2, which are also used in SMD assemblies.

The use of "derived" standards, which give a more detailed specification of component parts whilst still permitting compliance with this standard, is discussed in Annex A.

### SIST EN 62317-8:2007 Normative references https://standards.iteh.ai/catalog/standards/sist/7357e953-7069-4e65-8c04-

fla4350fbced/sist-en-62317-8-2007
The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60205:2006, Calculation of the effective parameters of magnetic piece parts

### **Primary standards**

Compliance with the following requirements ensures mechanical interchangeability of complete assemblies and coil formers.

#### 3.1 Dimensions of E-cores with rectangular cross-section

#### 3.1.1 Main dimensions

The main dimensions of E-cores with rectangular cross-section shall be as given in Table 1.

NOTE The dimensions of the cores may be checked by means of gauges, an example of which is given in Annex B. In order to facilitate production it may be necessary to use gauges having dimensions differing from those given in Annex B, although no relaxation of the requirements for the dimensions of the cores given in Table 1 is thereby permitted.

#### 3.1.2 Effective parameter and $A_{min}$ values

The effective parameter and  $A_{\min}$  values of a pair of cores whose dimensions comply with 3.1.1 shall be as given in Table 2 (see IEC 60205, for the definitions of these parameters and their calculation; and 2.2 of IEC 60205, for the definition of  $A_{\min}$ ).