

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fuel cell technologies –
Part 5-1: Portable fuel cell power systems – Safety**

**Technologies des piles à combustible –
Partie 5-1: Systèmes à piles à combustible portables – Sécurité**

<https://standards.iteh.ai/catalog/standards/sist/45afb5b-b40d-407b-ae4e-64e86e65101d/iec-62282-5-1-2012>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 62282-5-1

Edition 2.0 2012-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fuel cell technologies –
Part 5-1: Portable fuel cell power systems – Safety**

**Technologies des piles à combustible –
Partie 5-1: Systèmes à piles à combustible portables – Sécurité**

<https://standards.iteh.ai/catalog/standards/sist/45afb5b-b40d-407b-ae4e-64e86e65101d/iec-62282-5-1-2012>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.070

ISBN 978-2-8322-5057-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	8
3 Terms and definitions	11
4 Design and construction requirements.....	16
4.1 Physical environment and operating conditions	16
4.2 Material compatibility.....	16
4.3 Protection against mechanical hazards.....	17
4.4 Protection against toxicity of fuels and fuel feedstocks	18
4.5 Protection against explosion hazards	18
4.6 Protection against electric shock	19
4.7 Selection of electrical components and equipment	21
4.8 Protection against fire hazard.....	24
4.9 Protection against temperature hazards	26
4.10 Protection against electromagnetic disturbances	26
4.11 Hazard and risk assessment.....	27
4.12 Safety control circuits	27
4.13 Protection against oxygen depletion	27
4.14 Emission of effluents	28
4.15 Fuel supply.....	28
4.16 Fuel processing systems	29
4.17 Enclosures	29
4.18 Battery supplies.....	29
4.19 Pressure vessels and piping	30
4.20 Hoses.....	31
4.21 Automatic shut-off valves	31
4.22 Regulators.....	31
4.23 Process control equipment	32
4.24 Filters.....	32
4.25 Motors.....	32
4.26 Fuel pumps	32
5 Instructions.....	32
5.1 Operation and maintenance manual	32
5.2 User's information manual	34
6 Labelling	36
6.1 General labelling requirements.....	36
6.2 Marking	36
6.3 Warnings.....	37
7 Type tests	38
7.1 General requirements for type tests.....	38
7.2 Test sequence.....	38
7.3 Leakage test for liquid fuelled systems	38
7.4 Flammable fuel gas concentration test	39
7.5 Surface temperatures	39
7.6 Component temperatures	39
7.7 Wall, floor and ceiling temperatures.....	40

7.8	Dielectric strength	40
7.9	Humidity test	40
7.10	Leakage current at operating temperature	41
7.11	Abnormal operation testing	41
7.12	Strain relief testing	42
7.13	Insulating material	42
7.14	Earthing test	42
7.15	Tank pressure test	42
7.16	Stability	43
7.17	Impact test	43
7.18	Free drop test	44
7.19	Adhesion and legibility of marking materials	45
7.20	Flammable gas accumulation	45
7.21	Oxygen depletion test	46
7.22	Emission of effluents tests	47
7.23	Alternative carbon dioxide emission test	52
7.24	Wind test	53
7.25	Strength test	54
7.26	Stress relief test	55
7.27	Fuel supply securement test	55
7.28	Shut-down parameters	55
7.29	Non-metallic tubing conductivity test	56
7.30	Non-metallic tubing test for accumulation of static electricity	56
8	Routine tests	57
8.1	Routine test requirements	57
8.2	Gas leakage test	57
8.3	Liquid leakage test	57
8.4	Dielectric strength test	57
8.5	Routine test records	57
Annex A	(normative) Ventilation rates for batteries	58
Annex B	(informative) Shock and vibration limits for high shock environments	59
Annex C	(normative) Uncertainty of measurements	61
Bibliography	62
Figure 1	– Portable fuel cell power systems	7
Figure 2	– Articulated probe	45
Figure 3	– Operational emission rate testing apparatus	48
Table 1	– Emission limits	51
Table 2	– Occupational exposure limits	52
Table B.1	– Vertical axis vibration conditions	59
Table B.2	– Longitudinal and lateral axes vibration conditions	60
Table C.1	– Measurements and their maximum uncertainties	61

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES –

Part 5-1: Portable fuel cell power systems – Safety

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62282-5-1 has been prepared by IEC technical committee 105: Fuel cell technologies.

This bilingual version (2018-08) corresponds to the monolingual English version, published in 2012-09.

This second edition cancels and replaces the first edition, published in 2007, and constitutes a technical revision.

The major technical changes with respect to the first edition are as follows:

- IEC normative references and definitions have been updated (e.g., hazardous locations, micro fuel cell power systems, transportable equipment, etc.);
- subclause 4.2.2 has been updated referencing an alternative test method in response to a comment;

- the limit on flammable atmospheres has been reduced from 50 % of LFL to 25 % of LFL in 4.5.4 and in 7.20;
- subclause 4.14 and the corresponding tests in 7.22 have been updated to include more effluents and criteria to establish if a system is suitable for indoor or outdoor operation;
- specific criteria for oxygen detector sensor performance requirements have been revised in 7.21;
- subclause 7.18 has been updated with a new test method and new drop heights in response to comments;
- Table 1 has been added giving limits on emission of effluents using limits drawn from the micro fuel cell power system standard.

The text of this standard is based on the following documents:

FDIS	Report on voting
105/396/FDIS	105/404/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

FUEL CELL TECHNOLOGIES –

Part 5-1: Portable fuel cell power systems – Safety

1 Scope

This part of IEC 62282 covers construction, marking and test requirements for portable fuel cell power systems. These fuel cell systems are movable and not fastened or otherwise secured to a specific location. The purpose of the portable fuel cell power system is to produce electrical power.

This standard applies to a.c. and d.c. type portable fuel cell power systems, with a rated output voltage not exceeding 600 V a.c., or 850 V d.c. for indoor and outdoor use. These portable fuel cell power systems are not to be used in hazardous locations as defined by IEC 60079-0 unless additional protective measures are added in accordance with IEC 60079-0.

This standard does not apply to portable fuel cell power systems that are


- a) permanently connected (hard wired) to the electrical distribution system,
- b) permanently connected to a utility fuel distribution system,
- c) exporting power to the grid,
- d) for propulsion of road vehicles,
- e) intended to be used on board passenger aircraft.

Fuel cells that provide battery charging for hybrid vehicles where the battery provides power and energy for propulsion of the vehicle are not included in the scope of this standard

The following fuels and fuel feedstocks are considered within the scope of this standard:

- natural gas;
- liquefied petroleum gas, such as propane and butane;
- liquid alcohols, for example methanol, ethanol;
- gasoline;
- diesel;
- kerosene;
- hydrogen;
- metals (e.g. Mg, Al or Zn) or metal alloys immersed in electrolyte (e.g. aqueous solutions of salts or alkali) in air or oxygen;
- chemical hydrides.

This standard does not preclude the use of similar fuels or oxidants from sources other than air provided the unique hazards are addressed through additional requirements.



IEC 285/07

Key

- 1 EMD electromagnetic disturbance
 2 EMI electromagnetic interference

Figure 1 – Portable fuel cell power systems

The overall design of a portable fuel cell power system anticipated by this standard shall form an assembly of some or all of the following systems (see Figure 1), integrated as necessary, to perform designated functions, as follows:

Fuel processing system – chemical processing equipment including any associated heat exchangers and controls required to convert input fuel to a composition suitable for the fuel cell stack.

Oxidant processing system – subsystem that meters, conditions, processes and may pressurize the incoming oxidant supply for use within the fuel cell power system.

Thermal management system – subsystem intended to provide cooling and heat rejection in order to maintain thermal equilibrium within the fuel cell power system, and, if necessary, to provide for the recovery and utilization of excess heat and to assist in heating the fuel cell power systems during start-up.

Power conditioning system – equipment which is used to change the magnitude or waveform of the voltage, or otherwise alter or regulate the output of a power source.

Automatic control system – assembly of sensors, actuators, valves, switches and logic components (including process controllers) that maintains the fuel cell power system parameters within the manufacturer's specified limits without manual intervention.

Fuel cell module – assembly, including a fuel cell stack(s), which electrochemically converts chemical energy to electric energy and thermal energy intended to be integrated into a power generation system.

Fuel supply system – either integral to the portable fuel cell power system or supplied through a removable and refillable container assembly.

Onboard energy storage system – an internal energy source intended to aid or complement the fuel cell module in providing power to internal or external loads.

Ventilation systems – subsystem of the fuel cell power system that provides, by mechanical means, air to its cabinet.

Water treatment systems – provides for treatment and purification of recovered or added water for use within the portable fuel cell power system.

These requirements are not intended to prevent the design and construction of a portable fuel cell power system not specifically described in this standard, provided that such alternatives have been considered and equivalent testing yields equivalent safety performance to that prescribed by this standard. In considering alternative designs or construction, this standard may be used to evaluate the alternative materials or methods to be used as to their ability to yield equivalent performance to that prescribed by this standard.

This standard does not cover requirements of pressurized or non-pressurized fuel supply containers upstream of the appliance gaseous or liquid fuel supply connector that are not integral to the portable fuel cell power system.

All pressures in this standard are considered to be gauge pressures, unless otherwise specified.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034 (all parts), *Rotating electrical machines*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-2, *Explosive atmospheres – Part 2: Equipment protection by pressurized enclosures "p"*

IEC 60079-10, *Explosive atmospheres (all Parts 10) – Part 10: Classification of areas*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60079-20-1, *Explosive atmospheres – Part 20-1: Material characteristics for gas and vapour classification – Test methods and data*

IEC 60079-29-1, *Explosive atmospheres – Part 29-1: Gas detectors – Performance requirements of detectors for flammable gases*

IEC 60086-4, *Primary batteries – Part 4: Safety of lithium batteries*

IEC 60204-1:2005, *Safety of machinery – Electrical equipment of machines – Part 1: General requirements*

IEC 60216-4-1, *Electrical insulating materials – Thermal endurance properties – Part 4-1: Ageing ovens – Single-chamber ovens*

IEC 60335-1:2010, *Household and similar electrical appliances – Safety – Part 1: General requirements*

IEC 60364-4-41, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60695-2-11, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products*

IEC 60695-2-13, *Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials*

IEC 60695-11-5, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60695-11-20, *Fire hazard testing – Part 11-20: Test flames – 500 W flame test methods*

IEC 60730-1:2010, *Automatic electrical controls for household and similar use – Part 1: General requirements*

IEC 60730-2-5, *Automatic electrical controls for household and similar use – Part 2-5: Particular requirements for automatic electrical burner control*

IEC 60730-2-17, *Automatic electrical controls for household and similar use – Part 2-17: Particular requirements for electrically operated gas valves, including mechanical requirements*

IEC 60812, *Analysis techniques for system reliability – Procedure for failure mode and effects analysis (FMEA)*

IEC 60884-1, *Plugs and socket-outlets for household and similar purposes – Part 1: General requirements*

IEC 60934, *Circuit-breakers for equipment (CBE)*

IEC 60950-1:2005, *Information technology equipment – Safety – Part 1: General requirements*

IEC 60990:1999, *Methods of measurement of touch current and protective conductor current*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic currents emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-3, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection*

IEC 61000-6-1, *Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity for residential, commercial and light-industrial environments*

IEC 61000-6-2, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standards – Immunity for industrial environments*

IEC 61000-6-3, *Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments*

IEC 61000-6-4, *Electromagnetic compatibility (EMC) – Part 6-4: Generic standards – Emission standard for industrial environments*

IEC 61025, *Fault tree analysis (FTA)*

IEC 61032, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*

IEC 61439-1, *Low-voltage switchgear and controlgear assemblies – Part 1: General rules*

IEC 61508-1, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirements*

IEC 61511-1, *Functional safety – Safety instrumented systems for the process industry sector – Part 1: Framework, definitions, system, hardware and software requirements*

IEC 61511-3, *Functional safety – Safety instrumented systems for the process industry sector – Part 3: Guidance for the determination of the required safety integrity levels*

IEC 61882, *Hazard and operability studies (HAZOP studies) – Application guide*

IEC 62040-1, *Uninterruptible power systems (UPS) – Part 1: General and safety requirements for UPS*

IEC 62040-2, *Uninterruptible power systems (UPS) – Part 2: Electromagnetic compatibility (EMC) requirements*

IEC 62133, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications*

IEC 62282-2, *Fuel cell technologies – Part 2: Fuel cell modules*

ISO 3864 (all parts), *Graphical symbols – Safety colours and safety signs*

ISO 4080, *Rubber and plastics hoses and hose assemblies – Determination of permeability to gas*

ISO 7000, *Graphical symbols for use on equipment – Index and synopsis*

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 15649, *Petroleum and natural gas industries – Piping*

ISO 16000-3, *Indoor air – Part 3: Determination of formaldehyde and other carbonyl compounds – Active sampling method*

ISO 16000-6, *Indoor air – Part 6: Determination of volatile organic compounds in indoor and test chamber air by active sampling on Tenax TA® sorbent, thermal desorption and gas chromatography using MS or MS-FID*

ISO 16017-1:2007, *Indoor, ambient and workplace air – Sampling and analysis of volatile organic compounds by sorbent tube/thermal desorption/capillary gas chromatography – Part 1: Pumped sampling*

ISO 16110-1:2007, *Hydrogen generators using fuel processing technologies – Part 1: Safety*

ISO 16111, *Transportable gas storage devices – Hydrogen absorbed in reversible metal hydride*

ISO 16528, *Boilers and pressure vessels – Registration of Codes and Standards to promote international recognition*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

basic insulation

insulation of hazardous-live-parts which provides basic protection

[SOURCE: IEC 60050-195:1998, definition 195-06-06, modified – Note not included] [1]¹

3.2

double insulation

insulation comprising both basic insulation and supplementary insulation

[SOURCE: IEC 60050-195:1998, definition 195-06-08]

3.3

electromagnetic interference

EMI

degradation of the performance of an equipment, transmission channel or system caused by an electromagnetic disturbance

[SOURCE: IEC 60050-161:1990, definition 161-01-06, modified – Notes not included] [2]

3.4

electromagnetic disturbance

EMD

any electromagnetic phenomenon which may degrade the performance of a device, equipment or system, or adversely affect living or inert matter

[SOURCE: IEC 60050-161:1990, definition 161-01-05, modified – Notes not included]

¹ References in square brackets refer to the Bibliography.

3.5 enclosure

housing affording the type and degree of protection suitable for the intended application

[SOURCE: IEC 60050-195:1998, definition 195-02-35]

Note 1 to entry: One type of enclosure can be inside another type (e.g. an electrical enclosure inside a fire enclosure or a fire enclosure inside an electrical enclosure). Also, a single enclosure can provide the functions of more than one type (e.g. those of both an electrical enclosure and a fire enclosure). Enclosures may be electrical, mechanical, fire or another type of enclosures to provide protection from these hazards or from wind, weather and other hazards.

3.6 electrical enclosure

enclosure providing protection against the foreseen dangers created by electricity

[SOURCE: IEC 60050-195:1998, definition 195-06-13]

3.7 fire enclosure

part of the equipment intended to minimize the spread of fire or flames from within

3.8 mechanical enclosure

part of the equipment intended to reduce the risk of injury due to mechanical and other physical hazards

3.9 hazardous location

any area or space where combustible dust, ignitable fibres, or flammables, volatile liquids, gases, vapours or mixtures are or may be present in the air in quantities sufficient to produce an explosive atmosphere or ignitable mixtures

3.10 explosive atmosphere

mixture with air, under atmospheric conditions, of flammable substances in the form of gas, vapour, dust, fibres, or flyings which, after ignition, permits self-sustaining propagation

[SOURCE: IEC 60050-426:2008, definition 426-01-06] [3]

3.11 hazardous energy level

available power level of 240 VA or more, having a duration of 60 s or more, or a stored energy level of 20 J or more (for example, from one or more capacitors), at a potential of 2 V or more

[SOURCE: IEC 60950-1:2005, definition 1.2.8.10]

3.12 hazardous voltage

voltage exceeding 42,4 V peak, or 60 V d.c., existing in a circuit that does not meet the requirements for either a limited current circuit or a TNV circuit

[SOURCE: IEC 60950-1:2005, definition 1.2.8.6]

3.13 heat deflection temperature

HDT
measure of a polymer's resistance to distortion under a given load at elevated temperatures

Note 1 to entry: The deflection temperature is the temperature at which a test bar, loaded to the specified bending stress, deflects by 0,25 mm.

3.14**limited current circuit**

circuit that is so designed and protected that, under both normal operating conditions and single fault conditions, the current that can be drawn is not hazardous

Note 1 to entry: The limit values of currents under normal operating conditions and single fault conditions (see 1.4.14 of IEC 60950-1:2005) are specified in 2.4 of IEC 60950-1:2005.

[SOURCE: IEC 60950-1:2005, definition 1.2.8.9]

3.15**live part**

conductor or conductive part intended to be energized in normal operation, including a neutral conductor, but by convention not a PEN conductor or PEM conductor or PEL conductor

Note 1 to entry: This concept does not necessarily imply a risk of electric shock.

[SOURCE: IEC 60050-195:1998, definition 195-02-19]

3.16**maximum allowable working pressure**

MAWP

maximum pressure at which a fuel cell or fuel cell power system may be operated

Note 1 to entry: The maximum allowable working pressure is expressed in Pa.

Note 2 to entry: The maximum allowable working pressure is the pressure used in determining the setting of pressure limiting and relieving devices installed to protect a component or system from accidental over-pressuring.

Note 3 to entry: For the purpose of this standard, all pressures are to be given and used as gauge pressures unless absolute pressure is indicated.

3.17**maximum operating pressure**

maximum pressure, specified in gauge pressure by the manufacturer, of a component or system at which it is designed to operate continuously

Note 1 to entry: The maximum operating pressure is expressed in Pa.

Note 2 to entry: This includes all normal operation, both steady state and transient.

3.18**operator access area**

area for which under normal operating conditions

- a) access is gained without the use of a tool; or
- b) the means of access is deliberately provided to the operator; or
- c) the operator is instructed to enter regardless of whether or not tools are needed to gain access

Note 1 to entry: In this standard, the terms "access" and "accessible", unless qualified, relate to operator access as defined above.

3.19**portable fuel cell power system(s)**

fuel cell power system that is not intended to be permanently fastened or otherwise secured in a specific location

3.20**portable stand-alone fuel cell power system**

portable fuel cell power system that is not designed to be connected to the energized mains