INTERNATIONAL STANDARD

First edition 1991-11-01

Tools for pressing - Guide bushes -

Part 5:

Form D, ball cage bushes, headed, type 1 iTeh STANDARD PREVIEW

Outillage de presse + Bagues de guidage -

Partie 5: Forme D, bagues à collerette pour guidage à billes, type 1 ISO 9448-5:1991

https://standards.iteh.ai/catalog/standards/sist/6e6da874-2076-4c18-bb31-8069ef68005f/iso-9448-5-1991



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member VIEW bodies casting a vote.

International Standard ISO 9448-5 was prepared by Technical Committee ISO/TC 29, Small tools, Sub-Committee SC 8, Tools for pressing and moulding. ISO 9448-5:1991

ISO 9448 consists of the following parts, under the general title *Tools for* pressing — Guide bushes:

- Part 1: Forms
- Part 2: Form A, gliding bushes, plain, type 1
- Part 3: Form B, ball cage bushes, plain, type 1
- Part 4: Form C, gliding bushes, headed, type 1
- Part 5: Form D, ball cage bushes, headed, type 1
- -- Part 6: Form E, gliding bushes, flanged, type 1
- Part 7: Form F, ball cage bushes, flanged, type 1
- Part 8: Form G, gliding bushes, stepped, type 1
- Part 9: Form B, ball cage bushes, plain, type 2
- Part 10: Form E, gliding bushes, flanged, type 2

© ISO 1991

International Organization for Standardization

Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

All rights reserved. No part of this publication may be reproduced or utilized In any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Part 11: Form F, ball cage bushes, flanged, type 2
Annex A of this part of ISO 9448 is for information only.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 9448-5:1991</u> https://standards.iteh.ai/catalog/standards/sist/6e6da874-2076-4c18-bb31-8069ef68005f/iso-9448-5-1991

iTeh STANDARD PREVIEW (standards.iteh.ai)

This page intentionally left blank ISO 9448-5:1991

https://standards.iteh.ai/catalog/standards/sist/6e6da874-2076-4c18-bb31-8069ef68005f/iso-9448-5-1991

Tools for pressing — Guide bushes —

Part 5:

Form D, ball cage bushes, headed, type 1

Scope 1

This part of ISO 9448 specifies the main dimensions A guide bush in accordance with this part of and tolerances, in millimetres, of guide bushes of ISO 9448 shall be designated by form D, headed ball cage bushes, type 1, intended for use in press tools and to be mounted in the clamp plate with transition fit and fixed to the plate RDa) "Guide bush";W by means of screws. (standards.ibe a reference to this part of ISO 9448; It gives guidance on the materials, and specifies the

4

hardness and the designation of bushes in accord-(8-5.19G) its form; ance with this part of ISO 9448. https://standards.iteh.ai/catalog/standards/sist/6e6da874-2076-4c18-bh31-0 is guiding diameter, D_1 , in millimetres; 8069ef68005f/iso-9448-5-1991

2 Dimensions

See figure 1 and table 1.

Details not stated such as chamfers, radii, lubrication grooves, etc., are left to the manufacturer's discretion.

Material and corresponding hardness 3

The material is left to the manufacturer's discretion and the hardness shall be (63 \pm 1) HRC.


e) its length, l_1 , in millimetres.

Designation

EXAMPLE

A guide bush of form D, headed ball cage bush, type 1, of guiding diameter $D_1 = 16 \text{ mm}$ and of length $l_1 = 25$ mm is designated as follows:

Guide bush ISO 9448-5 D - 16 \times 25



Surface roughness values in micrometres

*) The manufacturer shall determine the internal diameter D_5 of the bush, using the tolerance M5. This diameter is intended to be lapped or ground to ensure the proper preloading of the balls between the pillar and the bush as determined by the manufacturer. This tapping bb31- or grinding operation shall be called out to give a Surface roughness $R_a = 0.05 \ \mu m$ and this diameter shall act as a reference diameter for the concentricity and perpendicularity tolerances.

Figure 1

<i>D</i> ₁		16		20		25		32		40		50	
D ₂ k5 ¹⁾		28		32		40		48		58		70	
<i>D</i> ₃		45		50		63		72		85		104	
D ₄		35		40		50		58		70		86	
Clearance hole D_6		4,5		4,5		5,5		5,5		6,6		9	
for screw		M4		M4		M5		М5		M6		M8	
K		15		18		23		28		33		38	
i nom.	tol.	I	(12)	1	(<i>I</i> ₂)	1	(1 ₂)	1	(1 ₂)	1	(12)	1	(<i>l</i> ₂)
25	- 2,0 - 2,5	31	6	40	15								
32		38	6	47	15	57	25						
40		i'l	eh S	55	NBA	R65D	P 2 5	65	25	70	30		
50	- 3 4			(star	idar	ds.it	eh.a	i) 75	25	80	30	92	42
63		1.0. //	1 1	. 1 . 1 .		48-5:199		2076.4	10.11.21			105	42
NOTE — To following v	prevent a values of D_1	L <u>https://s</u> n incorre are reco	ect asser	8069 nbly of I	ef68005f	lards/sist/ /iso-9448 er and lo . 38 and	-5-1991 wer plat		e die se	t in rela	ition to o	each oth	er, the

Table 1

Annex A

(informative)

Bibliography

[1] ISO 6508:1986, Metallic materials — Hardness test — Rockwell test (scales A - B - C - D - E - F - G - H - K).

[2] ISO 9448-1:1991, Tools for pressing – Guide bushes – Part 1: Forms.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 9448-5:1991</u> https://standards.iteh.ai/catalog/standards/sist/6e6da874-2076-4c18-bb31-8069ef68005f/iso-9448-5-1991

iTeh STANDARD PREVIEW (standards.iteh.ai)

This page intentionally left blank ISO 9448-5:1991

https://standards.iteh.ai/catalog/standards/sist/6e6da874-2076-4c18-bb31-8069ef68005f/iso-9448-5-1991