

Edition 2.0 2010-04

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Connectors for electronic equipment ARD PREVIEW
Partie 7-4: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmission with frequencies up to 250 MHz

Connecteurs pour équipements électroniques T<sub>c32b-c09a-40af-853e-</sub> Partie 7-4: Spécification particulière pour les fiches et les embases non blindées à 8 voies pour la transmission de données à des fréquences jusqu'à 250 MHz





#### THIS PUBLICATION IS COPYRIGHT PROTECTED

#### Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Email: inmail@iec.c Web: www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub ARD PREVIEW

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, with drawn and replaced publications.

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

IEC 60603-7-4:2010

Electropedia: <a href="www.electropedia.org">www.electropedia.org</a> ds.iteh.ai/catalog/standards/sist/d191c32b-c09a-40af-853e

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

#### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur\_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online\_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv\_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 2.0 2010-04

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Connectors for electronic equipment ARD PREVIEW
Partie 7-4: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmission with frequencies up to 250 MHz

IEC 60603-7-4:2010

Connecteurs pour équipements électroniques 1-32b-c09a-40af-853e-Partie 7-4: Spécification particulière pour les fiches et les embases non blindées à 8 voies pour la transmission de données à des fréquences jusqu'à 250 MHz

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX

N

ICS 31.220.10

ISBN 978-2-88910-231-0

# CONTENTS

FΟ	REW	)RD		4			
IN٦	ROD	JCTION		6			
1	General						
	1.1	Scope.		7			
	1.2	Norma	tive references	7			
2	Term	rms and definitions					
3	Com	ommon features and isometric view8					
4	Cabl	able terminations and internal connections – Fixed and free connectors					
5	Gaud	Sauges					
6	Characteristics						
	6.1 General						
	6.2 Pin and pair grouping assignment.						
	6.3 Classification into climatic category						
	6.4		Electrical characteristics				
		6.4.1	Creepage and clearance distances				
		6.4.2	Voltage proof				
		6.4.3	Current-temperature derating				
		6.4.4	Initial contact resistance - Interface only (separable fixed and free contact)	9			
		6.4.5	Input to outpu (dicaresistance s.iteh.ai)	9			
		6.4.6	Input to output d.c. resistance unbalance	9			
		6.4.7	Initial insulation resistance603-7-4:2010				
		6.4.8	Transferndaple dahai eatalog/standards/sist/d191c32b-c09a-40af-853e-	9			
		6.4.9	Coupling attenuation Coupling	9			
	6.5	Transn	nission characteristics				
		6.5.1	General	9			
		6.5.2	Insertion loss				
		6.5.3	Return loss	10			
		6.5.4	Propagation delay	10			
		6.5.5	Delay skew				
		6.5.6	NEXT	10			
		6.5.7	Power sum NEXT (for information only)				
		6.5.8	FEXT				
		6.5.9	Power sum FEXT (for information only)				
			Transverse conversion loss				
			Transverse conversion transfer loss				
_	6.6		nical				
7	Tests and test schedule						
	7.1						
	7.2 Arrangement for contact resistance test:						
	7.3 Arrangement for vibration test						
		7.4 Test procedures and measuring methods					
	7.5 Preconditioning						
	7.6	_	and mounting of specimens				
		7.6.1	Wiring				
		7.6.2	Mounting	12			

7.7	Test schedules		
	7.7.1	Basic (minimum) test schedule	12
	7.7.2	Full test schedule	12
Bibliogra	ıphy		14
Table 1 -	– Test G	Group EP	13

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 60603-7-4:2010</u> https://standards.iteh.ai/catalog/standards/sist/d191c32b-c09a-40af-853e-6b7cf9d81132/iec-60603-7-4-2010

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **CONNECTORS FOR ELECTRONIC EQUIPMENT -**

# Partie 7-4: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmission with frequencies up to 250 MHz

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in the terms of the latter.

  1. The state of the state of the state of the latter of t
- https://standards.itch.ai/catalog/standards/sist/d191c32b-c09a-40af-853e5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60603-7-4 has been prepared by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

This second edition of IEC 60603-7-4 cancels and replaces the first edition issued in 2005, and constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

- Removal of test methods that are now referenced to IEC 60512-26-100.
- Addition of TCL and TCTL requirements.
- Removal of the electrical, mechanical, dimensional, environmental conditioning tests by reference to IEC 60603-7.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/2137/FDIS	48B/2178/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 60603 series, under the general title *Connectors for electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be


- · reconfirmed.
- · withdrawn,
- · replaced by a revised edition, or
- amended.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 60603-7-4:2010</u> https://standards.iteh.ai/catalog/standards/sist/d191c32b-c09a-40af-853e-6b7cf9d81132/iec-60603-7-4-2010

#### INTRODUCTION

IEC 60603-7 is the base specification of the whole series. Subsequent specifications do not duplicate information given in the base document, but list only additional requirements. For complete specification regarding a component of a higher number document all lower numbered documents shall be considered as well. The following diagram shows the interrelation of the documents:



# CONNECTORS FOR ELECTRONIC EQUIPMENT -

# Partie 7-4: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmission with frequencies up to 250 MHz

#### 1 General

#### 1.1 Scope

This part of IEC 60603 covers 8-way, unshielded, free and fixed connectors, references dimensional, mechanical, electrical and environmental characteristics and tests in IEC 60603-7, and specifies electrical transmission requirements for frequencies up to 250 MHz. These connectors are typically used as category 6 connectors in class E cabling systems specified in ISO/IEC 11801.

These connectors are intermateable and interoperable with other IEC 60603-7 series connectors as defined in Clause 2 of IEC 60603-7.

These connectors are backward compatible with other IEC 60603-7 series connectors.

NOTE Transmission performance categoriest in this IEC standard, the term "category", when used in reference to transmission performance, refers to those categories defined by ISO/IEC 11801.

(Standards.iten.al)

## 1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60512-1-100, Connectors for electronic equipment – Part 1-100: General – Applicable publications

IEC 60512-2-1, Connectors for electronic equipment – Tests and measurements – Part 2-1: Electrical continuity and contact resistance tests – Test 2a: Contact resistance – Millivolt level method

IEC 60512-27-100, Connectors for electronic equipment – Tests and measurements – Part 27-100: Signal integrity tests up to 500 MHz on IEC 60603-7 series connectors – Tests 27a to  $27g^1$ 

IEC 60603-7:2008, Connectors for electronic equipment – Part 7: Detail specification for 8-way, unshielded, free and fixed connectors

IEC 61156 (all parts): Multi-core and symmetrical pair/quad cables for digital communications

IEC 62153-4-12:2009, Metallic communication cable test methods – Part 4-12: Electromagnetic compatibility (EMC) – Coupling attenuation or screening attenuation of connecting hardware – Absorbing clamp method

<sup>1</sup> To be published.

#### 2 Terms and definitions

For the purposes of this document, the terms and definitions given in Clause 2 of IEC 60603-7 apply as well as the following.

#### 2.1

#### backward compatibility

the backward compatibility requirement ensures that a free or fixed connector which is in compliance with this standard, mated with a fixed or free connector respectively in compliance with any lower frequency IEC 60603-7 series connector, fully complies with the requirements of the lower frequency IEC 60603-7 series connector

## 3 Common features and isometric view

See Clause 3 of IEC 60603-7 for dimensions, views and requirements.

#### 4 Cable terminations and internal connections – Fixed and free connectors

See Clause 4 of IEC 60603-7 for cable termination and internal connections types.

## 5 Gauges

The gauges as defined by Clause 5 of IEC 60603-7 shall apply.

(standards.iteh.ai)

## 6 Characteristics

IEC 60603-7-4:2010

6.1 General

https://standards.iteh.ai/catalog/standards/sist/d191c32b-c09a-40af-853e-6b7cf9d81132/iec-60603-7-4-2010

Connectors according to IEC 60603-7-4 shall also conform to all relevant requirements specified by IEC 60603-7.

#### 6.2 Pin and pair grouping assignment

The pin and pair grouping assignment of 6.2 of IEC 60603-7 applies.

### 6.3 Classification into climatic category

Connectors according to IEC 60603-7-4 are classified in the same climatic categories as defined by IEC 60603-7.

## 6.4 Electrical characteristics

Connectors according to IEC 60603-7-4 shall also conform to the electrical characteristics specified by IEC 60603-7.

#### 6.4.1 Creepage and clearance distances

See 6.4.1 of IEC 60603-7.

## 6.4.2 Voltage proof

See 6.4.2 of IEC 60603-7.

#### 6.4.3 **Current-temperature derating**

See 6.4.3 of IEC 60603-7.

#### 6.4.4 Initial contact resistance - Interface only (separable fixed and free contact)

See 6.4.4 of IEC 60603-7.

#### 6.4.5 Input to output d.c. resistance

See 6.4.5 of IEC 60603-7.

#### 6.4.6 Input to output d.c. resistance unbalance

See 6.4.6 of IEC 60603-7.

#### 6.4.7 Initial insulation resistance

See 6.4.7 of IEC 60603-7.

#### 6.4.8 Transfer impedance

See 6.4.8 of IEC 60603-7.

#### 6.4.9 Coupling attenuation TANDARD PREVIEW

Conditions:

(standards.iteh.ai)

IEC 62153-4-12

IEC 60603-7-4:2010

Mated connectors https://standards.iteh.ai/catalog/standards/sist/d191c32b-c09a-40af-853e-

All pairs: ≥35 dB from 30 MHz(108100)MHz(1003-7-4-2010

 $\geq$ 75 - 20log(f) dB from 100 MHz to 1 000 MHz

NOTE Coupling attenuation is assumed to be fulfilled when transverse conversion loss and transverse conversion transfer loss are met from 1 MHz to 250 MHz.

#### 6.5 **Transmission characteristics**

#### 6.5.1 General

Compliance to this standard, in respect to transmission characteristics, is determined according to specific test methods described in test group EP, see Table 1. The interoperability of connectors compliant to this standard shall be demonstrated by testing the fixed connectors with the full range of free connectors according to IEC 60512-27-1002.

All transmission performance requirements apply between the reference planes specified in IEC 60512-27-100.

NOTE In the following sub clauses f is the frequency expressed in MHz.

#### 6.5.2 Insertion loss

Conditions:

IEC 60512, test 27a

For transmission performance, interoperability and backwards compatibility, IEC 60512-26-100 may be used as an alternative to IEC 60512-27-100 for connecting hardware that has been previously qualified to IEC 60603-7-4 edition 1. Where IEC 60512-26-100 is used that shall be reported.

Mated connectors

All pairs:  $\leq 0.02x\sqrt{f}$  dB from 1 MHz to 250 MHz.

Whenever the equation results in a value less than 0,1 dB, the requirement shall revert to 0,1 dB.

#### 6.5.3 Return loss

Conditions:

IEC 60512, test 27b

Mated connectors

All pairs:  $\geq$  64-20log (f) dB from 1 MHz to 250 MHz.

Whenever the equation results in a value greater than 30 dB, the requirement shall revert to 30 dB.

## 6.5.4 Propagation delay

All pairs:  $\leq 2,5$  ns

Propagation delay test does not need to be performed, since it is assumed that connectors comply by design.

#### 6.5.5 Delay skew

All pair combinations: ≤1,25 as DARD PREVIEW

NOTE This characteristic is calculated from the individual propagation delay measurements and, as with propagation delay (6.5.4), it is assumed that connectors comply by design.

#### 6.5.6 **NEXT**

IEC 60603-7-4:2010

Conditions:

https://standards.iteh.ai/catalog/standards/sist/d191c32b-c09a-40af-853e-6b7cf9d81132/iec-60603-7-4-2010

IEC 60512, test 27c

Mated connectors

All pair combinations:  $\geq$  94-20log (f) dB from 1 MHz to 250 MHz.

Whenever the equation results in a value greater than 75 dB, the requirement shall revert to 75 dB.

#### 6.5.7 Power sum NEXT (for information only)

Conditions:

Mated connectors

$$PS \ NEXT_k = -10 \log \sum_{i=1, i \neq k}^{n} 10^{\frac{-NEXT_{ik}}{10}}$$

All pairs:  $\geq$  90-20log (f) dB from 1 MHz to 250 MHz.

NOTE This characteristic is calculated from the individual NEXT measurements and connector compliance is achieved by compliance to the NEXT requirements (6.5.6).

#### 6.5.8 FEXT

Conditions:

IEC 60512, test 27d

Mated connectors

All pair combinations:  $\geq 83,1-20\log(f)$  dB from 1 MHz to 250 MHz.