

Edition 1.0 2012-02

INTERNATIONAL STANDARD





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released Available on-line and also once a month by email.

Electropedia www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc


If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

ps://standards.iteh av av lo/standards/s



Edition 1.0 2012-02

INTERNATIONAL STANDARD



INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

ICS 27.070 ISBN 978-2-88912-908-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	REW)RD		5	
IN	TRODI	JCTION.		7	
1	Scop	Scope			
2	Normative references				
3		Terms and definitions			
4	Safety requirements and protective measures				
	4.1 4.2	General safety strategy Physical environment and operating conditions			
	4.2		General		
		4.2.1	Electrical power input	18 18	
		4.2.3	Electrical power input	18	
		4.2.4	Fuel input	, 18 18	
				18	
		4.2.6	Water input		
		4.2.7	Handling, transportation, and storage		
		4.2.8	System purging	19	
	4.3	Selection	on of materials	19	
	4.4	Genera	Il requirements		
	4.5	Pressure equipment and piping		22	
		4.5.1	Pressure equipment.	22	
			Piping systems		
		4.5.3	Flue gas venting	23	
		4.5.4	Gas-conveying parts	24	
	4.6 Protection against fire or explosion hazards				
		4.6.1	Prevention against fire and explosion hazards in fuel cell power systems provided with cabinets	24	
			Prevention of fire and explosion hazards in burners	26	
		4.6.3	Prevention of fixe and explosion hazards in catalytic fuel oxidation systems (catalytic burners)	28	
	4.7	cal safety			
	4.8 Electromagnetic compatibility (EMC)				
	4.9		systems and protective components		
			General requirements		
			Control systems		
			Protective components		
		4.10 Pneumatic and hydraulic powered equipment			
	4.11				
			Shut-off valves		
	4.40		Fuel valves		
	4.12		g equipment		
			General requirements		
			Compressors		
	4 40		Pumps		
	4.13	<u>_</u>			
	4.14	5 Utilities			
	4.10		General requirements		
		7 .13.1	Ochoral requirements	50	

		4.15.2	Water supply	36
		4.15.3	Fuel gas supply	36
		4.15.4	Electrical connections	36
	4.16	Installa	ation and maintenance	38
		4.16.1	Installation	38
		4.16.2	Maintenance	38
5	Туре	tests		38
	5.1	Genera	al requirements	38
		5.1.1	Operating parameters for tests	
	5.2	Test fu	els	
	5.3		est arrangements	
	5.4		- · · · · · · · · · · · · · · · · · · ·	41
	• • •	5.4.1		41
		5.4.2	Programatic lockage tests	11
		5.4.3	Hydrostatic leakage tests	43
	5.5		th tests	44
	0.0	5.5.1		
		5.5.2	Pneumatic strength tests	
		5.5.3	Hydrostatic strength test	
	5.6		I operation type test	
	5.7		l operation type test	
	5.8	Shutdo	own parameters	46
	5.9	Purnor	operating characteristics tests	40
	5.9	5.9.1		
		5.9.1	General testing	40
		5.9.2	Limit testing	40
			atic control of burners and catalytic oxidation reactors	
	5.10		General	
			Automatic ignition control burners	
			Automated control of catalytic oxidation reactors	
	E 11		at gas temperature test	
		\ \	e and component temperatures	
			ests	
	5.15	5 A 2 4	General	51
		_	Wing source calibration procedure for winds directed perpendicular	5 1
		5.13.2	to the wall	51
		5 13 3	Verification of operation of outdoor fuel cell power systems under	
		0.10.0	wind conditions	52
		5.13.4	Verification of operation of indoor fuel cell power systems vented	
			horizontally through an outside wall	53
		5.13.5	Carbon monoxide (CO) and flammable gas components emissions	
			under wind – Indoor units	55
		5.13.6	Carbon monoxide (CO) and flammable gas components emissions	
	5 4 4	D - ' t-	under wind – Outdoor units	
			est	
	5.15		ons	
			General	
			Carbon monoxide (CO) and flammable gas emissions	
	=		Normal conditions	
	h 16	RIOOKA	d condensate line test	57

	5.17	Condensate discharge test	57	
	5.18	Electrical safety tests	58	
	5.19	EMC test	58	
	5.20	Vent system leakage test	58	
	5.21	Leakage tests (repeat)	59	
6	Routi	ine tests	59	
7	Mark	ing, labelling and packaging	60	
	7.1	General requirements	60	
	7.2	Fuel cell power system marking	60	
7.3 Mar		arking of components6		
	7.4	Technical documentation	61	
		7.4.1 General	61	
		7.4.2 Installation manual	61	
		7.4.3 User's information manual	62	
		7.4.4 Operating manual	65	
		7.4.5 Maintenance manual	66	
Anr	nex A	(informative) Significant hazards, hazardous situations and events dealt with	67	
		(informative) Carburization and material compatibility for hydrogen service		
		phyphy		
BID	liograf	pny	/ 5	
			_	
		– Stationary fuel cell power systems		
_		- Test wall with static pressure ports and vent terminal locations		
_		- Vent test wall		
Fig	ure 4	- Piezo ring and details of typical construction	54	
Fig	ure 5 -	- Safety precautions for odorized gas-fuelled systems	63	
Fig	ure 6 -	- Safety precautions for odorant free gas fuelled systems	64	
Fig	ure 7 -	- Safety presautions for liquid fuelled systems	64	
Tab	le 1 –	- Allowable surface temperatures rises	21	
Tab	le 2 (Leakage test requirements a, d, e	43	
Table 3 – Ultimate strength test requirements ^{a, d}				
Table 4 – Wind calibration				
Table A 1 – Hazardous situations and events 67				

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES -

Part 3-100: Stationary fuel cell power systems – Safety

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrosal and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international user and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable to the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62282-3-100 has been prepared by IEC technical committee 105: Fuel cell technologies.

IEC 62282-3-100 cancels and replaces IEC 62282-3-1 published in 2007. IEC 62282-3-100 constitutes a technical revision.

IEC 62282-3-100 includes the following significant technical changes with respect to IEC 62282-3-1:

- a) general reorganization of the safety requirements;
- b) major changes for addressing electrical safety requirements for internal components;
- c) clarifications for numerous requirements and tests, particularly the pressure leakage and strength tests;
- d) expanded wind tests;

e) additional tests for condensate discharge and ventilation leakage.

The text of this standard is based on the following documents:

FDIS	Report on voting
105/371/FDIS	105/384/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts of the IEC 62282 series, under the general title Fuel cell technologies, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstere.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.



INTRODUCTION

A typical stationary fuel cell power system is shown in Figure 1.




Figure 1 – Stationary fuel cell power systems

The overall design of the power system anticipated by this standard forms an assembly of integrated systems, as necessary, intended to perform designated functions, as follows.

- Fuel processing system System of chemical and/or physical processing equipment plus associated heat exchanges and controls required to prepare, and if necessary, pressurize, the fuel for utilization within a fuel cell power system.
- Oxidant processing system System that meters, conditions, processes and may pressurize the incoming supply for use within the fuel cell power system.
- Thermal management system System that provides heating or cooling and heat rejection to maintain the fuel cell power system in the operating temperature range, and may provide for the recovery of excess heat and assist in heating the power train during start-up.
- Water treatment system System that provides all the necessary purification treatment
 of the recovered or added water for use within the fuel cell power system.
- Power conditioning system Equipment that is used to adapt the electrical energy produced by the fuel cell stack(s) to application requirements as specified by the manufacturer.
- Automatic control system System(s) that is composed of sensors, actuators, valves, switches and logic components that maintain the fuel cell power system parameters within the manufacturer's specified limits including moving to safe states without manual intervention.
- Ventilation system System that provides air through forced or natural means to the fuel cell power system's enclosure.
- Fuel cell modules Equipment assembly of one or more fuel cell stacks which
 electrochemically converts chemical energy to electric energy and thermal energy
 intended to be integrated into a power generation system.

- Fuel cell stack Equipment assembly of cells, separators, cooling plates, manifolds and a support structure that electrochemically converts, typically, hydrogen rich gas and air reactants to DC power, heat and other reactant bi-products.
- Onboard energy storage System of internal electric energy storage devices intended to aid or complement the fuel cell module in providing power to internal or external loads.



FUEL CELL TECHNOLOGIES -

Part 3-100: Stationary fuel cell power systems – Safety

1 Scope

This part of IEC 62282 applies to stationary packaged, self-contained fuel cell power systems or fuel cell power systems comprised of factory matched packages of integrated systems which generate electricity through electrochemical reactions.

This standard applies to systems

- intended for electrical connection to mains direct, or with a transfer switch, or to a standalone power distribution system;
- intended to provide AC or DC power;
- with or without the ability to recover useful heat;
- intended for operation on the following input fuels
 - a) natural gas and other methane rich gases derived from renewable (biomass) or fossil fuel sources, for example, landfill gas, digester gas, coal mine gas;
 - b) fuels derived from oil refining, for example, diesel, gasoline, kerosene, liquefied petroleum gases such as propane and butane:
 - c) alcohols, esters, ethers, aldehydes, ketones, Fischer-Tropsch liquids and other suitable hydrogen-rich organic compounds derived from renewable (biomass) or fossil fuel sources, for example, methanol, ethanol, di-methyl ether, biodiesel;
 - d) hydrogen, gaseous mixtures containing hydrogen gas, for example, synthesis gas, town gas.

This standard does not cover:

- micro fuel cell power systems;
- portable fuel cell power systems;
- propulsion fuel cell power systems.

NOTE For special application such as "marine auxiliary power", additional requirements may be given by the relevant marine ship register standard.

This standard is applicable to stationary fuel cell power systems intended for indoor and outdoor commercial, industrial and residential use in non-hazardous (unclassified) areas.

This standard contemplates all significant hazards, hazardous situations and events, with the exception of those associated with environmental compatibility (installation conditions), relevant to fuel cell power systems, when they are used as intended and under the conditions foreseen by the manufacturer.

This standard deals with conditions that can yield hazards on the one hand to persons, and on the other to damage outside the fuel cell system only. Protection against damage to the fuel cell system internals is not addressed in this standard, provided it does not lead to hazards outside the fuel cell system.

The requirements of this standard are not intended to constrain innovation. When considering fuels, materials, designs or constructions not specifically dealt with in this standard, these

alternatives shall be evaluated as to their ability to yield levels of safety and performance equivalent to those prescribed by this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, Explosive atmospheres – Part 0: Equipment – General requirements

IEC 60079-2, Explosive atmospheres – Part 2: Equipment protection by pressurized enclosure «p»

IEC 60079-10 (all parts), Explosive atmospheres - Part 10: Classification of areas

IEC 60079-29-1, Explosive atmospheres – Part 29-1. Gas detectors – Performance requirements of detectors for flammable gases

IEC 60079-30-1, Explosive atmospheres – Part 30-1: Electrical resistance trace heating – General and testing requirements

IEC 60204-1, Safety of machinery - Electrical equipment of machines - Part 1: General requirements

IEC 60335-1:2010, Household and similar electrical appliances – Safety – Part 1: General requirements

IEC 60335-2-51, Household and similar electrical appliances – Safety – Part 2-51: Particular requirements for stationary circulation pumps for heating and service water installations

IEC 60417, Graphical symbols for use on equipment. Available from: http://www.graphical-symbols.info/equipment

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60730-1. Automatic electrical controls for household and similar use – Part 1: General requirements

IEC 60730-2-5, Automatic electrical controls for household and similar use – Part 2-5: Particular requirements for automatic electrical burner control systems

IEC 60730-2-6, Automatic electrical controls for household and similar use – Part 2-6: Particular requirements for automatic electrical pressure sensing controls including mechanical requirements

IEC 60730-2-9, Automatic electrical controls for household and similar use – Part 2-9: Particular requirements for temperature sensing controls

IEC 60950-1, Information technology equipment – Safety – Part 1: General requirements

IEC 61000-3-2, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic currents emissions (equipment input current ≤16 A per phase)

- IEC 61000-3-3, Electromagnetic compatibility (EMC) Part 3-3: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤16 A per phase and not subject to conditional connection
- IEC 61000-3-4, Electromagnetic compatibility (EMC) Part 3-4: Limits Limitation of emission of harmonic currents in low-voltage power supply systems for equipment with rated current greater than 16 A
- IEC 61000-3-5, Electromagnetic compatibility (EMC) Part 3-5: Limits Limitation of voltage fluctuations and flicker in low-voltage power supply systems for equipment with rated current greater than 75 A
- IEC 61000-3-11, Electromagnetic Compatibility (EMC) Part 3-11: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems Equipment with rated current ≤75 A and subject to conditional connection
- IEC 61000-6-1, Electromagnetic compatibility (EMC) Part 6-1. Generic standards Immunity for residential, commercial and light-industrial environments
- IEC 61000-6-2, Electromagnetic compatibility (EMC) Part 6-2: Generic standards Immunity for industrial environments
- IEC 61000-6-3, Electromagnetic compatibility (EMC) Part 6-3: Generic standards Emission standard for residential, commercial and light-industrial environments
- IEC 61000-6-4, Electromagnetic compatibility (EMC) Part 6-4: Generic standards Emission standard for industrial environments
- IEC 61508 (all parts), Functional safety of electrical/electronic/programmable electronic safety-related systems
- IEC 62040-1, Uninterruptible power systems (UPS) Part 1: General and safety requirements for UPS
- IEC 62061, Safety of machinery Functional safety of safety-related electrical, electronic and programmable electronic control systems
- IEC/TS 62282-1, Poel cell technologies Part 1: Terminology
- IEC 62282-3-200, Fuel cell technologies Part 3-200: Stationary fuel cell power systems Performance test methods
- ISO 3864-2, Graphical symbols Safety colours and safety signs Part 2: Design principles for product safety labels
- ISO 4413, Hydraulic fluid power General rules and safety requirements for systems and their components
- ISO 4414, Pneumatic fluid power General rules and safety requirements for systems and their components
- ISO 5388, Stationary air compressors Safety rules and code of practice
- ISO 7000, *Graphic symbols for use on equipment Index and synopsis.* Available from: http://www.graphical-symbols.info/equipment.

ISO 10439, Petroleum, chemical and gas service industries – Centrifugal compressors

ISO 10440-1, Petroleum, petrochemical and natural gas industries – Rotary-type positive-displacement compressors – Part 1: Process compressors

ISO 10440-2, Petroleum and natural gas industries – Rotary-type positive-displacement compressors – Part 2: Packaged air compressors (oil-free)

ISO 10442, Petroleum, chemical and gas service industries – Packaged, integrally geared centrifugal air compressors

ISO 12499, Industrial fans - Mechanical safety of fans - Guarding

ISO 13631, Petroleum and natural gas industries – Packaged reciprocating gas compressors

ISO 13707, Petroleum and natural gas industries – Reciprocating compressors

ISO 13709, Centrifugal pumps for petroleum, petrochemical and natural gas industries

ISO 13849-1, Safety of machinery – Safety related parts of control systems – Part 1: General principles for design

ISO 13850, Safety of machinery - Emergency stop - Principles for design

ISO 14847, Rotary positive displacement pumps - Technical requirements

ISO 15649, Petroleum and natural gas industries - Piging

ISO 16111, Transportable gas storage devices – Hydrogen absorbed in reversible metal hydride

ISO 23550, Safety and control devices for gas burners and gas-burning appliances – General requirements

ISO 23551-1, Safety and control devices for gas burners and gas-burning appliances – Particular requirements – Part 1: Automatic valves

ISO 23553-1. Safety and control devices for oil burners and oil-burning appliances – Particular requirements – Part 1: Shut-off devices for oil burners

ISO 26142, Hydrogen detection apparatus – Stationary applications

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

accessible

area to which, under normal operating conditions, one of the following applies:

- a) access can be gained without the use of a tool;
- b) the means of access is deliberately provided to the end user;
- c) the end user is instructed to enter regardless of whether or not a tool is needed to gain access

Note 1 to entry: The terms "access" and "accessible", unless qualified, relate to end user access area as defined above.

Note 2 to entry: Only service technicians are allowed into non-accessible areas. Service personnel that are allowed access into non-accessible areas may need to have proper personal protective equipment as noted in the maintenance manual.

3.2

anode exhaust catalytic reactor

catalyst reactor which oxidizes hydrogen-rich gas used for hydrogen fuel cell power systems

3.3

automatic burner control system

system which monitors the operation of fuel burners. It includes a programming unit, a flame/oxidation detector and may include an ignition source and/or ignition device

3.4

burner port

any opening in a burner head through which gas or gas-air mixture is discharged for ignition

3.5

combustible materials

item capable of combustion

Note 1 to entry: Such materials shall be considered combustible even though flame-proofed, fire-retardant treated, or plastered

Note 2 to entry: When pertaining to materials adjacent to, or in contact with, heat-producing appliances, vent connectors, flue gas vents, steam and hot water pipes, and warm air ducts, those materials made of or surfaced with wood, compressed paper, plant fibres, or other materials that are sapable of being ignited and burned.

3.6

design pressure

highest pressure that may occur under any and all operating modes, including steady state and transient

3.7

effluent

products of combustion plus the excess air being discharged from gas utilization equipment

3.8

electromagnetic disturbance

EMD

any electromagnetic phenomenon that may degrade the performance of a device, equipment or system, or adversely affect living or inert matter

3.9

electromagnetic interference

EMI

degradation of the performance of an equipment, transmission channel or system caused by an electromagnetic disturbance

3.10

electrical equipment

general term including material, fittings, devices appliances, fixtures, apparatus and the like used as part of, or in connection with, and electrical installation

3.11

emergency shutdown

safety shutdown

control system actions, based on process parameters, taken to stop the fuel cell power