



IEC 61784-1

Edition 3.0 2010-07

INTERNATIONAL STANDARD

Industrial communication networks – Profiles –
Part 1: Fieldbus profiles

<https://standards.itech.ai/categ/standards/3/102/425-e6c2-4feb-beb7-911c07d9e61/iec-61784-1-2010>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/vstpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00



IEC 61784-1

Edition 3.0 2010-07

INTERNATIONAL STANDARD

Industrial communication networks – Profiles –
Part 1: Fieldbus profiles

<https://standards.itech.ai/categ/std/61784-1-2010>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE XH

ICS 35.100.20, 35.240.50

ISBN 978-2-88912-062-8

CONTENTS

FOREWORD	13
INTRODUCTION	15
1 Scope	16
2 Normative references	17
3 Definitions	21
3.1 Terms and definitions	21
3.2 Abbreviations and symbols	21
3.2.1 IEC 61158 abbreviations and symbols	21
3.2.2 Other abbreviations and symbols	21
3.3 Conventions	22
3.3.1 Conventions common to all layers	22
3.3.2 Physical layer	23
3.3.3 Data-link layer	23
3.3.4 Application layer	24
4 Conformance to communication profiles	24
5 Communication Profile Family 1 (FOUNDATION® Fieldbus)	25
5.1 General overview	25
5.2 Profile 1/1 (FF H1)	26
5.2.1 Physical layer	26
5.2.2 Data-link layer	41
5.2.3 Application layer	105
5.3 Profile 1/2 (FF HSE)	106
5.3.1 Physical layer	106
5.3.2 Data-link layer	106
5.3.3 Network layer	106
5.3.4 Transport layer	106
5.3.5 Application layer	107
5.4 Profile 1/3 (FF H2)	107
5.4.1 Physical layer	107
5.4.2 Data-link layer	109
5.4.3 Application layer	109
6 Communication Profile Family 2 (CIP™)	109
6.1 General overview	109
6.2 Profile 2/1 (ControlNet)	110
6.2.1 Physical layer	110
6.2.2 Data-link layer	111
6.2.3 Application layer	113
6.3 Profile 2/2 (EtherNet/IP)	114
6.3.1 Physical layer	114
6.3.2 Data-link layer	114
6.3.3 Application layer	115
6.4 Profile 2/3 (DeviceNet)	116
6.4.1 Physical layer	116
6.4.2 Data-link layer	116
6.4.3 Application layer	117
7 Communication Profile Family 3 (PROFIBUS & PROFINET)	119

7.1	General overview	119
7.2	Profile 3/1 (PROFIBUS DP).....	121
7.2.1	Physical layer	121
7.2.2	Data-link layer	123
7.2.3	Application layer.....	142
7.3	Profile 3/2 (PROFIBUS PA).....	188
7.3.1	Physical layer	188
7.3.2	Data-link layer	191
7.3.3	Application layer.....	201
7.4	Profile 3/3 (PROFINET CBA).....	201
7.4.1	Physical layer	201
7.4.2	Data-link layer	201
7.4.3	Application layer.....	202
8	Communication Profile Family 4 (P-NET®)	203
8.1	General overview	203
8.2	Profile 4/1 (P-NET RS-485).....	203
8.2.1	Physical layer	203
8.2.2	Data-link layer	204
8.2.3	Application layer.....	205
8.3	Profile 4/2 (P-NET RS-232).....	206
8.3.1	Physical layer	206
8.3.2	Data-link layer	207
8.3.3	Application layer.....	207
9	Communication Profile Family 5 (WorldFIP®)	208
9.1	General overview	208
9.2	Profile 5/1 (WorldFIP).....	209
9.2.1	Physical layer	209
9.2.2	Data-link layer	210
9.2.3	Application layer.....	212
9.3	Profile 5/2 (WorldFIP).....	217
9.3.1	Physical layer	217
9.3.2	Data-link layer	217
9.3.3	Application layer.....	217
9.4	Profile 5/3 (WorldFIP).....	221
9.4.1	Physical layer	221
9.4.2	Data-link layer	222
9.4.3	Application layer.....	222
10	Communication Profile Family 6 (INTERBUS®)	223
10.1	General overview	223
10.2	Profile 6/1	224
10.2.1	Physical layer	224
10.2.2	Data-link layer	225
10.2.3	Application layer.....	226
10.3	Profile 6/2	227
10.3.1	Physical layer	227
10.3.2	Data-link layer	227
10.3.3	Application layer.....	228
10.4	Profile 6/3	230
10.4.1	Physical layer	230

10.4.2 Data-link layer	230
10.4.3 Application layer.....	231
11 Communication Profile Family 7 (This Clause has been removed).....	232
12 Communication Profile Family 8 (CC-Link)	232
12.1 General overview	232
12.1.1 General	232
12.1.2 Profile 8/1.....	232
12.1.3 Profile 8/2.....	233
12.1.4 Profile 8/3.....	233
12.2 Profile 8/1	233
12.2.1 Physical layer.....	233
12.2.2 Data-link layer	234
12.2.3 Application layer.....	236
12.3 Profile 8/2	239
12.3.1 Physical layer.....	239
12.3.2 Data-link layer	239
12.3.3 Application layer.....	239
12.4 Profile 8/3	239
12.4.1 Physical layer.....	239
12.4.2 Data-link layer	240
12.4.3 Application layer.....	242
13 Communication Profile Family 9 (HART).....	244
13.1 General Overview.....	244
13.2 Profile 9/1, universal command	244
13.2.1 Physical layer.....	244
13.2.2 Data-link layer	244
13.2.3 Application layer.....	244
14 Communication Profile Family 16 (SERCOS).....	245
14.1 General overview	245
14.2 Profile 16/1 (SERCOS I)	246
14.2.1 Physical layer selection	246
14.2.2 Data-link layer	246
14.2.3 Application layer.....	247
14.3 Profile 16/2 (SERCOS II).....	247
14.3.1 Physical layer	247
14.3.2 Data-link layer	248
14.3.3 Application layer.....	248
Annex A (informative) Communication concepts	249
Annex B (informative) Added value of IEC 61784-1.....	263
Bibliography.....	264
 Figure 1 – Communication profile families and profiles	16
Figure 2 – Example optical power budget for a 100/140 µm fiber system with a 16/16 optical passive star coupler.....	40
Figure 3 – CP 3/2 Slave devices usable in applications.....	121
Figure A.1 – Ring structure	261
Figure A.2 – Topology example.....	262

Table 1 – Relations of Communication Profile Families to type numbers	17
Table 2 – Layout of profile (sub)clause selection tables	22
Table 3 – Contents of (sub)clause selection tables	22
Table 4 – Layout of service selection tables.....	22
Table 5 – Contents of service selection tables	23
Table 6 – Layout of parameter selection tables	23
Table 7 – Contents of parameter selection tables	23
Table 8 – Layout of class attribute selection tables	24
Table 9 – Contents of class attribute selection tables.....	24
Table 10 – CPF 1: overview of profile sets	25
Table 11 – CP 1/1: PhL selection for communicating devices and their MAUs.....	26
Table 12 – CP 1/1: PhL classification of MAUs and attached devices.....	28
Table 13 – CP 1/1: PhL selection of Clause 16 for devices and their MAUs	28
Table 14 – CP 1/1: PhL selection of Clause 12 for devices and their MAUs	29
Table 15 – CP 1/1: PhL selection of Clause 21 for devices and their MAUs (denigrated).....	30
Table 16 – CP 1/1: PhL selection of recommended IS parameters for FF MAU classes 111, 112, 121, 122, 511 and 512	31
Table 17 – CP 1/1: PhL selection for media components.....	32
Table 18 – CP 1/1: PhL selection of imperative IS parameters for media in FISCO systems	32
Table 19 – CP 1/1: PhL selection for power supplies	33
Table 20 – CP 1/1: PhL selection of power supply types	33
Table 21 – CP 1/1: PhL selection of permissible output voltage and IS parameters for FISCO power supplies	34
Table 22 – CP 1/1: PhL selection for terminators	35
Table 23 – CP 1/1: PhL selection of IS parameters for terminators	35
Table 24 – CP 1/1: PhL selection of Clause 12 for intrinsic safety barriers	36
Table 25 – CP 1/1: PhL selection of recommended IS parameters for intrinsic safety barriers and galvanic isolators (Entity model only)	37
Table 26 – CP 1/1: PhL selection of Clause 12 for intrinsically safe galvanic isolators	38
Table 27 – CP 1/1: PhL selection of Clause 15, recommended optical fiber types	39
Table 28 – CP 1/1: PhL selection of passive star couplers, recommended maximum insertion loss	39
Table 29 – CP 1/1: PhL selection of active star couplers.....	39
Table 30 – CP 1/1: Optical power budget considerations	40
Table 31 – CP 1/1: DLL service selection.....	41
Table 32 – CP 1/1: DLL service selection of Clause 5	41
Table 33 – CP 1/1: DLL service selection of 5.4.....	41
Table 34 – CP 1/1: DLL service selection of 5.4.1	42
Table 35 – CP 1/1: DLL service selection of 5.4.3	42
Table 36 – CP 1/1: DLL service selection of 5.4.6	43
Table 37 – CP 1/1: DLL service selection of Clause 6	43
Table 38 – CP 1/1: DLL service selection of the summary of 6.3, DL-connection QoS	44
Table 39 – CP 1/1: DLL service selection of figures 9–14 of 6.4.....	44

Table 40 – CP 1/1: DLL service selection of 6.5.....	44
Table 41 – CP 1/1: DLL service selection: replacement for Table 13 of 6.5	45
Table 42 – CP 1/1: DLL service selection of 6.5, replacement for Table 14	45
Table 43 – CP 1/1: DLL service selection of 6.5 for use of addresses for peer DLC	46
Table 44 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at publisher.....	46
Table 45 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at subscriber	46
Table 46 – CP 1/1: DLL service selection of 6.6.....	46
Table 47 – CP 1/1: DLL service selection: replacement for Table 15 of 6.6	47
Table 48 – CP 1/1: DLL service selection of 6.7.....	47
Table 49 – CP 1/1: DLL service selection of 6.7, replacement for Table 16	47
Table 50 – CP 1/1: DLL service selection of 6.7, replacement for Table 17	47
Table 51 – CP 1/1: DLL service selection of 6.7, replacement for Table 18	48
Table 52 – CP 1/1: DLL service selection of Clause 7	48
Table 53 – CP 1/1: DLL service selection of 7.5, replacement for Table 23	49
Table 54 – CP 1/1: DLL service selection of Clause 8	49
Table 55 – CP 1/1: DLL service selection of 8.5, replacement for Table 28	49
Table 56 – CP 1/1: DLL protocol selection	50
Table 57 – CP 1/1: DLL protocol selection of Clause 4	50
Table 58 – CP 1/1: DLL protocol selection of 4.3	51
Table 59 – CP 1/1: DLL protocol selection of 4.3.2.1 for use of link designators.....	51
Table 60 – CP 1/1: DLL protocol selection of 4.3.2.2 for use of node designators	51
Table 61 – CP 1/1: DLL protocol selection of 4.3.3.1 for predefined flat non-local DL-addresses	51
Table 62 – CP 1/1: DLL protocol selection of 4.3.3.2 for predefined flat link-local DL-addresses	52
Table 63 – CP 1/1: DLL protocol selection of 4.3.3.3 for predefined node-local DL-addresses	52
Table 64 – CP 1/1: DLL protocol selection of 4.7	52
Table 65 – CP 1/1: DLL protocol selection of 4.7.4	53
Table 66 – CP 1/1: DLL protocol selection of 4.7.5	54
Table 67 – CP 1/1: DLL protocol selection of Clause 6.....	55
Table 68 – CP 1/1: DLL protocol selection, replacement for Table 10 of 6.0.....	56
Table 69 – CP 1/1: DLL protocol selection of 6.5	57
Table 70 – CP 1/1: DLL protocol selection of 6.7	60
Table 71 – CP 1/1: DLL protocol selection of 6.8	64
Table 72 – CP 1/1: DLL protocol selection of 6.11	65
Table 73 – CP 1/1: DLL protocol selection of 6.12	65
Table 74 – CP 1/1: DLL protocol selection of 6.15	66
Table 75 – CP 1/1: DLL protocol selection of 6.20	67
Table 76 – CP 1/1: DLL protocol selection of Clause 7.....	68
Table 77 – CP 1/1: DLL protocol selection of 7.4	69
Table 78 – CP 1/1: DLL protocol selection of Clause 8.....	70
Table 79 – CP 1/1: DLL protocol selection of 8.2	71

Table 80 – CP 1/1: DLL protocol selection of 8.2.2	81
Table 81 – CP 1/1: DLL protocol selection of 8.3	93
Table 82 – CP 1/1: DLL protocol selection of 8.4	94
Table 83 – CP 1/1: DLL protocol selection of Clause 9.....	95
Table 84 – CP 1/1: DLL protocol selection of 9.3	96
Table 85 – CP 1/1: DLL protocol selection of 9.3.5	98
Table 86 – CP 1/1: DLL protocol selection of 9.3.5.2.2, replacement for element encoding.....	99
Table 87 – CP 1/1: DLL protocol selection of Clause 10.....	99
Table 88 – CP 1/1: DLL protocol selection of 10.2	99
Table 89 – CP 1/1: DLL protocol selection of 10.3	100
Table 90 – CP 1/1: DLL protocol selection of 10.3.7, specification of errors	102
Table 91 – CP 1/1: DLL protocol selection of 10.4	103
Table 92 – CP 1/1: DLL protocol selection of 10.5	104
Table 93 – CP 1/1: DLL protocol selection of 10.6	104
Table 94 – CP 1/1: AL service selection.....	105
Table 95 – CP 1/1: AL data type selection of Clause 4.....	105
Table 96 – CP 1/1: AL protocol selection	106
Table 97 – CP 1/2: AL service selection.....	107
Table 98 – CP 1/2: AL protocol selection	107
Table 99 – CP 1/3: PhL selection for FF H2 devices	108
Table 100 – CP 1/3: PhL selection for FF H2 media and related components.....	109
Table 101 – CPF 2: overview of profile sets	110
Table 102 – CP 2/1: PhL selection	111
Table 103 – CP 2/1: DLL service selection.....	112
Table 104 – CP 2/1: DLL protocol selection	112
Table 105 – CP 2/1: DLL protocol selection of management objects	112
Table 106 – CP 2/1: AL service selection	113
Table 107 – CP 2/1: AL protocol selection	113
Table 108 – CP 2/2: DLL protocol selection	114
Table 109 – CP 2/2: DLL protocol selection of management objects	115
Table 110 – CP 2/2: AL service selection.....	115
Table 111 – CP 2/2: AL protocol selection	116
Table 112 – CP 2/3: DLL protocol selection	117
Table 113 – CP 2/3: DLL protocol selection of management objects	117
Table 114 – CP 2/3: AL service selection.....	118
Table 115 – CP 2/3: AL protocol selection	119
Table 116 – CPF 3: overview of profile sets	120
Table 117 – CP 3/1: PhL selection	122
Table 118 – CP 3/1: PhL selection of Clause 3	123
Table 119 – CP 3/1: PhL selection of Clause 4	123
Table 120 – CP 3/1: General DLL service selection	124
Table 121 – CP 3/1: DLL service selection for DP-V0 master (class 1).....	124

Table 122 – CP 3/1: DLM service selection for DP-V0 master (class 1).....	125
Table 123 – CP 3/1: DLL service selection for DP-V1 master (class 1).....	126
Table 124 – CP 3/1: DLM service selection for DP-V1 master (class 1).....	127
Table 125 – CP 3/1: DLL service selection for DP-V0 master (class 2).....	127
Table 126 – CP 3/1: DLL service selection for DP-V1 master (class 2).....	128
Table 127 – CP 3/1: DLL service selection for DP-V0 slave	129
Table 128 – CP 3/1: DLM service selection for DP-V0 slave	130
Table 129 – CP 3/1: DLL service selection for DP-V1 slave	131
Table 130 – CP 3/1: DLM service selection for DP-V1 slave	132
Table 131 – CP 3/1: General DLL protocol selection	132
Table 132 – CP 3/1: DLL protocol selection of Clause 5.....	133
Table 133 – CP 3/1: DLL protocol selection of Clause 6.....	133
Table 134 – CP 3/1: DLL protocol selection of Clause 7.....	134
Table 135 – CP 3/1: Time variable selection for DP-V0 master (class 1).....	134
Table 136 – CP 3/1: Timer and counter selection for DP-V0 master (class 1).....	135
Table 137 – CP 3/1: DLPDU selection for DP-V0 master (class 1)	135
Table 138 – CP 3/1: MAC state selection for DP-V0 master (class 1).....	135
Table 139 – CP 3/1: Time selection for DP-V1 master (class 1).....	136
Table 140 – CP 3/1: Timer and counter selection for DP-V1 master (class 1).....	136
Table 141 – CP 3/1: DLPDU selection for DP-V1 master (class 1)	137
Table 142 – CP 3/1: MAC state selection for DP-V1 master (class 1).....	137
Table 143 – CP 3/1: CS protocol selection for DP-V1 master (class 1).....	137
Table 144 – CP 3/1: Time selection for DP-V1 master (class 2)	138
Table 145 – CP 3/1: Timer and counter selection for DP-V1 master (class 2).....	138
Table 146 – CP 3/1: DLPDU selection for DP-V1 master (class 2)	139
Table 147 – CP 3/1: Time selection for DP-V0 slave	139
Table 148 – CP 3/1: Timer and counter selection for DP-V0 slave	140
Table 149 – CP 3/1: DLPDU selection for DP-V0 slave	140
Table 150 – CP 3/1: MAC state selection for DP-V0 slave	140
Table 151 – CP 3/1: Time selection for DP-V1 slave	141
Table 152 – CP 3/1: Timer and counter selection for DP-V1 slave	141
Table 153 – CP 3/1: DLPDU selection for DP-V1 slave	142
Table 154 – CP 3/1: CS protocol selection for DP-V1 slave	142
Table 155 – CP 3/1, 3/2: AL service selection	142
Table 156 – CP 3/1, 3/2: AL service selection of data types	143
Table 157 – CP 3/1, 3/2: AL service selection of Clause 6	144
Table 158 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	145
Table 159 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	145
Table 160 – CP 3/1, 3/2: AL service selection of Context ASE	146
Table 161 – CP 3/1, 3/2: AL service selection of Management ASE	146
Table 162 – CP 3/1, 3/2: AL service selection of AR ASE	147
Table 163 – CP 3/1, 3/2: AL service selection of Clause 6	148
Table 164 – CP 3/1, 3/2: AL service selection of Process data ASE	148

Table 165 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	148
Table 166 – CP 3/1, 3/2: AL service selection of Alarm ASE	149
Table 167 – CP 3/1, 3/2: AL service selection of Context ASE	149
Table 168 – CP 3/1, 3/2: AL service selection of Load region ASE.....	149
Table 169 – CP 3/1, 3/2: AL service selection of Function invocation ASE	149
Table 170 – CP 3/1, 3/2: AL service selection of Time ASE	150
Table 171 – CP 3/1, 3/2: AL service selection of AR ASE	150
Table 172 – CP 3/1, 3/2: AL service selection of Clause 6	151
Table 173 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	151
Table 174 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	152
Table 175 – CP 3/1, 3/2: AL service selection of Context ASE	152
Table 176 – CP 3/1, 3/2: AL service selection of Management ASE	152
Table 177 – CP 3/1, 3/2: AL service selection of AR ASE	153
Table 178 – CP 3/1, 3/2: AL service selection of Clause 6	154
Table 179 – CP 3/1, 3/2: AL service selection of Process data ASE.....	154
Table 180 – CP 3/1, 3/2: AL service selection of Context ASE	154
Table 181 – CP 3/1, 3/2: AL service selection of Load region ASE.....	155
Table 182 – CP 3/1, 3/2: AL service selection of Function invocation ASE	155
Table 183 – CP 3/1, 3/2: AL service selection of Time ASE	155
Table 184 – CP 3/1, 3/2: AL service selection of AR ASE	156
Table 185 – CP 3/1, 3/2: AL service selection of Clause 6	157
Table 186 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	157
Table 187 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	158
Table 188 – CP 3/1, 3/2: AL service selection of Context ASE	158
Table 189 – CP 3/1, 3/2: AL service selection of AR ASE	159
Table 190 – CP 3/1, 3/2: AL service selection of Clause 6	160
Table 191 – CP 3/1, 3/2: AL service selection of Process data ASE.....	160
Table 192 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	160
Table 193 – CP 3/1, 3/2: AL service selection of diagnosis ASE	161
Table 194 – CP 3/1, 3/2: AL service selection of Alarm ASE	161
Table 195 – CP 3/1, 3/2: AL service selection of Context ASE	162
Table 196 – CP 3/1, 3/2: AL service selection of Load region ASE.....	162
Table 197 – CP 3/1, 3/2: AL service selection of Function invocation ASE	163
Table 198 – CP 3/1, 3/2: AL service selection of Time ASE	163
Table 199 – CP 3/1, 3/2: AL service selection of AR ASE	164
Table 200 – CP 3/1, 3/2: AL protocol selection	165
Table 201 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	165
Table 202 – CP 3/1, 3/2: AL protocol selection of APDUs	167
Table 203 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	167
Table 204 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	168
Table 205 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	168
Table 206 – CP 3/1, 3/2: AL protocol selection of APDUs	170
Table 207 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	171

Table 208 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	172
Table 209 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 6	172
Table 210 – CP 3/1, 3/2: AL protocol selection of APDUs	174
Table 211 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	174
Table 212 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	175
Table 213 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	175
Table 214 – CP 3/1, 3/2: AL protocol selection of APDUs	176
Table 215 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	178
Table 216 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	178
Table 217 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	179
Table 218 – CP 3/1, 3/2: AL protocol selection of APDU selection	180
Table 219 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	181
Table 220 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	181
Table 221 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	182
Table 222 – CP 3/1, 3/2: AL protocol selection of APDUs	184
Table 223 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	185
Table 224 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	186
Table 225 – CP 3/2: PhL selection	188
Table 226 – CP 3/2: PhL selection of Clause 12 for devices and their MAUs.....	190
Table 227 – CP 3/2: PhL selection of recommended IS parameters	190
Table 228 – CP 3/2: PhL selection of Clause 21 for devices and their MAUs.....	191
Table 229 – CP 3/2: General DLL protocol selection	192
Table 230 – CP 3/2: DLL protocol selection of Clause 4.....	192
Table 231 – CP 3/2: DLL protocol selection of Clause 5.....	193
Table 232 – CP 3/2: DLL protocol selection of Clause 6.....	193
Table 233 – CP 3/2: DLL protocol selection of Clause 7	194
Table 234 – CP 3/2: Time variable selection for DP-V0 master (class 1).....	194
Table 235 – CP 3/2: Timer and counter selection for DP-V0 master (class 1).....	195
Table 236 – CP 3/2: DLPDU selection for DP-V0 master (class 1)	195
Table 237 – CP 3/2: Time variable selection for DP-V1 master (class 1).....	196
Table 238 – CP 3/2: Timer and counter selection for DP-V1 master (class 1).....	196
Table 239 – CP 3/2: DLPDU selection for DP-V1 master (class 1)	197
Table 240 – CP 3/2: Time variable selection for DP-V1 master (class 2).....	197
Table 241 – CP 3/2: Timer and counter selection for DP-V1 master (class 2).....	198
Table 242 – CP 3/2: DLPDU selection for DP-V1 master (class 2)	198
Table 243 – CP 3/2: Time variable selection for DP-V0 slave	199
Table 244 – CP 3/2: Timer and counter selection for DP-V0 slave	199
Table 245 – CP 3/2: DLPDU selection for DP-V0 slave	199
Table 246 – CP 3/2: Time variable selection for DP-V1 slave.....	200
Table 247 – CP 3/2: Timer and counter selection for DP-V1 slave	200
Table 248 – CP 3/2: DLPDU selection for DP-V1 slave	201
Table 249 – CP 3/3: AL service selection.....	202
Table 250 – CP 3/3: AL protocol selection	202

Table 251 – CP 4/1: PhL selection	204
Table 252 – CP 4/1: DLL service selection.....	205
Table 253 – CP 4/1: DLL protocol selection	205
Table 254 – CP 4/1: AL service selection.....	205
Table 255 – CP 4/1: AL protocol selection	206
Table 256 – CP 4/2: PhL selection	207
Table 257 – CPF 5: overview of profile sets	208
Table 258 – CPF 5: PhL selection	209
Table 259 – CPF 5: DLL service selection	210
Table 260 – CPF 5: DLL service selection of Clause 4.....	210
Table 261 – CPF 5: DLL protocol selection	211
Table 262 – CPF 5: DLL protocol selection of variables and resources	211
Table 263 – CPF 5: DLL protocol selection of DLPDUs	212
Table 264 – CP 5/1: AL service selection.....	212
Table 265 – CP 5/1: AL service selection of ASEs	212
Table 266 – CPF 5: AL service selection of MPS ASEs	213
Table 267 – CPF 5: AL service selection of variable elements.....	213
Table 268 – CPF 5: AL service selection of produced variable elements.....	213
Table 269 – CPF 5: AL service selection of consumed variable elements.....	213
Table 270 – CP 5/1: AL service selection of MPS services	214
Table 271 – CP 5/1, 5/2: AL service selection of A_Readloc service parameters	214
Table 272 – CP 5/1, 5/2: AL service selection of A_Readfar service parameters	214
Table 273 – CP 5/1, 5/2: AL service selection of A_Read service parameters	214
Table 274 – CP 5/1: AL service selection of MCS service classes.....	214
Table 275 – CP 5/1: AL service selection of QoS	215
Table 276 – CP 5/1: AL service selection of MCS services	215
Table 277 – CP 5/1, 5/2: AL service selection of A_Data parameters	215
Table 278 – CP 5/1: AL protocol selection	215
Table 279 – CPF 5/1: AL protocol selection of MPS data types	216
Table 280 – CPF 5/1: AL protocol selection of MPS PDUs	216
Table 281 – CPF 5/1: AL protocol selection of MPS encoding rules	216
Table 282 – CP 5/1, 5/2: AL protocol selection of MCS PDUs	216
Table 283 – CP 5/1: AL protocol selection of MCS state machines.....	217
Table 284 – CP 5/2: AL service selection	217
Table 285 – CP 5/2: AL service selection of ASEs	217
Table 286 – CP 5/2: AL service selection of MPS services	218
Table 287 – CP 5/2: AL service selection of MCS service classes.....	218
Table 288 – CP 5/2: AL service selection of QoS	218
Table 289 – CP 5/2: AL service selection of MCS services	218
Table 290 – CP 5/2: AL service selection of domain services.....	219
Table 291 – CP 5/2: AL service selection of domain object attributes.....	219
Table 292 – CP 5/2: AL service selection of program services	219
Table 293 – CP 5/2: AL service selection of program object attributes	219

Table 294 – CP 5/2: AL service selection of variable services	220
Table 295 – CP 5/2: AL service selection of variable classes	220
Table 296 – CP 5/2: AL service selection of variable class attributes	220
Table 297 – CP 5/2: AL protocol selection	220
Table 298 – CP 5/2: AL protocol selection of MCS state machines.....	221
Table 299 – CP 5/2: AL protocol selection of sub-MMS coding rules	221
Table 300 – CP 5/2: AL protocol selection of sub-MMS PDUs	221
Table 301 – CP 5/3: AL service selection	222
Table 302 – CP 5/3: AL service selection of ASEs	222
Table 303 – CP 5/3: AL protocol selection	222
Table 304 – CPF 6: device CP identifier assignment.....	223
Table 305 – CPF 6: PhL selection.....	224
Table 306 – CP 6/1: DLL service selection, assignment of DLL services to device types....	225
Table 307 – CPF 6: DLL protocol selection of data widths supported by master	226
Table 308 – CP 6/1: AL service selection, assignment of AL services to device types	227
Table 309 – CP 6/2: DLL service selection, assignment of DLL services to device types....	228
Table 310 – CP 6/2: AL service selection, assignment of AL services to device types	229
Table 311 – CP 6/2: AL service selection of AR-Data-Send-Acknowledge service parameters	229
Table 312 – CP 6/3: DLL service selection, assignment of DLL services to device types....	230
Table 313 – CP 6/3: AL service selection, assignment of AL services to device types	231
Table 314 – CP 8/1 transmission support level	233
Table 315 – CP 8/1 PhL selection	234
Table 316 – CP 8/1 DLL services selection	234
Table 317 – CP 8/1 DLL protocol selection	235
Table 318 – CP 8/1 AL services selection	237
Table 319 – CP 8/1 AL protocol selection	238
Table 320 – CP 8/2 DLL protocol selection	239
Table 321 – CP 8/3 PhL selection	240
Table 322 – CP 8/3 DLL services selection	240
Table 323 – CP 8/3 DLL protocol selection	241
Table 324 – CP 8/3 AL services selection	242
Table 325 – CP 8/3 AL protocol selection	243
Table 326 – CP 9/1: AL service selection	245
Table 327 – CP 9/1: AL protocol selection	245
Table 328 – CP 16/1: PhL selection	246
Table 329 – CP 16/1: DLL protocol selection	247
Table 330 – CP 16/1: AL service selection	247
Table 331 – CP 16/2: PhL selection	248
Table A.1 – Number of devices per CP16/1 and CP16/2 systems (examples)	262

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
PROFILES –****Part 1: Fieldbus profiles****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission of their respective intellectual-property-right holders.

International Standard IEC 61784-1 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2007. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- update of the dated references to the IEC 61158 series, to IEC 61784-2, to the IEC 61784-3 series, to the IEC 61784-5 series and to IEC 61918 throughout the document;