

TECHNICAL REPORT

RAPPORT TECHNIQUE



BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 2-5: Environment – Description and classification of electromagnetic
environments**

**Compatibilité électromagnétique (CEM) –
Partie 2-5: Environnement – Description et classification des environnements
électromagnétiques**

IEC TR 61000-2-5:2011

<https://standards.iteh.ai/collections/standards/iec/46841929-9e6a-4ff1-a2c2-c2126b68a6ae/iec-tr-61000-2-5-2011>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00

TECHNICAL REPORT

RAPPORT TECHNIQUE



BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 2-5: Environment – Description and classification of electromagnetic
environments**

**Compatibilité électromagnétique (CEM) –
Partie 2-5: Environnement – Description et classification des environnements
électromagnétiques**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XF

ICS 33.100.20

ISBN 978-2-88912-521-0

CONTENTS

FOREWORD.....	7
1 Scope and object.....	9
2 Normative references	9
3 Terms, definitions and abbreviated terms	12
3.1 Terms and definitions	12
3.2 Abbreviations	17
4 User's guide for this report	21
4.1 Approach.....	21
4.2 Rationale for classification system.....	23
4.3 Electromagnetic environment phenomena	24
4.4 Simplification of the electromagnetic environment database	24
5 Low-frequency electromagnetic phenomena	28
5.1 Conducted low-frequency phenomena	28
5.1.1 Harmonics of the fundamental power frequency.....	28
5.1.2 Power supply network voltage amplitude and frequency changes	30
5.1.3 Power supply network common mode voltages	32
5.1.4 Signalling voltages in power supply networks	35
5.1.5 Islanding supply networks.....	36
5.1.6 Induced low-frequency voltages.....	37
5.1.7 DC voltage in AC networks.....	37
5.2 Radiated low-frequency phenomena.....	37
5.2.1 Magnetic fields.....	37
5.2.2 Electric fields.....	39
6 High-frequency electromagnetic phenomena	40
6.1 Conducted high-frequency phenomena.....	40
6.1.1 General	40
6.1.2 Direct conducted CW phenomena	40
6.1.3 Induced continuous wave	42
6.1.4 Transients	43
6.2 Radiated high frequency phenomena.....	45
6.2.1 General.....	45
6.2.2 Radiated continuous oscillatory disturbances	46
6.2.3 Radiated modulated disturbances.....	47
6.2.4 Radiated pulsed disturbances.....	65
7 Electrostatic discharge	66
7.1 General	66
7.2 ESD currents.....	66
7.3 Fields produced by ESD currents	67
8 Classification of environments	68
8.1 General	68
8.2 Location classes.....	68
8.3 Residential location class	70
8.3.1 Description of residential locations	70
8.3.2 Equipment typical to the residential location	70
8.3.3 Boundaries relevant for equipment operated at residential locations.....	71
8.3.4 Interfaces and ports to residential locations	72

8.3.5	Attributes of residential locations	73
8.4	Commercial/public location class	74
8.4.1	Description of commercial/public locations	74
8.4.2	Equipment and interference sources existent in commercial/public locations	74
8.4.3	Boundaries relevant for equipment operated at commercial/public locations	74
8.4.4	Interfaces and ports to commercial/public locations	75
8.4.5	Attributes of commercial/public locations	75
8.5	Industrial location class	77
8.5.1	Description of industrial locations	77
8.5.2	Equipment and interference sources existent in industrial locations	78
8.5.3	Boundaries relevant for equipment operated at industrial locations	78
8.5.4	Interfaces and ports to industrial locations	79
8.5.5	Attributes of industrial locations	79
8.6	Types of power supply networks	81
8.7	Alterations in electromagnetic environments	83
8.8	Further conducted electromagnetic phenomena	83
8.8.1	Description of conducted phenomena other than in Clauses 4 and 5	83
8.8.2	REIN	84
8.8.3	SHINE	85
8.9	Mitigation aspects	85
8.10	Description of location classes with regard to the requirements of EMC basic standards	86
9	Principles of the selection of immunity levels	88
9.1	Approach	88
9.2	Uncertainties	89
9.2.1	Uncertainties in the test situation	89
9.2.2	Uncertainties in the application situation	89
9.2.3	Dealing with uncertainties	89
9.3	Dealing with high density sources	89
9.4	Criticality criteria	90
10	Disturbance levels of the various location classes	91
Annex A (informative)	Compatibility levels/disturbance levels for location classes	92
Annex B (informative)	Radiated continuous disturbances	102
Annex C (informative)	Review of the historical assignment of radiated disturbance degrees	109
Annex D (informative)	Radiated pulsed disturbances	115
Annex E (informative)	Power line telecommunications (PLT)	120
Bibliography	122
Figure 1	– Schematic of the two-step approach used for classification with phenomenon-oriented input tables and location-oriented output tables	22
Figure 2	– Ports of entry (POEs) of electromagnetic disturbances into equipment	23
Figure 3	– Typical voltage waveforms for dip and interruption (10 ms/horizontal division)	31
Figure 4	– Typical configuration of the converter in a PDS	33
Figure 5	– Voltage and current waveforms of each PDS portion (1 ms/horizontal division)	34

Figure 6 – Measured common-mode voltage at the input terminal of a converter	34
Figure 7 – Concept of location classes	69
Figure 8 – Situation for TN-C power installation systems	82
Figure 9 – Situation for TN-S power installation systems.....	83
Figure B.1 – Typical waveforms for radiated disturbances.....	102
Figure C.1 – Problem Geometry.....	110
Figure D.1 – The measured electric field and the electric field derivative from a cloud to ground lightning strike measured at a distance of 30 m.....	115
Figure D.2 – The measured electric field from an electrostatic discharge event at a distance of 0,1 m	116
Figure D.3 – The measured magnetic field (two measurements) from an electrostatic discharge event at a distance of 0,1 m.....	116
Figure D.4 – The measured electric field in kV/m vs. time in microseconds in a 500 kV power substation.....	117
Table 1 – Principal phenomena causing electromagnetic disturbances	25
Table 2 – Disturbance degrees and levels for harmonic voltages in power supply networks (in percentage to fundamental voltage, U_n/U_1).....	30
Table 3 – Disturbance degrees and levels for voltage changes within normal operating range	31
Table 4 – Disturbance degrees and levels for voltage unbalance	32
Table 5 – Disturbance degrees and levels for power frequency variation	32
Table 6 – Disturbance degrees and levels for common mode voltages.....	35
Table 7 – Disturbance degrees and levels for signalling voltages in power systems (in per cent of nominal voltage).....	36
Table 8 – Disturbance degrees and levels for low-frequency, common mode induced voltages in signal and control cables.....	37
Table 9 – Disturbance degrees and levels for low-frequency magnetic fields at various frequencies.....	38
Table 10 – Disturbance degrees and levels for low-frequency electric fields	39
Table 11 – Disturbance degrees and levels of induced CW voltages with respect to reference ground	42
Table 12 – Disturbance degrees and levels for conducted unidirectional transients in low-voltage AC power systems	44
Table 13 – Disturbance degrees and levels for conducted oscillatory transients in low-voltage AC power systems.....	45
Table 14 – Radiation sources	46
Table 15 – Disturbance degrees and levels for radiated continuous oscillatory disturbances (in V/m, rms) and distance to source (in m).....	47
Table 16 – Disturbance degrees and levels for modulated radiation disturbances (in V/m, rms) and distance to source (in m), Amateur radio bands below 30 MHz.....	48
Table 17 – Disturbance degrees and levels for modulated radiation disturbances (in V/m, rms) and distance to source (in m), 27 MHz CB band	49
Table 18 – Disturbance degrees and levels for analogue communication services below 30 MHz.....	50
Table 19 – Disturbance degrees and levels for modulated radiation (analogue communication services above 30 MHz) disturbances (in V/m) and distance to source (m) ..	51
Table 20 – Disturbance degrees and levels for modulated radiation (mobile and portable phones) disturbances (in V/m, rms) and distance to source (in m).....	52

Table 21 – Disturbance degrees and levels for modulated radiation (base stations) disturbances (in V/m, rms) and distance to source (in m)	53
Table 22 – Disturbance degrees and levels for modulated radiation (medical and biological telemetry items) disturbances (in V/m, rms) and distance to source (in m)	54
Table 23 – Disturbance degrees and levels for modulated radiation (unlicensed radio services) disturbances (in V/m, rms) and distance to source (in m) (1).....	55
Table 24 – Disturbance degrees and levels for modulated radiation (unlicensed radio services) disturbances (in V/m, rms) and distance to source (in m) (2).....	56
Table 25 – Disturbance degrees and levels for modulated radiation (amateur radio bands above 30 MHz) disturbances (in V/m, rms) and distance to source (in m)	57
Table 26 – Disturbance degrees and levels for modulated radiation (paging service base station) disturbances (in V/m, rms) and distance to source (in m).....	58
Table 27 – Disturbance degrees and levels for modulated radiation (other RF items) disturbances (in V/m, rms) and distance to source (in m) (1).....	58
Table 28 – Disturbance degrees and levels for modulated radiation (other RF items) disturbances (in V/m, rms) and distance to source (in m) (2).....	59
Table 29 – Disturbance degrees and levels for modulated radiation (other RF items) disturbances (in V/m, rms) and distance to source (in m) (3).....	59
Table 30 – Disturbance degrees and levels for modulated radiation (other RF items) disturbances (in V/m, rms) and distance to source (in m) (4).....	60
Table 31 – Disturbance degrees and levels for modulated radiation (other RF items) disturbances (in V/m, rms) and distance to source (in m) (5).....	61
Table 32 – Disturbance degrees and levels for modulated radiation (other RF items) disturbances (in V/m, Pk) and distance to source (in m) (6)	62
Table 33 – Disturbance degrees and levels for modulated radiation (RFID and railway transponder systems) disturbances (electric field in V/m, rms) and distance to source (in m).....	63
Table 34 – Disturbance degrees and levels for modulated radiation (RFID and railway transponder systems) disturbances (magnetic field in $\mu\text{A}/\text{m}$, rms) and distance to source (in m)	64
Table 35 – Disturbance degrees and levels for radiated pulsed disturbances (rate of rise) and distance to source (in m).....	65
Table 36 – Disturbance degrees and levels for pulsed radiation (RADAR systems) disturbances (electric field in V/m, Pk) and distance to source (in m).....	66
Table 37 – Disturbance degrees and levels for pulsed disturbances (rate of rise) caused by ESD.....	67
Table 38 – Disturbance degrees and levels for radiated field gradients caused by ESD	67
Table 39 – Exemplary equipment present in the Residential location class	71
Table 40 – Attributes of the residential location class.....	73
Table 41 – Attributes of various types of the commercial/public location class	76
Table 42 – Attributes of various types of the industrial location class	80
Table 43 – Overview of phenomena versus basic standard, related table and chapter	87
Table A.1 – Disturbance levels in the residential location class.....	93
Table A.2 – Disturbance levels in the commercial/public location class	96
Table A.3 – Disturbance levels in the industrial location class.....	99
Table B.1 – Examples of field strengths from authorized transmitters.....	103
Table B.2 – Specifications of mobile and portable units	104
Table B.3 – Specifications of base stations	104
Table B.4 – Specification of other typical RF items	105

Table B.5 – Data regarding RFID technology	105
Table B.6 – Frequency allocations of TETRA system (in Europe).....	106
Table B.7 – Amateur radiofrequencies (ITU region 1-3).....	106
Table C.1 – Radiated disturbance degrees defined in Edition 1.....	109
Table D.1 – Data regarding RADAR systems	118
Table D.2 – Examples for civil RADAR systems	119

Withdrawing

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC TR 61000-2-5:2011](https://standards.iteh.ai/catalog/standards/iec/46841929-9e6a-4ff1-a2c2-c2126b68a6ae/iec-tr-61000-2-5-2011)

<https://standards.iteh.ai/catalog/standards/iec/46841929-9e6a-4ff1-a2c2-c2126b68a6ae/iec-tr-61000-2-5-2011>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –**Part 2-5: Environment –
Description and classification of electromagnetic environments**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 61000-2-5, which is a technical report, has been prepared by technical committee 77: Electromagnetic compatibility.

It has the status of a basic EMC publication in accordance with IEC Guide 107.

This second edition cancels and replaces the first edition published in 1995 and constitutes a technical revision.

The significant technical changes with respect to the previous edition are the following:

- the description of the radiated electromagnetic environment has been done in more detail and the considered interference sources have been updated;
- the concept of location classes has been reviewed and modified;
- the disturbance levels for the various location classes have been reviewed, modified and the phenomena have been described in more detail.

The text of this Technical Report is based on the following documents:

Enquiry draft	Report on voting
77/385/DTR	77/390/RVC

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 2-5: Environment – Description and classification of electromagnetic environments

1 Scope and object

Knowledge of the electromagnetic environment that exists at locations where electrical and electronic equipment and systems are intended to be operated is an essential precondition in the process of achieving electromagnetic compatibility. This knowledge can be obtained by various approaches, including a site survey of an intended location, the technical assessment of the equipment and system as well as the general literature.

This part of IEC 61000

- introduces the concept of disturbance degrees and defines these for each electromagnetic phenomena,
- classifies into various location classes and describes them by means of attributes,
- provides background information on the different electromagnetic phenomena that may exist within the environment and
- compiles tables of compatibility levels for electromagnetic phenomena that are considered to be relevant for those location classes.

This part of IEC 61000 is intended for guidance for those who are in charge of considering and developing immunity requirements. It also gives basic guidance for the selection of immunity levels. The data are applicable to any item of electrical or electronic equipment, sub-system or system that operates in one of the locations as considered in this Technical Report.

NOTE 1 It should be noted that immunity requirements and immunity levels determined for items of equipment which are intended to be used at a certain location class are not inevitably bound to the electromagnetic environment present at the location, but also to requirements of the equipment itself and the application in which it is used (e.g. when taking into account requirements regarding availability, reliability or safety). These could lead to more stringent requirements with respect to immunity levels or with respect to applicable performance criteria. These levels may also be established for more general purposes such as in generic and product standards, taking into account statistical and economic aspects as well as common experience in certain application fields.

NOTE 2 Electromagnetic phenomena in general show a broad range of parameters and characteristics and hence cannot be related one-to-one to standardized immunity tests which basically reflect the impact of electromagnetic phenomena by a well described test set-up. Nonetheless, this report follows an approach to correlate electromagnetic phenomena and standardized immunity tests up to a certain extent. This might allow users of this report to partly take into account standardized immunity tests such as given for example in the IEC 61000-4 series, when specifying immunity requirements.

The descriptions of electromagnetic environments in this report are predominantly generic ones, taking into account the characteristics of the location classes under consideration. Hence, it should be kept in mind that there might be locations for which a more specific description is required in order to conclude on immunity requirements applicable for those specific locations.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(161):1990, *International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility*
Amendment 1 (1997)
Amendment 2 (1998)

IEC 60118-4:2006, *Electroacoustics – Hearing aids – Part 4: Induction loop systems for hearing aid purposes – Magnetic field strength*

IEC 60364-4-44:2007, *Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances*

IEC/TR 61000-1-4:2005, *Electromagnetic compatibility (EMC) – Part 1-4: General – Historical rationale for the limitation of power-frequency conducted harmonic current emissions from equipment, in the frequency range up to 2 kHz*

IEC 61000-2-2:2002, *Electromagnetic compatibility (EMC) – Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems*

IEC 61000-2-3:1992, *Electromagnetic compatibility (EMC) – Part 2: Environment – Section 3: Description of the environment – Radiated and non-network-frequency-related conducted phenomena*

IEC 61000-2-4:2002, *Electromagnetic compatibility (EMC) – Part 2-4: Environment – Compatibility levels in industrial plants for low-frequency conducted disturbances*

IEC 61000-2-8:2002, *Electromagnetic compatibility (EMC) – Part 2-8: Environment – Voltage dips and short interruptions on public electric power supply systems with statistical measurement results*

IEC 61000-2-9:1996, *Electromagnetic compatibility (EMC) – Part 2: Environment – Section 9: Description of HEMP environment – Radiated disturbance*

IEC 61000-2-12:2003, *Electromagnetic compatibility (EMC) – Part 2-12: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public medium-voltage power supply systems*

IEC 61000-2-13:2005, *Electromagnetic compatibility (EMC) – Part 2-13: Environment – High-power electromagnetic (HPEM) environments – Radiated and conducted*

IEC 61000-3-12:2004, *Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current >16 A and ≤75 A per phase*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3:2006, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*
Amendment 1 (2007)
Amendment 2 (2010)

IEC 61000-4-4:2004, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*
Amendment 1 (2010)

IEC 61000-4-5:2005, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6:2008, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8:2009, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-9:1993, *Electromagnetic compatibility (EMC) – Part 4-9: Testing and measurement techniques – Pulse magnetic field immunity test*
Amendment 1 (2000)

IEC 61000-4-10:1993, *Electromagnetic compatibility (EMC) – Part 4-10: Testing and measurement techniques – Damped oscillatory magnetic field immunity test*
Amendment 1 (2000)

IEC 61000-4-11:2004, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests*

IEC 61000-4-12:2006, *Electromagnetic compatibility (EMC) – Part 4-12: Testing and measurement techniques – Ring wave immunity test*

IEC 61000-4-13:2002, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests*
Amendment 1 (2009)

IEC 61000-4-14:1999, *Electromagnetic compatibility (EMC) – Part 4-14: Testing and measurement techniques – Voltage fluctuation immunity test for equipment with input current not exceeding 16 A per phase*
Amendment 1 (2001)
Amendment 2 (2009)

IEC 61000-4-16:1998, *Electromagnetic compatibility (EMC) – Part 4-16: Testing and measurement techniques – Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz*
Amendment 1 (2001)
Amendment 2 (2009)

IEC 61000-4-18:2006, *Electromagnetic compatibility (EMC) – Part 4-18: Testing and measurement techniques – Damped oscillatory wave immunity test*
Amendment 1 (2010)

IEC 61000-4-27:2000, *Electromagnetic compatibility (EMC) – Part 4-27: Testing and measurement techniques – Unbalance, immunity test for equipment with input current not exceeding 16 A per phase*
Amendment 1 (2009)

IEC 61000-4-28:1999, *Electromagnetic compatibility (EMC) – Part 4-28: Testing and measurement techniques – Variation of power frequency, immunity test for equipment with input current not exceeding 16 A per phase*
Amendment 1 (2001)
Amendment 2 (2009)

CISPR/TR 16-4-1:2009, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-1: Uncertainties, statistics and limit modelling – Uncertainties in standardized EMC tests*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document the terms and definitions given in IEC 60050(161) as well as the following apply

NOTE For brevity, instead of repeating the wording "device, equipment or system", the term "item" is used in this report.

3.1.1

blackout

cutoff of electrical power, especially as a result of a shortage, a mechanical failure, or overuse by consumers

NOTE A power cut due to a short or long-term electric power loss in an area.

3.1.2

brownout

reduction or cutback in electric power, especially as a result of a shortage, a mechanical failure, or overuse by consumers

NOTE Reduction in the voltage of commercially supplied power. It is caused by the failure of the generation, transmission, or distribution system, or deliberately by the power utility when demand exceeds supply. The consumer may or may not notice the difference. In the worst case, damage may result.

3.1.3

burst

sequence of a limited number of distinct pulses or an oscillation of limited duration

[IEC 60050-161:1990, 161-02-07]

3.1.4

burst (in TDMA)

signals transmitted by a terminal in the form of a block of predetermined structure during a time interval allotted to the terminal by a TDMA protocol

[IEC 60050-725:1994, 725-14-15]

3.1.5

characteristic impedance of a medium

wave impedance for a travelling wave in a specific medium

[IEC 60050-705:1995, 705-03-23, modified]

NOTE The characteristic impedance of a homogeneous isotropic medium is given by $\eta_i = \sqrt{\mu/\varepsilon}$,

where

μ is the permeability of the homogeneous isotropic medium, and
 ε is the permittivity of the homogeneous isotropic medium.