

**SLOVENSKI STANDARD
SIST ES 201 915-8 V1.4.1:2005
01-januar-2005**

**Odprt dostop do storitve (OSA) – Vmesnik za aplikacijsko programiranje (API) – 8.
del: Krmiljenje podatkovne seje SCF**

Open Service Access (OSA); Application Programming Interface (API); Part 8: Data Session Control SCF (Parlay 3)

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

Ta slovenski standard je istoveten z: [SIST ES 201 915-8 V1.4.1:2005](https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fe89c/sist-es-201-915-8-v1-4-1-2005) [ES 201 915-8 Version 1.4.1](https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fe89c/sist-es-201-915-8-v1-4-1-2005)
<https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fe89c/sist-es-201-915-8-v1-4-1-2005>

ICS:

33.040.01	Telekomunikacijski sistemi na splošno	Telecommunication systems in general
-----------	--	---

SIST ES 201 915-8 V1.4.1:2005 **en**

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ES 201 915-8 V1.4.1:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fe89c/sist-es-201-915-8-v1-4-1-2005>

ETSI ES 201 915-8 V1.4.1 (2003-07)

ETSI Standard

Open Service Access (OSA); Application Programming Interface (API); Part 8: Data Session Control SCF (Parlay 3)



iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ES 201 915-8 V1.4.1:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fe89c/sist-es-201-915-8-v1-4-1-2005>



Reference

RES/SPAN-120095-8

Keywords

API, OSA, IDL, UML

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse 06 N° 7303/88

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ES 201 915-8 V1.4.1:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fe&version=v1-4-1-2005>

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:
editor@etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2003.
© The Parlay Group 2003.
All rights reserved.

DECT™, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	6
2 References	6
3 Definitions and abbreviations.....	6
3.1 Definitions	6
3.2 Abbreviations	6
4 Data Session Control SCF	7
4.1 General requirements on support of methods.....	8
5 Sequence Diagrams	8
5.1 Enable Data Session Notification	8
5.2 Address Translation With Charging	9
6 Class Diagrams.....	10
7 The Service Interface Specifications	11
7.1 Interface Specification Format	11
7.1.1 Interface Class	11
7.1.2 Method descriptions.....	11
7.1.3 Parameter descriptions.....	11
7.1.4 State Model.....	11
7.2 Base Interface	11
7.2.1 Interface Class IpInterface	11
7.3 Service Interfaces	12
7.3.1 Overview .. https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fc89c/sist-es-201-915-8-v1-4-1-2005	12
7.4 Generic Service Interface	12
7.4.1 Interface Class IpService	12
8 Data Session Control Interface Classes.....	13
8.1 Interface Class IpAppDataSession	13
8.2 Interface Class IpAppDataSessionControlManager	15
8.3 Interface Class IpDataSession	17
8.4 Interface Class IpDataSessionControlManager	20
9 State Transition Diagrams	24
9.1 State Transition Diagrams for IpDataSession.....	24
9.1.1 Network Released State	24
9.1.2 Finished State.....	24
9.1.3 Application Released State	25
9.1.4 Active State.....	25
9.1.5 Setup State	25
9.1.6 Established State	25
10 Data Session Control Service Properties.....	25
11 Data Definitions	26
11.1 Data Session Control Data Definitions.....	26
11.1.1 IpAppDataSession	26
11.1.2 IpAppDataSessionRef.....	26
11.1.3 IpAppDataSessionControlManager	26
11.1.4 IpAppDataSessionControlManagerRef	26
11.1.5 IpDataSession	27
11.1.6 IpDataSessionRef	27
11.1.7 IpDataSessionControlManager.....	27
11.1.8 IpDataSessionControlManagerRef	27
11.2 Event Notification data definitions.....	27

11.2.1	TpDataSessionEventName	27
11.2.2	TpDataSessionMonitorMode	27
11.2.3	TpDataSessionEventCriteria	27
11.2.4	TpDataSessionEventInfo	28
11.2.5	TpDataSessionQosClass	28
11.2.6	TpDataSessionChargePlan	28
11.2.7	TpDataSessionChargeOrder	29
11.2.8	TpDataSessionChargeOrderCategory	29
11.2.9	TpChargePerVolume	30
11.2.10	TpDataSessionIdentifier	30
11.2.11	TpDataSessionError	30
11.2.12	TpDataSessionAdditionalErrorInfo	30
11.2.13	TpDataSessionErrorType	30
11.2.14	TpDataSessionFault	31
11.2.15	TpDataSessionReleaseCause	31
11.2.16	TpDataSessionSuperviseVolume	31
11.2.17	TpDataSessionSuperviseReport	31
11.2.18	TpDataSessionSuperviseTreatment	32
11.2.19	TpDataSessionReport	32
11.2.20	TpDataSessionAdditionalReportInfo	32
11.2.21	TpDataSessionReportRequest	32
11.2.22	TpDataSessionReportRequestSet	32
11.2.23	TpDataSessionReportType	33
11.2.24	TpDataSessionEventCriteriaResult	33
11.2.25	TpDataSessionEventCriteriaResultSet	33
12	Exception Classes	33
iTeh STANDARD PREVIEW		
Annex A (normative):	OMG IDL Description of Data Session Control SCF	34
Annex B (informative):	Contents of 3GPP OSA R4 Data Session Control	35
Annex C (informative):	Record of changes	36
https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0f689c/sist-es-201-915-8-v1.4.1-2005		
C.1	Interfaces	36
C.1.1	New	36
C.1.2	Deprecated	36
C.1.3	Removed	36
C.2	Methods	36
C.2.1	New	36
C.2.2	Deprecated	36
C.2.3	Modified	37
C.2.4	Removed	37
C.3	Data Definitions	37
C.3.1	New	37
C.3.2	Modified	37
C.3.3	Removed	37
C.4	Service Properties	37
C.4.1	New	37
C.4.2	Deprecated	38
C.4.3	Modified	38
C.4.4	Removed	38
C.5	Exceptions	38
C.5.1	New	38
C.5.2	Modified	38
C.5.3	Removed	38
C.6	Others	38
	History	39

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

The present document is part 8 of a multi-part deliverable covering Open Service Access (OSA); Application Programming Interface (API), as identified below. The API specification (ES 201 915) is structured in the following parts:

- Part 1: "Overview";
- Part 2: "Common Data Definitions";
- Part 3: "Framework"; **iTeh STANDARD PREVIEW
(standards.iteh.ai)**
- Part 4: "Call Control SCF"; [SIST ES 201 915-8 V1.4.1:2005](#)
- Part 5: "User Interaction SCF"; [SIST ES 201 915-8 V1.4.1:2005](#)
- Part 6: "Mobility SCF"; <http://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fe89c/sist-es-201-915-8-v1-4-1-2005>
- Part 7: "Terminal Capabilities SCF";
- Part 8: "Data Session Control SCF";**
- Part 9: "Generic Messaging SCF";
- Part 10: "Connectivity Manager SCF";
- Part 11: "Account Management SCF";
- Part 12: "Charging SCF".

The present document has been defined jointly between ETSI, The Parlay Group (<http://www.parlay.org>) and the 3GPP, in co-operation with a number of JAIN™ Community (<http://www.java.sun.com/products/jain>) member companies.

The present document forms part of the Parlay 3.3 set of specifications.

The present document is equivalent to 3GPP TS 29.198-8 V4.6.0 (Release 4).

1 Scope

The present document is part 8 of the Stage 3 specification for an Application Programming Interface (API) for Open Service Access (OSA).

The OSA specifications define an architecture that enables application developers to make use of network functionality through an open standardised interface, i.e. the OSA APIs.

The present document specifies the Data Session Control Service Capability Feature (SCF) aspects of the interface. All aspects of the Data Session Control SCF are defined here, these being:

- Sequence Diagrams
- Class Diagrams
- Interface specification plus detailed method descriptions
- State Transition diagrams
- Data Definitions
- IDL Description of the interfaces

The process by which this task is accomplished is through the use of object modelling techniques described by the Unified Modelling Language (UML).

iTeh STANDARD PREVIEW

2 References ([standards.iteh.ai](https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-))

The references listed in clause 2 of ES 201 915-1 contain provisions which, through reference in this text, constitute provisions of the present document.

[SIST ES 201 915-8 V1.4.1:2005](https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-)

<https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108->

ETSI ES 201 915-1: "Open Service Access (OSA); Application Programming Interface (API); Part 1: Overview (Parlay 3)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ES 201 915-1 apply.

3.2 Abbreviations


For the purposes of the present document, the abbreviations defined in ES 201 915-1 apply.

4 Data Session Control SCF

The Data Session control network service capability feature consists of two interfaces:

- 1) Data Session manager, containing management functions for data session related issues;
- 2) Data Session, containing methods to control a session.

A session can be controlled by one Data Session Manager only. Data Session Manager can control several sessions.



NOTE: The term "data session" is used in a broad sense to describe a data connection/session. For example, it comprises a PDP context in GPRS.

Figure 1: Data Session control interfaces usage relationship

The Data Session Control service capability features are described in terms of the methods in the Data Session Control interfaces. Table 1 gives an overview of the Data Session Control methods and to which interfaces these methods belong.

Table 1: Overview of Data Session Control interfaces and their methods

Data Session Manager	Data Session
createNotification	connectReq
destroyNotification	connectRes
dataSessionNotificationInterrupted	connectErr
dataSessionNotificationContinued	release
reportNotification	superviseDataSessionReq
dataSessionAborted	superviseDataSessionRes
getNotification	superviseDataSessionErr
changeNotification	dataSessionFaultDetected
	setAdviceOfCharge
	setDataSessionChargePlan

The session manager interface provides the management functions to the data session service capability features. The application programmer can use this interface to enable or disable data session-related event notifications.

The following clauses describe each aspect of the Data Session Control Service Capability Feature (SCF).

The order is as follows:

- The Sequence diagrams give the reader a practical idea of how each of the SCF is implemented.
- The Class relationships clause show how each of the interfaces applicable to the SCF, relate to one another.
- The Interface specification clause describes in detail each of the interfaces shown within the Class diagram part.
- The State Transition Diagrams (STD) show the transition between states in the SCF. The states and transitions are well-defined; either methods specified in the Interface specification or events occurring in the underlying networks cause state transitions.
- The Data Definitions clause show a detailed expansion of each of the data types associated with the methods within the classes. Note that some data types are used in other methods and classes and are therefore defined within the Common Data types part of this specification.

4.1 General requirements on support of methods


An implementation of this API which supports or implements a method described in the present document, shall support or implement the functionality described for that method, for at least one valid set of values for the parameters of that method.

Where a method is not supported by an implementation of a Service interface, the exception P_METHOD_NOT_SUPPORTED shall be returned to any call of that method.


Where a method is not supported by an implementation of an Application interface, a call to that method shall be possible, and no exception shall be returned.

5 Sequence Diagrams

5.1 Enable Data Session Notification



5.2 Address Translation With Charging



6 Class Diagrams

Data Session Control Class Diagram:




Figure 2: Package Overview

7 The Service Interface Specifications

7.1 Interface Specification Format

This clause defines the interfaces, methods and parameters that form a part of the API specification. The Unified Modelling Language (UML) is used to specify the interface classes. The general format of an interface specification is described below.

7.1.1 Interface Class

This shows a UML interface class description of the methods supported by that interface, and the relevant parameters and types. The Service and Framework interfaces for enterprise-based client applications are denoted by classes with name `Ip<name>`. The callback interfaces to the applications are denoted by classes with name `IpApp<name>`. For the interfaces between a Service and the Framework, the Service interfaces are typically denoted by classes with name `IpSvc<name>`, while the Framework interfaces are denoted by classes with name `IpFw<name>`

7.1.2 Method descriptions

Each method (API method “call”) is described. Both synchronous and asynchronous methods are used in the API. Asynchronous methods are identified by a ‘Req’ suffix for a method request, and, if applicable, are served by asynchronous methods identified by either a ‘Res’ or ‘Err’ suffix for method results and errors, respectively. To handle responses and reports, the application or service developer must implement the relevant `IpApp<name>` or `IpSvc<name>` interfaces to provide the callback mechanism.

iTeh STANDARD PREVIEW

7.1.3 Parameter descriptions (standards.iteh.ai)

Each method parameter and its possible values are described. Parameters described as ‘in’ represent those that must have a value when the method is called. Those described as ‘out’ are those that contain the return result of the method when the method returns.

<https://standards.iteh.ai/catalog/standards/sist/11e03dd8-c58b-48b6-a108-69618d0fe89c/sist-es-201-915-8-v1-4-1-2005>

7.1.4 State Model

If relevant, a state model is shown to illustrate the states of the objects that implement the described interface.

7.2 Base Interface

7.2.1 Interface Class `IpInterface`

All application, framework and service interfaces inherit from the following interface. This API Base Interface does not provide any additional methods.

<pre><<Interface>> IpInterface</pre>