

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Application integration at electric utilities – System interfaces for distribution management –  
Part 11: Common information model (CIM) extensions for distribution

Intégration d'applications pour les services électriques – Interfaces système pour la gestion de la distribution –  
Partie 11: Extensions du modèle d'information commun (CIM) pour la distribution



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us.

Email: [csc@iec.ch](mailto:csc@iec.ch)

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00



IEC 61968-11

Edition 1.0 2010-07

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Application integration at electric utilities – System interfaces for distribution management –  
Part 11: Common information model (CIM) extensions for distribution**

**Intégration d'applications pour les services électriques – Interfaces système pour la gestion de la distribution –  
Partie 11: Extensions du modèle d'information commun (CIM) pour la distribution**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX XH

ICS 33.200

ISBN 978-2-88912-885-3

## CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope .....	13
2 Normative references .....	14
3 Terms and definitions .....	14
4 CIM specification .....	15
4.1 CIM modeling notation .....	15
4.2 CIM packages .....	15
4.2.1 General .....	15
4.2.2 TC 57 CIM packages.....	16
4.2.3 CIM extensions for distribution packages (this document) .....	16
4.3 CIM UML modelling .....	17
4.3.1 General .....	17
4.3.2 Scope of UML model.....	18
4.3.3 Extensibility .....	18
4.3.4 Message (profile) definition .....	19
4.4 DCIM model concepts and examples.....	19
4.4.1 General .....	19
4.4.2 Key classes in DCIM .....	19
4.4.3 Single-phase and unbalanced loads.....	20
4.4.4 Distribution line segments .....	21
4.4.5 Distribution transformers .....	26
4.4.6 Connectivity with unbalanced phases .....	30
4.4.7 Electrical model vs. physical model .....	32
4.4.8 Locations and graphical representations .....	33
4.4.9 Metering .....	33
4.4.10 PaymentMetering .....	35
4.5 Other.....	39
5 Detailed model .....	39
5.1 Overview .....	39
5.2 Context .....	39
6 Package architecture (normative).....	41
6.1 General .....	41
6.2 Top package IEC61968 .....	41
6.2.1 IEC61968CIMVersion .....	43
6.2.2 Package Common .....	44
6.2.3 Package WiresExt.....	56
6.2.4 Package Assets .....	69
6.2.5 Package AssetModels .....	75
6.2.6 Package Work .....	94
6.2.7 Package Customers .....	96
6.2.8 Package Metering .....	105
6.2.9 Package LoadControl .....	129
6.2.10 Package PaymentMetering .....	132
Bibliography .....	162

Figure 1 – TC 57 CIM packages .....	16
Figure 2 – CIM extensions for distribution (DCIM) top-level packages .....	17
Figure 3 – DCIM key classes.....	20
Figure 4 – DCIM load model.....	21
Figure 5 – DCIM line connectivity model.....	22
Figure 6 – DCIM conductor (line and cable datasheet) model.....	23
Figure 7 – DCIM transformer connectivity model.....	26
Figure 8 – DCIM transformer datasheet model.....	27
Figure 9 – DCIM tap changer model .....	29
Figure 10 – Example of a distribution transformer that can be modelled with DCIM .....	30
Figure 11 – DCIM connectivity for two-Terminal devices .....	31
Figure 12 – DCIM connectivity for single-Terminal devices .....	32
Figure 13 – DCIM assets and relation to power system resources.....	33
Figure 14 – DCIM power system resource and asset locations.....	33
Figure 15 – DCIM metering model.....	34
Figure 16 – DCIM transacting model .....	35
Figure 17 – DCIM receipting model .....	36
Figure 18 – DCIM auxiliary agreement model .....	37
Figure 19 – DCIM pricing structure model.....	38
Figure 20 – Package diagram IEC61968::Main .....	41
Figure 21 – Package diagram IEC61968::Dependencies .....	42
Figure 22 – Package diagram IEC61968::StdCIM .....	43
Figure 23 – Logical diagram IEC61968::DCIMKeyClasses .....	43
Figure 24 – Logical diagram Common::CommonInheritance .....	44
Figure 25 – Logical diagram Common::CommonOverview .....	45
Figure 26 – Logical diagram Common::DCIMLocations .....	45
Figure 27 – Logical diagram WiresExt::WiresExtInheritance .....	56
Figure 28 – Logical diagram WiresExt::DCIMLoadModel .....	57
Figure 29 – Logical diagram WiresExt::DCIMLineModel .....	58
Figure 30 – Logical diagram WiresExt::DCIMTransformerModel .....	59
Figure 31 – Logical diagram WiresExt::DCIMTapChangerModel .....	60
Figure 32 – Logical diagram Assets::AssetsInheritance .....	69
Figure 33 – Logical diagram Assets::AssetsOverview .....	70
Figure 34 – Logical diagram Assets::DCIMAssetsAndPSRs .....	70
Figure 35 – Logical diagram AssetModels::AssetModelsInheritance .....	76
Figure 36 – Logical diagram AssetModels::AssetModelsOverview .....	77
Figure 37 – Logical diagram AssetModels::DCIMConductorInfo.....	78
Figure 38 – Logical diagram AssetModels::DCIMTransformerInfo.....	79
Figure 39 – Logical diagram Work::WorkInheritance .....	94
Figure 40 – Logical diagram Work::WorkOverview .....	94
Figure 41 – Logical diagram Customers::CustomersInheritance .....	96
Figure 42 – Logical diagram Customers::CustomersOverview .....	97

Figure 43 – Logical diagram Metering::MeteringInheritance .....	106
Figure 44 – Logical diagram Metering::MeteringOverviewShort .....	107
Figure 45 – Logical diagram Metering::MeteringOverview .....	108
Figure 46 – Logical diagram Metering::MeteringRelationships .....	109
Figure 47 – Logical diagram LoadControl::LoadControlInheritance .....	129
Figure 48 – Logical diagram LoadControl::LoadControlOverview .....	130
Figure 49 – Logical diagram PaymentMetering::PaymentMeteringInheritance .....	133
Figure 50 – Logical diagram PaymentMetering::PaymentMeteringOverview .....	134
Figure 51 – Logical diagram PaymentMetering::PaymentMeteringRelationships .....	135
Figure 52 – Logical diagram PaymentMetering::Transacting .....	136
Figure 53 – Logical diagram PaymentMetering::Receipting .....	137
Figure 54 – Logical diagram PaymentMetering::AuxiliaryAgreement .....	138
Figure 55 – Logical diagram PaymentMetering::TariffProfile .....	139
Table 1 – Open wye/open delta transformer bank connections .....	30
Table 2 – Attribute documentation .....	40
Table 3 – Association ends documentation .....	40
Table 4 – Enums documentation .....	40
Table 5 – Attributes of IEC61968::IEC61968CIMVersion .....	44
Table 6 – Attributes of Common::DateTimeInterval .....	46
Table 7 – Attributes of Common::Status .....	46
Table 8 – Attributes of Common::PostalAddress .....	46
Table 9 – Attributes of Common::StreetAddress .....	47
Table 10 – Attributes of Common::StreetDetail .....	47
Table 11 – Attributes of Common::TownDetail .....	47
Table 12 – Attributes of Common::ElectronicAddress .....	48
Table 13 – Attributes of Common::TelephoneNumber .....	48
Table 14 – Attributes of Common::ActivityRecord .....	48
Table 15 – Association ends of Common::ActivityRecord with other classes .....	49
Table 16 – Attributes of Common::Agreement .....	49
Table 17 – Association ends of Common::Agreement with other classes .....	50
Table 18 – Attributes of Common::CoordinateSystem .....	50
Table 19 – Association ends of Common::CoordinateSystem with other classes .....	50
Table 20 – Attributes of Common::Document .....	50
Table 21 – Association ends of Common::Document with other classes .....	51
Table 22 – Attributes of Common::Location .....	51
Table 23 – Association ends of Common::Location with other classes .....	52
Table 24 – Attributes of Common::Organisation .....	52
Table 25 – Attributes of Common::PositionPoint .....	53
Table 26 – Association ends of Common::PositionPoint with other classes .....	53
Table 27 – Attributes of Common::TimePoint .....	53
Table 28 – Association ends of Common::TimePoint with other classes .....	54

Table 29 – Attributes of Common::TimeSchedule.....	54
Table 30 – Association ends of Common::TimeSchedule with other classes .....	55
Table 31 – Attributes of Common::UserAttribute .....	55
Table 32 – Association ends of Common::UserAttribute with other classes.....	56
Table 33 – Attributes of WiresExt::DistributionLineSegment .....	61
Table 34 – Association ends of WiresExt::DistributionLineSegment with other classes .....	61
Table 35 – Attributes of WiresExt::DistributionTapChanger .....	62
Table 36 – Association ends of WiresExt::DistributionTapChanger with other classes.....	63
Table 37 – Attributes of WiresExt::DistributionTransformer .....	63
Table 38 – Association ends of WiresExt::DistributionTransformer with other classes .....	64
Table 39 – Attributes of WiresExt::DistributionTransformerWinding .....	65
Table 40 – Association ends of WiresExt::DistributionTransformerWinding with other classes .....	65
Table 41 – Attributes of WiresExt::PerLengthPhaseImpedance .....	66
Table 42 – Association ends of WiresExt::PerLengthPhaseImpedance with other classes .....	66
Table 43 – Attributes of WiresExt::PerLengthSequenceImpedance.....	66
Table 44 – Association ends of WiresExt::PerLengthSequenceImpedance with other classes .....	67
Table 45 – Attributes of WiresExt::PhaseImpedanceData.....	67
Table 46 – Association ends of WiresExt::PhaseImpedanceData with other classes .....	67
Table 47 – Attributes of WiresExt::TransformerBank.....	68
Table 48 – Association ends of WiresExt::TransformerBank with other classes .....	68
Table 49 – Attributes of WiresExt::WindingPilImpedance <i>46a5..47aa..8fd2..31f4c1893c2/iec</i> .....	68
Table 50 – Association ends of WiresExt::WindingPilImpedance with other classes .....	69
Table 51 – Attributes of Assets::AcceptanceTest .....	70
Table 52 – Literals of Assets::SealConditionKind .....	71
Table 53 – Literals of Assets::SealKind .....	71
Table 54 – Attributes of Assets::Asset .....	71
Table 55 – Association ends of Assets::Asset with other classes.....	72
Table 56 – Attributes of Assets::AssetContainer .....	73
Table 57 – Association ends of Assets::AssetContainer with other classes.....	73
Table 58 – Attributes of Assets::AssetFunction .....	74
Table 59 – Attributes of Assets::ComMediaAsset .....	74
Table 60 – Association ends of Assets::ComMediaAsset with other classes .....	75
Table 61 – Attributes of Assets::Seal.....	75
Table 62 – Association ends of Assets::Seal with other classes .....	75
Table 63 – Literals of AssetModels::AssetModelUsageKind.....	79
Table 64 – Literals of AssetModels::CorporateStandardKind .....	80
Table 65 – Literals of AssetModels::CableConstructionKind .....	80
Table 66 – Literals of AssetModels::CableOuterJacketKind .....	80
Table 67 – Literals of AssetModels::CableShieldMaterialKind .....	81
Table 68 – Literals of AssetModels::ConductorInsulationKind.....	81
Table 69 – Literals of AssetModels::ConductorMaterialKind .....	82

Table 70 – Literals of AssetModels::ConductorUsageKind.....	82
Table 71 – Attributes of AssetModels::AssetModel.....	82
Table 72 – Attributes of AssetModels::CableInfo.....	83
Table 73 – Association ends of AssetModels::CableInfo with other classes .....	83
Table 74 – Attributes of AssetModels::ConcentricNeutralCableInfo .....	84
Table 75 – Association ends of AssetModels::ConcentricNeutralCableInfo with other classes .....	84
Table 76 – Attributes of AssetModels::ConductorInfo .....	85
Table 77 – Association ends of AssetModels::ConductorInfo with other classes .....	85
Table 78 – Attributes of AssetModels::DistributionWindingTest .....	85
Table 79 – Association ends of AssetModels::DistributionWindingTest with other classes .....	86
Table 80 – Attributes of AssetModels::EndDeviceModel.....	86
Table 81 – Association ends of AssetModels::EndDeviceModel with other classes .....	86
Table 82 – Attributes of AssetModels::OpenCircuitTest.....	87
Table 83 – Association ends of AssetModels::OpenCircuitTest with other classes .....	87
Table 84 – Attributes of AssetModels::OverheadConductorInfo .....	87
Table 85 – Association ends of AssetModels::OverheadConductorInfo with other classes .....	88
Table 86 – Attributes of AssetModels::ShortCircuitTest.....	88
Table 87 – Association ends of AssetModels::ShortCircuitTest with other classes .....	89
Table 88 – Attributes of AssetModels::TapeShieldCableInfo.....	89
Table 89 – Association ends of AssetModels::TapeShieldCableInfo with other classes .....	90
Table 90 – Attributes of AssetModels::ToWindingSpec .. <del>46a5..47aa..8f12..31f4c1893c2/iec..</del> .....	90
Table 91 – Association ends of AssetModels::ToWindingSpec with other classes .....	90
Table 92 – Attributes of AssetModels::TransformerInfo .....	91
Table 93 – Association ends of AssetModels::TransformerInfo with other classes.....	91
Table 94 – Attributes of AssetModels::WindingInfo .....	91
Table 95 – Association ends of AssetModels::WindingInfo with other classes .....	92
Table 96 – Attributes of AssetModels::WireArrangement.....	92
Table 97 – Association ends of AssetModels::WireArrangement with other classes .....	93
Table 98 – Attributes of AssetModels::WireType .....	93
Table 99 – Association ends of AssetModels::WireType with other classes .....	94
Table 100 – Literals of Work::WorkKind.....	95
Table 101 – Attributes of Work::Work .....	95
Table 102 – Association ends of Work::Work with other classes .....	96
Table 103 – Literals of Customers::CustomerKind .....	97
Table 104 – Literals of Customers::RevenueKind.....	98
Table 105 – Literals of Customers::ServiceKind .....	98
Table 106 – Attributes of Customers::Customer .....	98
Table 107 – Association ends of Customers::Customer with other classes .....	99
Table 108 – Attributes of Customers::CustomerAccount.....	99
Table 109 – Association ends of Customers::CustomerAccount with other classes .....	100
Table 110 – Attributes of Customers::CustomerAgreement .....	100

Table 111 – Association ends of Customers::CustomerAgreement with other classes .....	101
Table 112 – Attributes of Customers::PricingStructure .....	101
Table 113 – Association ends of Customers::PricingStructure with other classes.....	102
Table 114 – Attributes of Customers::ServiceCategory .....	103
Table 115 – Association ends of Customers::ServiceCategory with other classes.....	103
Table 116 – Attributes of Customers::ServiceLocation .....	103
Table 117 – Association ends of Customers::ServiceLocation with other classes.....	104
Table 118 – Attributes of Customers::Tariff.....	105
Table 119 – Association ends of Customers::Tariff with other classes .....	105
Table 120 – Literals of Metering::DemandKind.....	110
Table 121 – Attributes of Metering::DynamicDemand.....	110
Table 122 – Literals of Metering::ReadingKind.....	110
Table 123 – Attributes of Metering::ComFunction .....	111
Table 124 – Association ends of Metering::ComFunction with other classes .....	111
Table 125 – Attributes of Metering::DemandResponseProgram.....	112
Table 126 – Association ends of Metering::DemandResponseProgram with other classes .....	112
Table 127 – Attributes of Metering::DeviceFunction .....	112
Table 128 – Association ends of Metering::DeviceFunction with other classes.....	113
Table 129 – Attributes of Metering::ElectricMeteringFunction .....	113
Table 130 – Association ends of Metering::ElectricMeteringFunction with other classes .....	114
Table 131 – Attributes of Metering::EndDeviceAsset.....	114
Table 132 – Association ends of Metering::EndDeviceAsset with other classes .....	116
Table 133 – Attributes of Metering::EndDeviceControl .....	117
Table 134 – Association ends of Metering::EndDeviceControl with other classes.....	117
Table 135 – Attributes of Metering::EndDeviceEvent.....	117
Table 136 – Association ends of Metering::EndDeviceEvent with other classes .....	118
Table 137 – Attributes of Metering::EndDeviceGroup .....	118
Table 138 – Association ends of Metering::EndDeviceGroup with other classes .....	118
Table 139 – Association ends of Metering::IntervalBlock with other classes .....	119
Table 140 – Attributes of Metering::IntervalReading.....	119
Table 141 – Association ends of Metering::IntervalReading with other classes .....	120
Table 142 – Attributes of Metering::MeterAsset .....	120
Table 143 – Association ends of Metering::MeterAsset with other classes .....	121
Table 144 – Attributes of Metering::MeterReading .....	122
Table 145 – Association ends of Metering::MeterReading with other classes.....	122
Table 146 – Attributes of Metering::MeterServiceWork.....	122
Table 147 – Association ends of Metering::MeterServiceWork with other classes .....	123
Table 148 – Attributes of Metering::Pending .....	123
Table 149 – Association ends of Metering::Pending with other classes.....	124
Table 150 – Attributes of Metering::Reading .....	124
Table 151 – Association ends of Metering::Reading with other classes .....	124
Table 152 – Attributes of Metering::ReadingQuality .....	125

Table 153 – Association ends of Metering::ReadingQuality with other classes .....	125
Table 154 – Attributes of Metering::ReadingType .....	125
Table 155 – Association ends of Metering::ReadingType with other classes .....	126
Table 156 – Attributes of Metering::Register.....	126
Table 157 – Association ends of Metering::Register with other classes .....	127
Table 158 – Attributes of Metering::SDPLocation .....	127
Table 159 – Association ends of Metering::SDPLocation with other classes .....	128
Table 160 – Attributes of Metering::ServiceDeliveryPoint .....	128
Table 161 – Association ends of Metering::ServiceDeliveryPoint with other classes.....	129
Table 162 – Attributes of LoadControl::RemoteConnectDisconnectInfo .....	130
Table 163 – Attributes of LoadControl::ConnectDisconnectFunction.....	131
Table 164 – Association ends of LoadControl::ConnectDisconnectFunction with other classes .....	132
Table 165 – Attributes of PaymentMetering::AccountMovement .....	139
Table 166 – Attributes of PaymentMetering::AccountingUnit .....	140
Table 167 – Attributes of PaymentMetering::BankAccountDetail.....	140
Table 168 – Attributes of PaymentMetering::Due .....	140
Table 169 – Attributes of PaymentMetering::LineDetail .....	141
Table 170 – Literals of PaymentMetering::ChargeKind .....	141
Table 171 – Literals of PaymentMetering::ChequeKind .....	142
Table 172 – Literals of PaymentMetering::CreditKind .....	142
Table 173 – Literals of PaymentMetering::SupplierKind .....	142
Table 174 – Literals of PaymentMetering::TenderKind .....	142
Table 175 – Literals of PaymentMetering::TransactionKind .....	143
Table 176 – Attributes of PaymentMetering::AuxiliaryAccount .....	143
Table 177 – Association ends of PaymentMetering::AuxiliaryAccount with other classes ....	144
Table 178 – Attributes of PaymentMetering::AuxiliaryAgreement.....	144
Table 179 – Association ends of PaymentMetering::AuxiliaryAgreement with other classes .....	146
Table 180 – Attributes of PaymentMetering::Card .....	146
Table 181 – Association ends of PaymentMetering::Card with other classes .....	146
Table 182 – Attributes of PaymentMetering::Cashier.....	147
Table 183 – Association ends of PaymentMetering::Cashier with other classes .....	147
Table 184 – Attributes of PaymentMetering::CashierShift.....	147
Table 185 – Association ends of PaymentMetering::CashierShift with other classes .....	148
Table 186 – Attributes of PaymentMetering::Charge .....	148
Table 187 – Association ends of PaymentMetering::Charge with other classes.....	148
Table 188 – Attributes of PaymentMetering::Cheque .....	149
Table 189 – Association ends of PaymentMetering::Cheque with other classes .....	149
Table 190 – Attributes of PaymentMetering::ConsumptionTariffInterval .....	149
Table 191 – Association ends of PaymentMetering::ConsumptionTariffInterval with other classes .....	150
Table 192 – Attributes of PaymentMetering::MerchantAccount.....	150

Table 193 – Association ends of PaymentMetering::MerchantAccount with other classes .....	151
Table 194 – Attributes of PaymentMetering::MerchantAgreement.....	151
Table 195 – Association ends of PaymentMetering::MerchantAgreement with other classes .....	152
Table 196 – Attributes of PaymentMetering::PointOfSale .....	152
Table 197 – Association ends of PaymentMetering::PointOfSale with other classes.....	152
Table 198 – Attributes of PaymentMetering::Receipt.....	153
Table 199 – Association ends of PaymentMetering::Receipt with other classes .....	153
Table 200 – Attributes of PaymentMetering::ServiceSupplier .....	153
Table 201 – Association ends of PaymentMetering::ServiceSupplier with other classes .....	154
Table 202 – Attributes of PaymentMetering::Shift .....	155
Table 203 – Attributes of PaymentMetering::TariffProfile.....	156
Table 204 – Association ends of PaymentMetering::TariffProfile with other classes .....	156
Table 205 – Attributes of PaymentMetering::Tender.....	157
Table 206 – Association ends of PaymentMetering::Tender with other classes .....	157
Table 207 – Attributes of PaymentMetering::TimeTariffInterval.....	157
Table 208 – Association ends of PaymentMetering::TimeTariffInterval with other classes .....	158
Table 209 – Attributes of PaymentMetering::Transaction .....	158
Table 210 – Association ends of PaymentMetering::Transaction with other classes .....	159
Table 211 – Attributes of PaymentMetering::Transactor.....	159
Table 212 – Association ends of PaymentMetering::Transactor with other classes .....	160
Table 213 – Attributes of PaymentMetering::Vendor .....	160
Table 214 – Association ends of PaymentMetering::Vendor with other classes .....	160
Table 215 – Attributes of PaymentMetering::VendorShift .....	161
Table 216 – Association ends of PaymentMetering::VendorShift with other classes .....	161

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

#### Part 11: Common information model (CIM) extensions for distribution

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61968-11 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This bilingual version (2013-01) corresponds to the monolingual English version, published in 2010-07.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/1058/FDIS	57/1073/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In informative sections of this document, words printed in Tahoma Bold apply to terms that are used as tokens in the normative clauses (to facilitate the reading and the text search).

A list of all parts of the IEC 61968 series, under the general title: *Application integration at electric utilities – System interfaces for distribution management*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT** – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

<https://standards.itel.ai/cate/ag/standards/3st/c17e09ee-46a5-47aa-8fd2-31fc4c1893c2/iec-61968-11-2010>

## INTRODUCTION

The IEC 61968 series of standards is intended to facilitate inter-application integration as opposed to intra-application integration. Intra-application integration is aimed at programs in the same application system, usually communicating with each other using middleware that is embedded in their underlying runtime environment, and tends to be optimised for close, real-time, synchronous connections and interactive request/reply or conversation communication models. Therefore, these interface standards are relevant to loosely coupled applications with more heterogeneity in languages, operating systems, protocols and management tools. This series of standards is intended to support applications that need to exchange data every few seconds, minutes, or hours rather than waiting for a nightly batch run. This series of standards, which are intended to be implemented with middleware services that exchange messages among applications, will complement, not replace utility data warehouses, database gateways, and operational stores.

As used in IEC 61968, a distribution management system (DMS) consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management. Standard interfaces are defined for each class of applications identified in the interface reference model (IRM), which is described in IEC 61968-1.

iTeh STANDARD PREVIEW  
(standards.itech.ai)  
IEC 61968-11:2010  
<https://standards.itech.ai/catalog/standards/31c17e09ee-46a5-47aa-8fd2-31fc4c1893c2/iec-61968-11-2010>

## APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

### Part 11: Common information model (CIM) extensions for distribution

#### 1 Scope

This International Standard specifies the distribution extensions of the Common Information Model (CIM) specified in IEC 61970-301. It defines a standard set of extensions of common information model (CIM), which support message definitions in Parts 3 to 9 of IEC 61968, IEC 61968-13 and IEC 61968-14<sup>1)</sup>. The scope of this document is the information model that extends the base CIM for the needs of distribution networks, as well as for integration with enterprise-wide information systems typically used within electrical utilities. The information model is defined in UML which is platform-independent and electronically processable language that is then used to create message payload definitions in different required formats. In this way, this standard will not be impacted by the specification, development and/or deployment of next generation infrastructures, either through the use of standards or proprietary means.

For the purposes of this document, the distribution CIM (DCIM) model refers to the IEC TC 57 CIM model as defined by IEC 61970-301 and IEC 61968-11 (this document).

The Common Information Model (CIM) is an abstract model of the major objects in an electric utility enterprise typically involved in utility operations. By providing a standard way of representing power system resources as object classes and attributes, along with their relationships, the CIM facilitates the integration of software applications developed independently by different vendors. The CIM facilitates integration by defining a common language (i.e., semantics and syntax) based on the CIM to enable these applications or systems to access public data and exchange information independent of how such information is represented internally.

IEC 61970-301 defines a core CIM for Energy Management System (EMS) applications, including many classes that would be useful in a wider variety of applications. Due to its size, the CIM classes are grouped into logical Packages, and collections of these packages are maintained as separate International Standards. This document extends the core CIM with packages that focus on Distribution Management Systems (DMS) including Assets, Work, Customers, Load Control, Metering, and others. IEC 61970-302<sup>2)</sup> extends the CIM with packages that focus on Financial, Energy Scheduling, Reservation, and other market-related applications. Other CIM extensions may be published as International Standards, each maintained by a separate group of domain experts. Depending on a project's needs, the integration of applications may require classes and packages from one or more of the CIM standards.

1) IEC 61968-5, IEC 61968-6, IEC 61968-7, IEC 61968-8 and IEC 61968-14 are under consideration.

2) Under consideration.