INTERNATIONAL STANDARD



First edition 1995-03-01

Ergonomics of the thermal environment — Estimation of the thermal insulation and evaporative resistance of a iTeh Sclothing ensembleVIEW

(standards.iteh.ai)

Ergonomie des ambiances thermiques — Détermination de l'isolement thermique et de la résistance à l'évaporation d'une tenue vestimentaire https://standards.iteh.ai/catalog/standards/sist/1612d638-fb24-428e-9915-538e2dfa3b93/iso-9920-1995



Contents

	Page
1	Scope 1
2	Principles and general definitions 1
3	Estimation of the thermal insulation of a clothing ensemble based on tables with values measured on standing thermal manikin 2
4	Estimation of the clothing area factor
5	Influence of body movements and wind on the thermal insulation of a clothing ensemble 4
6	Estimation of the evaporative resistance 4
Anı	nexes
Α	Thermal insulation values for clothing ensembles 5
В	Thermal insulation values for individual garments 20
С	Measurement of the thermal insulation of clothin on a thermal REVIEW manikin
D	Measurement of the thermal insulation and evaporative resistance i) of a clothing ensemble on human subjets
Ε	<u>ISO 9920:1995</u> Different expressions for the sthermal insulation of clothing 1/1612d 50 - fb24-428e-9915-
F	538e2dfa3b93/iso-9920-1995 Evaporative resistance of a clothing ensemble

© ISO 1995

Printed in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

International Standard ISO 9920 was prepared by Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 5, *Ergonomics of the physical environment*, 1995

https://standards.iteAnnexess/Aland B/form and integral part of this International Standard. Annexes: CIED/B and F2are for information only.

Introduction

This International Standard is one of a series of International Standards intended for use in the study of thermal environments. It is a basic document for evaluation of the thermal characteristics of a clothing ensemble (thermal insulation and evaporative resistance). It is necessary to know these values when evaluating the thermal stress or degree of comfort provided by the physical environment according to standardized methods. The thermal characteristics determined in this International Standard are values for steady-state conditions. Properties like "buffering", adsorption of water, etc., are not dealt with.

This International Standard does not deal with the local thermal insulation on different body parts, nor the discomfort due to a nonuniform distribution of the clothing on the body.

Man's thermal balance in neutral, cold and warm environments is influenced by the clothing worn. For evaluating the thermal stress on man in the cold [IREQ (see ISO/TR 11079) insulation index], neutral [PMV-PPD] (see ISO 7730) indices] and heat [required sweat rate (see ISO 7933) index], it is necessary to know the thermal characteristics?of the clothing ensemble, i.e. the thermal insulation (I_{el})s and the evaporative resistances-fb24-428e-9915-(R_{T}). 538e2dfa3b93/iso-9920-1995

Until now, very few data are available on the evaporative resistance of a clothing ensemble. This International Standard mainly deals with the estimation of the thermal resistance to dry heat loss.

Ergonomics of the thermal environment — Estimation of the thermal insulation and evaporative resistance of a clothing ensemble

1 Scope

 $I_{\rm cl} = \frac{t_{\rm sk} - t_{\rm cl}}{H} \qquad \dots (1)$

timating the thermal characteristics (resistance to dry where heat loss and evaporative heat loss) in steady-state RD PR is the dry heat loss per square metre of skin conditions for a clothing ensemble based on values for known garments, ensembles and textiles ndards.iteh.aarea, in watts per square metre;

The influence of body movement and air penetration on the thermal insulation and evaporative resistance is discussed. \bar{t}_{sk} is the mean skin temperature, in degrees Celsius; \bar{t}_{sk} is the mean skin temperature, in degrees Celsius; \bar{t}_{sk} is the mean surface temperature of the

This International Standard

 does not deal with other effects of clothing, such as adsorption of water, buffering, tactile comfort;

This International Standard specifies methods for es-

- does not take into account the influence of rain and snow on the thermal characteristics;
- does not consider special protective clothing (water-cooled suits, ventilated suits, heated clothing);
- does not deal with the separate insulation on different parts of the body and discomfort due to the asymmetry of a clothing ensemble.

2 Principles and general definitions

In this International Standard, the thermal insulation (resistance to dry heat loss from the body) of a clothing ensemble is expressed as the basic clothing insulation, I_{cl} , expressed in square metre degrees Celsius per watt (m²·°C/W), which is the insulation from the skin to the clothing surface:

This definition of clothing insulation also includes the uncovered parts of the body like head and hands, i.e. the mean surface temperature of the clothed person is not only influenced by clothing surface temperature, but also by the skin temperature of the unclothed parts of the body.

clothed person, in degrees Celsius.

Due to this special definition of the thermal insulation including also unclothed parts, it is convenient to use the clo unit for the thermal insulation of a clothing (1 clo = $0,155 \text{ m}^2 \cdot ^{\circ}\text{C/W}$).

The equations in this International Standard are mainly given in SI units. For information, the same equations may also be given using the clo-unit for thermal insulation. Annexes C and D describe how the thermal insulation can be measured.

The dry heat loss from the body (convection, radiation, conduction) takes place from the skin surface through the clothing to the clothing surface. The resistance to this heat flow is expressed by the thermal insulation, $I_{\rm cl}$.

$$I_{\rm a} = 1/(h_{\rm c} + h_{\rm r}) \qquad \dots (2)$$

where

- *h*_c is the convective heat loss coefficient, in watts per square metre degree Celsius;
- h_r is the radiant heat loss coefficient, in watts per square metre degree Celsius.

 $I_{\rm a}$ is influenced by air velocity, clothing/skin surface temperature, air temperature and mean radiant temperature.

Clause 3 presents procedures for estimating the thermal insulation, I_{cl} , for a clothing ensemble based on existing values measured by a standing thermal manikin. **iTeh STANDA**

When measuring the thermal insulation value
$$I_{cl}$$
 or when estimating the heat loss from the human body, it is necessary to know the clothing area factor, f_{cl} .

The insulation for the entire clothing, I_{cl} (in m².°C/W defined as the ratio of the surface area of the clothed SO 99361.66), may also be estimated using the following body, A_{cl} (including unclothed parts) to the surface of standaempirical equation: 428c-9915the nude body, A_{Du} (Du Bois area): 538c2dfa3b93/iso-9920-1995

...(3)

$$f_{\rm cl} = A_{\rm cl}/A_{\rm Du} \quad (f_{\rm cl} \ge 1)$$

A photographic method for estimating f_{cl} is described in clause 4 together with a simplified equation for estimating it.

The posture and body movements of the wearer (pumping effect) and the penetration of air through the clothing due to increased air velocity will change the thermal insulation of a clothing ensemble. This influence of activity and air velocity is discussed in clause 5.

A thermal manikin is often used to measure the thermal insulation of clothing and in annex C, a test procedure is outlined. A more complex method, which is described in annex D, allows the thermal insulation of clothing to be measured directly on subjects.

In this International Standard, the thermal insulation of ensembles and garments (annexes A and B) is also given in the clo-unit. This is because this unit is more commonly used than the SI-unit (m².°C/W). The clounit is also special in that it defines thermal insulation of clothing referring to the whole body surface.

3 Estimation of the thermal insulation of a clothing ensemble based on tables with values measured on standing thermal manikin

3.1 General

In annex A, I_{cl} values are listed for a selection of clothing ensembles. All of the values were measured on a standing thermal manikin. A short description of the clothing ensembles is given and the f_{cl} values are also listed. The total clothing mass is based on garments which fit a standard person (European male size 52), and it does not include shoes.

Table A.2 is used for finding a clothing ensemble which is comparable with the actual clothing ensemble. Interpolation between the thermal insulation of two ensembles may be used. Annex A can also be used to predict which types of clothing can be used to obtain a given thermal insulation.

A number is listed for each of the individual garments making up most of the ensembles. This number refers to annex B, where a more detailed description of the individual garments is presented.

$$I_{\rm cl} = \sum I_{\rm clu} \qquad \dots (4)$$

where I_{clu} is the thermal insulation of various individual garments making up the ensemble, in square metre degrees Celsius per watt or in clo.

3.2 Thermal insulation values for individual garments

See annex B.

The thermal insulation, I_{clu} (in m²·°C/W or clo), of individual garments making up the ensemble (see table B.2) is given by

$$I_{clu} = I_{T} - I_{a} = \frac{\bar{t}_{sk} - t_{o}}{H} - I_{a}$$
 ... (5)

where

- I_T is the total thermal insulation, in square metre degrees Celsius per watt or in clo, of the garment;
- *t*_o is the operative temperature, in degrees Celsius.

...(10)

NOTE 1 In ISO 7730 and other literature, the thermal insulation of individual garments may be given as basic thermal insulation.

$$I_{\rm cli}=I_{\rm T}-I_{\rm a}/f_{\rm cl}$$

giving a summation equation for estimating the insulation of a whole ensemble

$$I_{\rm cl} = 0.82 \sum I_{\rm cli}$$

The design of the various garments is indicated by a type number referring to the numbered drawings showing a person dressed in various garment desians.

In some cases, the fabrics used are also listed. The type of material, however, has a limited influence on the thermal insulation. Instead the insulation is mainly influenced by the thickness (indicated in annex B) and body area covered (indicated on the drawings).

Estimation of the clothing area factor Δ

The surface area of a clothed person, A_{cl} , is greater than the surface area of a nude body, A_{Du} . The ratio of these is called the clothing area factor, f_{cl} :

$$f_{\rm cl} = A_{\rm cl}/A_{\rm Du}$$

The value of f_{cl} is listed in annex A for all clothing ensembles. It can be measured by a photographic method. Pictures of the nude person/manikin from different directions are compared with pictures of the clothed person/manikin from the same directions and distance.

The projected area of a standing, clothed person/manikin is compared with the projected area of a nude person/manikin. The projected area is measured from six directions: altitudes 0° (horizontal) and 60°, and at each altitude, three azimuth angles 0° (front), 45° and 90° (profile). The projected area is estimated for nude, Ani and clothed, Acli, and for each direction the clothing area factor is estimated using the following equation:

3.3 Calculation of the thermal insulation for RD $\mathbf{PREA_{cli}}_{f_{cli}} = \mathbf{A}_{cli}$ individual garments

The thermal insulation, I_{clu} (in m²·°C/W), of an individwhere *i* designates the direction considered. ual garment may also be estimated using the follow <u>5920:1995</u>

https://standards.iteh.ai/catalog/standards/sisThen_thesclothingsarealfactor, fcf is estimated as ing equation: $I_{\rm clu} = 0,095 \times 10^{-2} A$ 538e2dfa3be3/iso-9920-1995

$$f_{cl} = \frac{f_{cl1} + f_{cl2} + \dots + f_{cl6}}{6} \qquad \dots (11)$$

or, if it is expressed in clo, using the equation

$$I_{\rm clu} = 0.61 \times 10^{-2} A_{\rm cov}$$
 ... (7)

where $A_{\rm cov}$ is the body surface area covered by clothing, expressed as a percentage.

The values for body surface area covered are shown for garments in the figures in annex B.

When the thickness of the fabric used, H_{fabr} expressed in metres, is also known, a more exact estimation of I_{clu} (in m².°C/W) can be made using

$$I_{clu} = 0,067 \times 10^{-2} A_{cov} + 0,217 \times H_{fab} \times A_{cov} \dots (8)$$

or, if it is expressed in clo, using

$$I_{\rm clu} = 0.43 \times 10^{-2} A_{\rm cov} + 1.4 \times H_{\rm fab} \times A_{\rm cov} \qquad \dots (9)$$

where H_{fab} is the thickness of fabric, in metres (measured in accordance with ASTM D 17771) using a 7,5 cm diameter presser foot and 69,1 N/m² pressure).

It is very important that the position and posture (standing) of the person/manikin in relation to the camera is exactly the same when clothed as when nude.

In view of the fact that the surface increase depends on the clothing ensemble thickness, usually related to its insulation, I_{cl}, the clothing area factor may also be estimated from the following equations:

-- if
$$I_{cl}$$
 is expressed in m².°C/W:
 $f_{cl} = 1,00 + 1,97I_{cl}$... (12)

— if I_{cl} is expressed in clo:

$$f_{\rm cl} = 1,00 + 0,31I_{\rm cl}$$
 ... (13)

NOTE 2 In ISO 7730, the following equations have been used based on older and more limited results.

$$f_{cl} = 1,00 + 1,290 I_{cl}$$
 for $I_{cl} \le 0,078 \text{ m}^2 \cdot \text{C/W}$
 $f_{cl} = 1,00 + 0,645 I_{cl}$ for $I_{cl} \ge 0,078 \text{ m}^2 \cdot \text{C/W}$

¹⁾ ASTM D 1777-64 (Reapproved 1975), Standard Method for Measuring Thickness of Textile Materials.

5 Influence of body movements and wind on the thermal insulation of a clothing ensemble

Most types of clothing ensembles have openings (e.g. collars, cuffs) which allow a certain air exchange with the environment. When work is performed, this air exchange may increase and change the insulation of the clothing.

This effect is called the "pumping effect". To estimate the effect of body motion (pumping effect) on the clothing insulation, a movable thermal manikin may be used. The same methods as in annex C may be used. Now, I_a is measured with a nude manikin engaged in the appropriate activity (seated, standing, walking, bicycling). From these measurements, corrections of the I_{cl} value measured on the standing manikin may be estimated and used for other clothing ensembles. The pumping effect may also be measured on human subjects (annex D).

The effect of body motion is only measured on a whole clothing ensemble and not on each single garment.

manikin are necessary to be able to estimate the change in I_{cl} and I_a separately. Measurements on human subjects are also possible (annex D).

The influence of wind depends on the air permeability of the outer textile layer and on the types and number of openings.

For the time being, a reduction by 20 % is recommended, when metabolic rate is greater than 100 W/m^2 and 10 % for values between 60 W/m² and 100 W/m². More research is required to establish quantitative correction factors for the combined action of wind and body movements.

6 Estimation of the evaporative resistance

The evaporative resistance, R_{T} , of a clothing ensemble may be measured in experiments with subjects or with a sweating thermal manikin.

The evaporative resistance may also be calculated on the basis of clothing insulation and permeation properties in relation to water vapour.

The pumping effect may reduce the resulting thermal archieleval porative resistance, $R_{\rm T}$, expressed in square insulation of a clothing ensemble between 5 % and metre kilopascals per watt (m²·kPa/W), can be defined 50 % depending on the number of openings and the <u>SO 99 as the</u> sum of the evaporative resistance of the extype of textile (i.e. permeability, stiffness), itch ai/catalog/standaternal air layer, $R_{\rm a}$ and that of the clothing layers, $R_{\rm cl}$:

If a clothing ensemble is exposed to increased air $R_T = R_a^{-1} R_a^{-1} R_c^{-1} R_a^{-1} R_c^{-1} R_a^{-1} R_a^{-1$

This effect may also be measured by means of a thermal manikin using the same method as described in annex C. Measurements on the nude and clothed

The evaporative resistance will also be influenced by body movements and air penetration. It is recommended to apply the same corrections as for thermal insulation values.

Equations for estimating R_{T} are given in annex F.

...(14)

Annex A

(normative)

Thermal insulation values for clothing ensembles

The values are from measurements on a standing thermal manikin. Table A.1 is for typical clothing ensembles. Tables A.2 to A.7 list detailed compound ensembles and combinations. The numbers for the individual garments refer to the garment in annex B. The mass does not include shoes. The number of the ensemble is given in the "No." column of tables A.2 to A.7. The number of the individual garment making up the ensemble is given immediately after its name. The name and number are those appearing in annex B.

Washing can change the thermal insulation values. This effect depends on the type of textile, but is normally within the measuring accuracy. The measurements were performed in accordance with the description in annex C, and operative temperature, mean skin temperature and mean heat loss from the manikin were recorded.

Work clothing iTeh S	FA clo	r₀DAR m²-°C/W	D PRDaily wear clothing	clo	I _{cl} m²⋅°C/W				
Underpants, boiler suit, socks, shoes	star 0,7	0,11	Panties, T-shirt, shorts, light socks, sandals	0,3	0,05				
Underpants, shirt, trousers, socks, shoes https://standards.ite	hoi⁄zet	ISO 9920: ilogotandard:	Panties, petticoat, stockings, light dress with sleeves, sandals	0,45	0,07				
Underpants, shirt, boiler suit, socks, shoes	0,8	0,125	Underpants, shirt with short sleeves, light trousers, light socks, shoes	0,5	0,8				
Underpants, shirt, trousers, jacket, socks, shoes	0,85	0,135	Panties, stockings, shirt with short sleeves, skirt, sandals	0,55	0,085				
Underpants, shirt, trousers, smock, socks, shoes	0,9	0,14	Underpants, shirt, light-weight trousers, socks, shoes	0,6	0,095				
Underwear with short sleeves and legs, shirt, trousers, jacket, socks, shoes	1	0,155	Panties, petticoat, stockings, dress, shoes	0,7	0,105				
Underwear with short legs and sleeves, shirt, trousers, boiler suit, socks, shoes	1,1	0,17	Underwear, shirt, trousers, socks, shoes	0,7	0,11				
Underwear with long legs and sleeves, thermojacket, socks, shoes	1,2	0,185	Underwear, track suit (sweater and trousers), long socks, runners	0,75	0,115				
Underwear with short sleeves and legs, shirt, trousers, jacket, thermojacket, socks, shoes	1,25	0,19	Panties, petticoat, shirt, skirt, thick knee- socks, shoes	0,8	0,12				
Underwear with short sleeves and legs, boiler suit, thermojacket and trousers, socks, shoes	1,4	0,22	Panties, shirt, skirt, roundneck sweater, thick knee-socks, shoes	0,9	0,14				
Underwear with short sleeves and legs, shirt, trousers, jacket, thermojacket and trousers, socks, shoes	1,55	0,225	Underpants, singlet with short sleeves, shirt, trousers, V-neck sweater, socks, shoes	0,95	0,145				
Underwear with short sleeves and legs, shirt, trousers, jacket, heavy quilted outer jacket and overalls, socks, shoes	1,85	0,285	Panties, shirt, trousers, jacket, socks, shoes	1	0,155				

Table A.1

Work clothing		I _{cl}	Daily wear clothing	I _{ci}		
	clo	m²⊷℃/W	,	clo	m²⋅°C/W	
Underwear with short sleeves and legs, shirt, trousers, jacket, heavy quilted outer jacket and overalls, socks, shoes, cap, gloves	2	0.31	Panties, stockings, shirt, skirt, vest, jacket	1	0,155	
Underwear with long sleeves and legs, thermojacket and trousers, outer thermojacket and trousers, socks, shoes	2,2	0,34	Panties, stockings, blouse, long skirt, jacket, shoes	1,1	0,17	
Underwear with long sleeves and legs, thermojacket and trousers, parka with heavy quilting, overalls with heavy quilting, socks, shoes, cap, gloves	2,55	0,395	Underwear, singlet with short sleeves, shirt, trousers, jacket, socks, shoes	1,1	1,17	
			Underwear, singlet with short sleeves, shirt trousers, vest, jacket, socks, shoes	1,15	0,18	
_		_	Underwear with long sleeves and legs, shirt, trousers, V-neck sweater, jacket, socks, shoes	1,3	0,2	
_	_		Underwear with short sleeves and legs, shirt, trousers, vest, jacket, coat, socks, shoes		0,23	

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 9920:1995</u>

https://standards.iteh.ai/catalog/standards/sist/1612d638-fb24-428e-9915-538e2dfa3b93/iso-9920-1995

No.	Clothing ensemble	Combination	Mass	$f_{\sf cl}$		I _{cl}
			g	501	clo	m²⊷°C/W
	DAILY WEAR CLOTHING Trousers, shirt				• · · · · · · · · · · · · · · · · · · ·	
100	Briefs 8 T-shirt 30, undershorts 364 Calf-length socks 264, athletic shoes 262		318	1,1	0,33	0,051
101	Panties 1, tube top 69 Short shorts 99 Sandals 272		258	1,07	0,23	0,036
102	Briefs 8 Short-sleeve shirt 79, shorts 97 Calf-length socks 265, shoes 260		622	1,11	0,41	0,064
103	Briefs 8 3/4-length-sleeve shirt 66, shorts 97 Socks 263, athletic shoes 262		451	1,17	0,52	0,081
106	Panties 1 Sleeveless blouse 68, fitted trousers 102 Sandals 272 (standards.) PREVI iteh.ai)	E 523	1,14	0,44	0,068
107	Briefs 8 Short-sleeve shirt 79, fitted trousers 102 ISO 9920:19 Calf-length socks 265, shoes 260	95	725 428e-9915	1,14	0,5	0,078
108	Briefs 8 538e2dfa3b93/iso-9 Shirt 75, fitted trousers 102 Calf-length socks 265, shoes 260		693	1,19	0,62	0,096
112	Briefs 8, T-shirt 30 Shirt 76, loose trousers 103 Calf-length socks 265, shoes 260		1 072	1,3	0,89	0,138
121	Briefs 8 Sweatshirt 290, sweat pants 291 Calf-length socks 264, shoes 262		776	1,19	0,77	0,119
124	Briefs 8, T-shirt 30 Coveralls 114 Calf-length socks 264, shoes 260		1 247	1,23	0,72	0,112
200	Underpants 8 Shirt 54, fitted trousers 89 Socks 265, shoes 258		924	1,19	0,61	0,095
201	Underpants 8 Shirt 54, fitted trousers 87 Socks 265, shoes 258		911	1,19	0,63	0,098
203	Underpants 8 Shirt 54, loose trousers 86 Socks 265, shoes 258		991	1,3	0,71	0,11
204	Underpants 8 Shirt 54, walking shorts 85 Socks 265, shoes 258		673	1,16	0,53	0,082

Table A.2

						I _{cl}
No.	Clothing ensemble	Combination	Mass	f_{cl}	clo	m ² ·°C/W
205	Underpants 8 Shirt 54, walking shorts 84 Socks 265, shoes 258		g 895	1,16	0,53	0,082
206	Underpants 8 Shirt 54, shorts 83 Socks 265, shoes 258		820	1,15	0,48	0,074
207	Underpants 8 Short-sleeve shirt 56, fitted trousers 89 Socks 265, shoes 258		846	1,16	0,55	0,085
208	Underpants 8 Sleeveless blouse 58, fitted trousers 89 Socks 265, shoes 258		773	1,14	0,48	0,074
209	Underpants 8 Turtleneck blouse 60, fitted trousers 89 Socks 265, shoes 258		907	1,2	0,63	0,098
210	Underpants 8 Blouse 61, fitted trousers 89 Socks 265, shoes 258		945	1,2	0,63	0,098
216	Underpants 8 Coveralls 117 Socks 265, shoes 258 iTeh STANDA (standar		V 140	W _{1,27}	0,7	0,109
449	Underpants 23 Shirt 84, trousers 103 Socks 254, shoes 255	9 <u>20:1995</u>	871	1,19	0,73	0,113
	https://standards.itch.ai/catalog/stand DAILY WEAR CLOTHING 538e2dfa3b9 Trousers, sweater	3/iso-9920-1995	-1024-4280	5-9913 -		
104	Briefs 8 Short-sleeve shirt 77, shorts 97 V-neck cardigan 136 Calf-length socks 265, shoes 260		765	1,13	0,63	0,098
105	Panties 1 Shirt 75, shorts 98 Sleeveless, round-neck sweater 146 Knee socks (thick) 267, shoes 260		924	1,17	0,71	0,11
109	Briefs 1 Short-sleeve shirt 77, fitted trousers 102 V-neck sweater 135 Calf-length socks 265, shoes 260		868	1,17	0,72	0,112
111	Panties 1 Sleeveless, V-neck sweater 141, fitted trousers 102 Short-sleeve, V-neck cardigan 139 Shoes 260		643	1,15	0,62	0,096
113	Briefs 8, T-shirt 30 Shirt 75, loose trousers 103 V-neck sweater 135 Calf-length socks 265, shoes 260		1 1 7 4	1,27	0,95	0,147
114	Briefs 8, T-shirt 30 Shirt 75, loose trousers 103 Round-neck sweater 142 Calf-length socks 265, shoes 260		1 383	1,28	1,01	0,157

r.

No.	Clothing ensemble	Clothing ensemble Combination Mass f_{cl}	$f_{\sf cl}$		I _{cl}	
			g		clo	m².ºC/W
115	Briefs 8, thermal underpants 27, T-shirt 30 Shirt 75, loose trousers 103 Sleeveless, round-neck sweater 146 Calf-length socks 265, shoes 260		1 470	1,29	1,06	0,164
120	Briefs 8, thermal underpants 27, T-shirt 30 Turtleneck (thick) 148, loose trousers 103 Calf-length socks 265, shoes 260		1 351	1,28	1,02	0,158
447	Underpants 23, undershirt 31 Shirt 78, trousers 96 Sweater 140 Socks 254, shoes 255		1 542	1,27	0,97	0,15
	DAILY WEAR CLOTHING Trousers, jacket, vest					
110	Briefs 8 Shirt 75, fitted trousers 102 Suit jacket 156 Calf-length socks 265, shoes 260		1 1 30	1,23	0,96	0,149
116	Briefs 8 Shirt 75, loose trousers 103, vest 162 NDAR Calf-length socks 265, shoes 260) PREVI	1039	1,29	0,86	0,133
117	Briefs 8, T-shirt 30 (Standards. Shirt 75, loose trousers 103, vest 162 Suit jacket 157 Calf-length socks 265, shoes 260 https://standards.teh.ai/catalog/standards/s	118 95 162	1 796 428e-9915	1,33	1,16	0,18
118	Briefs 8, T-shirt 30 Shirt 75, loose trousers 103 Suit jacket 157 Calf-length socks 265, shoes 260	920-1995	1611	1,32	1,13	0,175
119	Panties 1 Turtleneck (thin) 147, loose trousers 103 Double-breasted suit jacket 159 Knee socks (thick) 267, shoes 260		1 568	1,34	1,14	0,177
129	Briefs 8, thermal underpants 27, T-shirt 30 Shirt 75, loose trousers 103 V-neck sweater 135, suit jacket 157 Calf-length socks 265, shoes 260	118 27 135	2 036	1,33	1,3	0,202
211	Underpants 8 Shirt 54, fitted trousers 89 Suit jacket 169 Socks 265, shoes 258	200 169	1 442	1,23	0,93	0,144
212	Underpants 8 Shirt 54, fitted trousers 89 Suit jacket 171 Socks 265, shoes 258	200 171	1 623	1,23	1,01	0,157
213	Underpants 8 Shirt 54, fitted trousers 89 Suit jacket 172 Socks 265, shoes 258	200 172	1 718	1,24	0,97	0,15

No.	Clothing ensemble	Combination	Mass	f_{cl}		I _{cl}	
			g		clo	m²⋅°C/W	
214	Underpants 8 Shirt 54, fitted trousers 89, vest 173 Socks 265, shoes 258	200 174	1 1 3 1	1,2	0,78	0,121	
444	Underpants 23, undershirt 31 Shirt 72, trousers 96 Jacket 160, vest 162 Socks 254, shoes 255		2 080	1,41	1,11	0,172	
445	Underpants 23, undershirt 31 Shirt 72, trousers 96, vest 162 Overjacket 184, jacket 160 Socks 254, shoes 255	444 184	3 900	1,49	1,49	0,231	
450	Underpants 28, undershirt 37 Shirt 78, trousers 96 Sweater 140, jacket 160 Socks 256, shoes 255		2 666	1,41	1,37	0,212	
	DAILY WEAR CLOTHING Skirt, shirt		L		1		
130	Panties 1, pantyhose 3 Short-sleeve shirt 77, ski <mark>rt 304h STANDA</mark> Sandals 272	RD PRE	451	1 ,26	0,54	0,084	
131	Panties 1, full-slip 5, pantyhose 3 (Standar Shirt 75, skirt 304 Sandals 272 ISO 9	ds.iteh.a 920:1995	573	1,29	0,67	0,104	
135	Panties 1, pantyhose 3 tps://standards.iteh.ai/catalog/stand 3/4-length-sleeve shirt 66, skirt 308 538e2dfa3b9 Sandals 272	lards/sist/1612d638	3-fb24-428 479	e-9915- 1,29	0,57	0,088	
136	Panties 1, full-slip 5 Shirt 75, skirt 312 Knee socks (thick) 267, shoes 260		912	1,32	0,78	0,121	
145	Panties 1, pantyhose 3 Cap-sleeve blouse 67, skirt 306 Sandals 272		373	1,27	0,52	0,081	
146	Panties 1, pantyhose 3 Sleeveless blouse 68, ankle-length skirt 300 Sandals 272		511	1,39	0,62	0,096	
	DAILY WEAR CLOTHING Skirt, sweater						
132	Panties 1, half-slip 4, pantyhose 3 Short-sleeve shirt 77, skirt 304 V-neck cardigan 136 Sandals 272		731	1,25	0,78	0,121	
133	Panties 1, panthyhose 3 Sleeveless, V-neck sweater 141, skirt 307 Short-sleeve, V-neck cardigan 139 Sandals 272		670	1,29	0,64	0,099	
137	Panties 1 Shirt 75, skirt 305 Round-neck sweater 142 Knee socks (thick) 267, shoes 260		1 020	1,29	0,92	0,143	

.

No.	Clothing ensemble	Combination	Mass	f _{cl}		I _{ci}	
			g		clo	m²⊷°C/W	
138	Panties 1, half-slip 4, pantyhose 3 Shirt 75, skirt 305 V-neck sweater 135 Shoes 260		847	1,27	0,83	0,129	
139	Panties 1, full-slip 5, pantyhose 3 Turtleneck (thick) 148, skirt 309 Shoes 260		966	1,29	0,85	0,132	
141	Panties 1 Bow-at-neck blouse 24, skirt 309 Sleeveless, round-neck sweater 146 Knee socks (thick) 267, shoes 260		961	1,3	0,81	0,126	
	DAILY WEAR CLOTHING Skirt, jacket						
134	Panties 1, pantyhose 3, half-slip 4 Bow-at-neck blouse 74, skirt 304 Suit jacket 156 Sandals 272		1 084	1,3	0,99	0,153	
140	Panties 1, pantyhose 3 Bow-at-neck blouse 74, skirt 312 ANDAR Double-breasted suit jacket 159 Shoes 260 (standards.	D PREVI iteh.ai)	E 5 13	1,35	1,05	0,163	
142	Panties 1, pantyhose 3 Shirt 75, skirt 305, vest 162 <u>ISO 9920:10</u> Suit jacket 157 <u>https://standards.iteh.ai/catalog/standards/s</u> Shoes 260 538e2dfa3b93/iso-9	1 <u>95</u> ist/1612d638-fb24	1 404 428e-9915	1,33	1,02	0,158	
143	Panties 1, half-slip 4, pantyhose 3 Shirt 75, skirt 305, V-neck sweater 135 Suit jacket 157 Shoes 260		1 499	1,33	1,12	0,174	
144	Panties 1, pantyhose 3 Shirt 75, skirt 305 Suit jacket 157 Shoes 260		1 219	1,32	0,97	0,15	
147	Panties 1, pantyhose 3 Bow-at-neck blouse 74, ankle-length skirt 301 Suit jacket 157 Shoes 260		1 302	1,46	1,1	0,171	
	DAILY WEAR CLOTHING Dress						
149	Panties 1, full-slip 5, pantyhose 3 Sleeveless dress 336 Sandals 272		325	1,15	0,46	0,071	
150	Panties 1, half-slip 4 Shirt 75, sleeveless dress 335 Knee socks (thick) 267, shoes 260		770	1,26	0,77	0,119	
148	Panties 1, pantyhose 3, full-slip 5 Short-sleeve dress, belted 333, V-neck cardigan 136 Shoes 260		660	1,21	0,71	0,11	