

SLOVENSKI STANDARD SIST EN 3961:2002

01-januar-2002

Aerospace series - Gold base alloy AU-B40001 - Filler metal for brazing - Rolled foil

Aerospace series - Gold base alloy AU-B40001 - Filler metal for brazing - Rolled foil

Luft- und Raumfahrt - Goldbasislegierung AU-B40001 - Hartlot in Form von gewalzter Folie

iTeh STANDARD PREVIEW

Série aérospatiale - Alliage base or AU-B40001 - Métal d'apport de brasage - Feuillard laminé

SIST EN 3961:2002

Ta slovenski standard je istoveten z: 2001 -

ICS:

49.025.15 Neželezove zlitine na

splošno

Non-ferrous alloys in general

SIST EN 3961:2002

en

SIST EN 3961:2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 3961:2002

https://standards.iteh.ai/catalog/standards/sist/8abcba3b-58b2-4467-9eea-2bce61290ed9/sist-en-3961-2002

EUROPEAN STANDARD NORME EUROPÉENNE

EN 3961

EUROPÄISCHE NORM

June 2001

ICS 49.025.15

English version

Aerospace series - Gold base alloy AU-B40001 - Filler metal for brazing - Rolled foil

Série aérospatiale - Alliage base or AU-B40001 - Métal d'apport de brasage - Feuillard laminé

Luft- und Raumfahrt - Goldbasislegierung AU-B40001 - Hartlot in Form von gewalzter Folie

This European Standard was approved by CEN on 2 May 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

SIST EN 3961:2002

https://standards.iteh.ai/catalog/standards/sist/8abcba3b-58b2-4467-9eea-2bce61290ed9/sist-en-3961-2002



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Page 2 EN 3961:2001

Foreword

This European Standard has been prepared by the European Association of Aerospace Manufacturers (AECMA).

After inquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of AECMA, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2001, and conflicting national standards shall be withdrawn at the latest by December 2001.

(standards.iteh.ai)

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

0 Introduction

This standard is part of the series of EN metallic material standards for aerospace applications. The general organisation of this series is described in EN 4258.

This standard has been prepared in accordance with EN 4500-6.

1 Scope

This standard specifies the requirements relating to:

Gold base alloy AU-B40001 Filler metal for brazing Rolled foil

for aerospace applications.

2 Normative references

This European Standard incorporates by dated or undated reference provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 2043	Aerospace series in Metallic materials requirements for semi-finished product qualification (excluding forgings and castings) 2012
EN 3875	Aerospace series - Metallic materials - Filler metal for brazing - Technical specification 1)
EN 4258	Aerospace series - Metallic materials - General organization of standardization - Links between types of EN standards and their use
EN 4500-6	Aerospace series - Metallic materials - Rules for drafting and presentation of material standards - Part 6: Specific rules for filler metals for brazing 1)

¹⁾ Published as AECMA Prestandard at the date of publication of this standard

Page 4 EN 3961:2001

1	Material designation			Gold base brazing alloy AU-B40001						
2	Chemical	Element		Ni	Al	Р	Ti	Zr	Others	Au
	composition %			INI					Total	
	/0	min.		17,5	_	_	-	-	-	Base
	max.			18,5	10 *)	80 *)	20 *)	20 *)	0,15	Dase
3	Method of melting			Air or inert gas or vacuum melted						
4.1	Form					Rolle	ed foil			
4.2	Method of production			Method of production Cold rolled and cleaned						
4.3	Limit dimension(s)	nsion(s) mm					_			
5	Technical specification					EN	3875			

6.1	Delivery condition	As manufactured or annealed
	Heat treatment	_
6.2	Delivery condition code	U
7	Use condition	Delivery condition
	Heat treatment	-

iTeh STANDARD PREVIEW

(standards.it@haracteristics

8.1	Te	est sample(s)			SIST EN 3961:2002 -
8.2	2 Test piece(s)			htt	ps://standards.iteh.ai/catalog/standards/sist/8abcba3b-58b2-4467-9eea- 2bce61290ed9/sist_en_3961-2002
8.3	Нє	eat treatment			_
9	Di	mensions concerne	ed	mm	-
10	Th ea	ickness of cladding ch face	g on	%	-
11		rection of test piece		•	-
12		Temperature	θ	°C	-
13		Proof stress	R _{p0,2}	MPa	-
14	Т	Strength	R _m	MPa	-
15		Elongation	Α	%	-
16		Reduction of area	Z	%	-
17	Ha	ardness	•	•	-
18	Sh	near strength	R _c	MPa	-
19	Вє	ending	k	-	-
20	lm	pact strength			-
21		Temperature	θ	°C	-
22		Time		h	-
23	С	Stress	σа	MPa	-
24		Elongation	а	%	-
25		Rupture stress	σR	MPa	-
26		Elongation at rupture	Α	%	-
27	Notes (see line 98)			*)	

44	External defects	_	See EN 3875
53	Thermal analysis		See EN 3875
	(Differential thermal analysis)	7	Eutectic: 950 °C
76	Wettability		See EN 3875
	(Fusion test)		
82	Batch uniformity (Material verification)	_	See EN 3875
	https://star	ndard:	STANDARD PREVIEW (standards.iteh.ai) SIST EN 3961-2002 s.iteh.ai/catalog/standards/sist/8abcba3b-58b2-4467-9eea- 2bce61290ed9/sist-en-3961-2002
95	Marking inspection	-	See EN 3875
96	Dimensional inspection	_	See EN 3875
98	Notes	-	*) p.p.m.
99	99 Typical use		Joining nickel base alloys.

Page 6 EN 3961:2001

100	_	Product qualification	_	See EN 2043
				Qualification programme to be agreed between manufacturer and purchaser.
			• •	
			11	eh STANDARD PREVIEW
				(standards.iteh.ai)
				SIST EN 3961:2002
		htt	ps://s	tandards.iteh.ai/catalog/standards/sist/8abcba3b-58b2-4467-9eea- 2bce61290ed9/sist-en-3961-2002
	l			