

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Specifications for particular types of winding wires –
Part 62: Polyester glass fibre wound, minimum class 200 resin or varnish
impregnated, bare or enamelled rectangular copper wire, temperature index 200

Spécifications pour types particuliers de fils de bobinage –
Partie 62: Fil de section rectangulaire en cuivre nu ou émaillé, guipé de fibres
de verre avec polyester de classe d'au moins 200, imprégnées de vernis ou de
résine, d'indice de température 200



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Specifications for particular types of winding wires –
Part 62: Polyester glass fibre wound, minimum class 200 resin or varnish
impregnated, bare or enamelled rectangular copper wire, temperature index 200**

**Spécifications pour types particuliers de fils de bobinage –
Partie 62: Fil de section rectangulaire en cuivre nu ou émaillé, guipé de fibres
de verre avec polyester de classe d'au moins 200, imprégnées de vernis ou de
résine, d'indice de température 200**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

K

ICS 29.060.10

ISBN 978-2-83220-189-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms, definitions, general notes and appearance.....	6
3.1 Terms and definitions.....	6
3.2 General notes.....	6
3.2.1 Methods of test.....	6
3.2.2 Winding wire.....	7
3.3 Appearance.....	7
4 Dimensions.....	7
5 Electrical resistance.....	7
6 Elongation.....	7
7 Springiness.....	7
8 Flexibility and adherence.....	7
9 Heat shock.....	7
10 Cut-through.....	8
11 Resistance to abrasion.....	8
12 Resistance to solvents.....	8
13 Breakdown voltage.....	8
14 Continuity of insulation.....	8
15 Temperature index.....	8
16 Resistance to refrigerants.....	8
17 Solderability.....	8
18 Heat or solvent bonding.....	8
19 Dielectric dissipation factor.....	8
20 Resistance to transformer oil.....	8
23 Pin hole test.....	8
30 Packaging.....	9
Bibliography.....	10

iTeh STANDARD PREVIEW

(standards.iteh.ai)

IEC 60317-62:2012

<https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SPECIFICATIONS FOR PARTICULAR
TYPES OF WINDING WIRES –**
**Part 62: Polyester glass fibre wound, minimum class 200
resin or varnish impregnated, bare or enamelled rectangular
copper wire, temperature index 200**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60317-62 has been prepared by IEC technical committee 55: Winding wires.

The text of this standard is based on the following documents:

FDIS	Report on voting
55/1323/FDIS	55/1336/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International standard is to be read in conjunction with the IEC 60317-0-8:2012.

The numbering of clauses in this standard is not continuous from Clauses 20 and 30 in order to reserve space for possible future wire requirements prior to those for wire packaging.

A list of all the parts in the IEC 60317 series, published under the general title *Specifications for particular types of winding wires* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60317-62:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012>

INTRODUCTION

This part of IEC 60317 is one of a series which deals with insulated wires used for windings in electrical equipment. The series has three groups describing:

- 1) Winding wires – Test methods (IEC 60851);
- 2) Specifications for particular types of winding wires (IEC 60317);
- 3) Packaging of winding wires (IEC 60264).

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60317-62:2012](https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012)

<https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012>

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

Part 62: Polyester glass fibre wound, minimum class 200 resin or varnish impregnated, bare or enamelled rectangular copper wire, temperature index 200

1 Scope

This part of IEC 60317 specifies the requirements of polyester glass fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper winding wire, temperature index 200.

NOTE For this type of wire, the heat shock test is inappropriate and therefore a heat shock temperature cannot be established. Consequently, a class based on the requirements for temperature index and heat shock temperature cannot be specified.

The range of nominal conductor dimensions covered by this standard is:

- width: min. 2,0 mm; max. 16,0 mm;
- thickness: min. 0,80 mm; max. 5,60 mm.

The specified combinations of width and thickness as well as the specified width/thickness ratio are according to IEC 60317-0-8.

2 Normative references

[IEC 60317-62:2012](#)

[http://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012](#)

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60317-0-8:2012, *Specifications for particular types of winding wires – Part 0-8: General requirements – Polyester glass fibre wound, resin or varnish impregnated or not impregnated, bare or enamelled rectangular copper wire*

3 Terms, definitions, general notes and appearance

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in 3.1 of IEC 60317-0-8:2012 apply.

3.2 General notes

3.2.1 Methods of test

Subclause 3.2 of IEC 60317-0-8:2012 applies.

In case of inconsistency between IEC 60317-0-8 and this standard, IEC 60317-62 shall prevail.

3.2.2 Winding wire

The enamelled wire shall have a temperature index of at least 200 and shall be agreed between purchaser and supplier.

The temperature index of the wire is dependent upon the type of impregnating agent used. The impregnating agent applied to the polyester glass fibre shall contain silicone and have a minimum temperature index of 200.

The covering shall have one of the following grades of thickness:

- PG1: one polyester glass fibre covering over a bare conductor;
- PG2: two polyester glass fibre coverings over a bare conductor;
- grade 1 PG1: one polyester glass fibre covering (GL1) over grade 1 enamelled conductor (Grade 1);
- grade 1 PG2: two polyester glass fibre coverings (GL2) over grade 1 enamelled conductor (Grade 1);
- grade 2 PG1: one polyester glass fibre covering (GL1) over grade 2 enamelled conductor (Grade 2);
- grade 2 PG2: two polyester glass fibre coverings (GL2) over grade 2 enamelled conductor (Grade 2).

3.3 Appearance

Subclause 3.3 of IEC 60317-0-8:2012 applies.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

4 Dimensions

[IEC 60317-62:2012](#)

Clause 4 of IEC 60317-0-8:2012 applies.

<https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-cd1015c663e5/iec-60317-62-2012>

5 Electrical resistance

Clause 5 of IEC 60317-0-8:2012 applies.

6 Elongation

Clause 6 of IEC 60317-0-8:2012 applies.

7 Springiness

Clause 7 of IEC 60317-0-8:2012 applies.

8 Flexibility and adherence

Clause 8 of IEC 60317-0-8:2012 applies.

9 Heat shock

Test inappropriate.

10 Cut-through

Test inappropriate.

11 Resistance to abrasion

Test inappropriate.

12 Resistance to solvents

Test inappropriate.

13 Breakdown voltage

Clause 13 of IEC 60317-0-8:2012 applies.

14 Continuity of insulation

Test inappropriate.

15 Temperature index

Clause 15 of IEC 60317-0-8:2012 applies.

16 Resistance to refrigerants

Test inappropriate.

17 Solderability

Test inappropriate.

18 Heat or solvent bonding

Test inappropriate.

19 Dielectric dissipation factor

Test inappropriate.

20 Resistance to transformer oil

Test inappropriate.

23 Pin hole test

Test inappropriate

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60317-62:2012](https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012)

<https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012>

30 Packaging

Clause 30 of IEC 60317-0-8:2012 applies.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60317-62:2012](https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012)

<https://standards.iteh.ai/catalog/standards/sist/613272a7-1863-454b-a290-da1015e663e5/iec-60317-62-2012>