

# TECHNICAL SPECIFICATION



Process management for avionics – Aerospace and defence electronic systems  
containing lead-free solder –  
Part 1: Preparation for a lead-free control plan

IEC TS 62647-1:2012

<https://standards.iteh.ai/catalog/standards/sist/2a894297-979f-4385-8f71-95c89757c9a3/iec-ts-62647-1-2012>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2012 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.  
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

<https://standards.iteh.ai/catalog/standards/sist/2a894297-979f-4385-8f71-95c89757c9a3/iec-ts-62647-1-2012>

# TECHNICAL SPECIFICATION



**Process management for avionics – Aerospace and defence electronic systems  
containing lead-free solder –  
Part 1: Preparation for a lead-free control plan**

IEC TS 62647-1:2012

<https://standards.iteh.ai/catalog/standards/sist/2a894297-979f-4385-8f71-95c89757c9a3/iec-ts-62647-1-2012>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE



ICS 03.100.50; 31.020; 49.060

ISBN 978-2-83220-298-2

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	8
4 Symbols and abbreviated terms.....	11
5 Objectives .....	11
5.1 General .....	11
5.2 Reliability .....	12
5.3 Configuration control and product identification .....	12
5.4 COTS assemblies and sub-assemblies.....	12
5.5 Deleterious effects of tin whiskers .....	12
5.6 Repair, rework, maintenance, and support.....	12
6 Technical requirements .....	12
6.1 General .....	12
6.2 Reliability .....	12
6.2.1 General .....	12
6.2.2 Test and analysis methods .....	13
6.2.3 Environmental and operating conditions .....	13
6.2.4 Data .....	13
6.2.5 Conversion of results from available data to applicable conditions.....	14
6.3 Configuration control and product identification .....	14
6.3.1 General .....	14
6.3.2 Termination materials and finishes .....	14
6.3.3 Solder alloys used in the assembly process.....	15
6.3.4 Wiring and connector assemblies .....	15
6.3.5 Changes in solder alloys.....	15
6.3.6 Identification.....	16
6.3.7 Part number changes .....	16
6.4 COTS assemblies and sub-assemblies.....	16
6.4.1 General .....	16
6.4.2 COTS assembly and sub-assembly configuration control and product identification.....	16
6.5 Deleterious effects of tin whiskers .....	16
6.6 Repair, rework, maintenance, and support.....	16
7 Plan administrative requirements.....	17
7.1 Plan organization .....	17
7.2 Terms and definitions .....	17
7.3 Plan point of contact.....	17
7.4 References.....	17
7.5 Requirements for suppliers and sub-contractors .....	17
7.6 Plan acceptance.....	17
7.7 Plan modifications .....	17
Annex A (informative) Template for tailoring requirements of IEC/TS 62647-1 .....	18

Annex B (informative) Requirements matrix for IEC/TS 62647-1 .....	19
Annex C (informative) Guidance on configuration control and product identification .....	23
Bibliography.....	31
Figure C.1 – Decision flow chart .....	25
Figure C.2 – Manufacturing, maintenance and reliability considerations.....	28
Figure C.3 – Tin whisker considerations .....	29
Table A.1 – Template for tailoring requirements.....	18
Table B.1 – Requirement matrix.....	19

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[IEC TS 62647-1:2012](https://standards.iteh.ai/catalog/standards/sist/2a894297-979f-4385-8f71-95c89757c9a3/iec-ts-62647-1-2012)

<https://standards.iteh.ai/catalog/standards/sist/2a894297-979f-4385-8f71-95c89757c9a3/iec-ts-62647-1-2012>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PROCESS MANAGEMENT FOR AVIONICS –  
AEROSPACE AND DEFENCE ELECTRONIC  
SYSTEMS CONTAINING LEAD-FREE SOLDER –****Part 1: Preparation for a lead-free control plan**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC/TS 62647-1, which is a technical specification, has been prepared by IEC technical committee 107: Process management for avionics.

This technical specification cancels and replaces IEC/PAS 62647-1 published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to:

- a) the addition of requirements for the use of Pb-free solder alloys,
- b) the addition of requirements for the use of COTS,
- c) the update of Annex B.

The text of this technical specification is originally based on the following document: GEIA-STD-0005-1 Revision A.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
107/159/DTS	107/180/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC/TS 62647 series, published under the general title *Process management for avionics*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The European Union (EU) enacted two directives; 2002/95/EC Restriction of Hazardous Substances (RoHS) and 2002/96/EC Waste Electrical and Electronic Equipment (WEEE) that restrict or eliminate the use of various substances in a variety of products that are put on the market after July 2006. Other countries have also enacted similar legislation. One of the key materials restricted is lead (Pb), which is widely used in electronic solder and electronic piece part terminations. These regional regulations affect the global market place. However, due to the reduced market share of the Aerospace, Defence and High Performance (ADHP) industries, many of the lower tier suppliers to those industries will change their products to serve their primary, non-ADHP markets. Additionally, several United States (US) states have enacted similar “green” laws and many Asian electronics manufacturers have recently announced completely green product lines. Since ADHP is one of the few major industrial sectors that still repair circuit card assemblies (CCAs) and the Pb-free materials and processes are relatively immature and not fully understood, an aerospace-wide approach to their application is desired.

The products of ADHP companies developing and/or managing Pb-free electronics fall into one of the five categories below.

- 1) Products that have been designed and qualified with traditional tin-lead (SnPb) electronic piece parts, materials, and assembly processes, and that will need to be maintained in the SnPb configuration.
- 2) Products that have been designed and qualified with traditional SnPb electronic piece parts, materials, and assembly processes, and that have incorporated Pb-free electronic piece parts.
- 3) Products that have been designed and qualified with SnPb materials, and are re-designed and re-qualified with Pb-free materials.
- 4) Products that have been designed and qualified with Pb-free electronic piece parts, materials, and assembly processes, and that will need to be maintained in the Pb-free configuration.
- 5) Commercial-off-the-shelf (COTS) assemblies built with Pb-free materials.

The risks with Pb-free technology include:

- 1) for some service conditions, use of Pb-free solder may compromise electronic interconnection performance due to potential differences in fatigue characteristics under thermal cycling and vibration relative to traditional solders;
- 2) the use of Pb-free surface finishes such as pure tin can lead to the formation of tin whiskers which in turn can result in various levels of product and system failure; and
- 3) the use of lead-free technology can result in higher processing temperatures associated with lead-free solders.



# PROCESS MANAGEMENT FOR AVIONICS – AEROSPACE AND DEFENCE ELECTRONIC SYSTEMS CONTAINING LEAD-FREE SOLDER –

## Part 1: Preparation for a lead-free control plan

### 1 Scope

This part of the IEC/TS 62647 series defines the objectives of, and requirements for, documenting processes that assure customers and regulatory agencies that ADHP electronic systems containing Pb-free solder, piece parts, and PWBs will satisfy the applicable requirements for performance, reliability, airworthiness, safety, and certifiability throughout the specified life of performance.

This specification aims to communicate requirements for a lead-free control plan (LFCP), hereinafter referred to as the Plan, and to assist the Plan owners in the development of their own Plans. The Plan documents the Plan owner's processes to assure their customers and all other stakeholders that the Plan owner's products will continue to meet their requirements, given the risks stated in the Introduction.

This specification does not contain detailed descriptions of the processes to be documented but lists high-level requirements for such processes, and areas of concern to the ADHP industries that need to be addressed by the processes.

Pb-free risk management should be accomplished through specific requirements added to the Plan owner's existing infrastructure of product management and control.

This specification applies to the ADHP electronics system supply chain.

The control of the Pb-free activities will be accomplished by the Plan owner addressing the requirements of their Customer. These activities include, but are not limited to, those performed by the system integrator, the original equipment manufacturer (OEM), and their respective supply chains, to the lowest level possible. This should be done with the knowledge that, at the component level, the aerospace industry may not have a great influence over those suppliers. In such cases, the Plan owner assumes responsibility.

Some applications may have unique requirements that exceed the scope of this specification. The extended scope should be covered separately.

The requirements of this specification may be tailored to address unique/specific program needs. If tailoring is performed, the user will obtain documented customer concurrence. Annex A provides a tailoring template that may be used.

This document may be used by other high-performance and high-reliability industries, at their discretion.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/PAS 62647-2<sup>1</sup>, *Process management for avionics – Aerospace and defence electronic systems containing lead-free solder – Part 2: Mitigation of the deleterious effects of tin*

IEC/TS 62647-2<sup>2</sup>, *Process management for avionics – Aerospace and defence electronic systems containing lead-free solder – Part 2: Mitigation of deleterious effects of tin*

IEC/PAS 62647-22<sup>3</sup>, *Process management for avionics – Aerospace and defence electronic systems containing lead-free solder – Part 22: Technical guidelines*

IEC/PAS 62647-23<sup>4</sup>, *Process management for avionics – Aerospace and defence electronic systems containing lead-free solder – Part 23: Rework and repair guidance to address the implications of lead-free electronics and mixed assemblies*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply

#### 3.1

##### **assemblies**

electronic items that require electrical attachments, including soldering of wires or component terminations

EXAMPLE Circuit cards and wire harnesses.

#### 3.2

##### **critical**

state of an item or function, which if defective, will result in the system's inability to retain operational capability, meet primary objective, or affect safety

<https://standards.iteh.ai/catalog/standards/sist/2a894297-979f-4385-8f71-95c89757c9a3/iec-ts-62647-1-2012>

#### 3.3

##### **COTS**

##### **commercial-off-the-shelf**

item whose design and configuration is controlled by the manufacture and on which the user has no control as to design and configuration

Note 1 to entry: An item may be a component, a subassembly, an assembly, a system.

#### 3.4

##### **COTS assembly or sub-assembly**

assembly or sub-assembly developed by a supplier for multiple customers, whose design and configuration are managed by the suppliers or an industry specification

#### 3.5

##### **customer**

entity or organization that (a) integrates a piece part, soldered assembly, unit, or system into a higher level system, (b) operates the higher level system, or (c) certifies the system for use

EXAMPLE This may include unit (SRU/LRU/system) users, integrators, regulatory agencies, operators, original equipment manufacturers (OEMs), and subcontractors.

<sup>1</sup> This is equivalent to GEIA-STD-0005-2. This will be superseded by IEC/TS 62647-2.

<sup>2</sup> To be published. This will supersede IEC/PAS 62647-2.

<sup>3</sup> This is equivalent to GEIA-HB-0005-2. It is the intention of the technical committee to supersede this by a future IEC/TS 62647-22.

<sup>4</sup> This is equivalent to GEIA-HB-0005-3. It is the intention of the technical committee to supersede this by a future IEC/TS 62647-23.

**3.6****FFF****form, fit and function**

description of an item's identifying characteristics which is commonly used to determine if a proposed change to a part will be "minor" (no impact on form, fitness and function) or "major" (no impact on form, fitness and function)

**3.7****high performance**

continued performance or performance on demand where an application (product, equipment, electronics, system, program) down time cannot be tolerated in an end-use environment which can be uncommonly harsh, and the application must function when required

EXAMPLE: Examples of high performance applications are life support or other critical systems.

**3.8****Pb-free**

less than 0,1 % by weight of Pb in accordance with reduction of hazardous substances (RoHS) guidelines

**3.9****Pb-free control plan  
(LFCP)**

aerospace or military system supplier's document that defines the processes that assure the Plan owners, their customers and all other stakeholders that aerospace, defence and high performance high-reliability electronics systems containing Pb-free solder and Pb-free piece part and PWB finishes will continue to be reliable, safe, producible, affordable, and supportable

**3.10****may**

indicates a course of action that is permissible within the limits of this specification, but not required

**3.11****Pb-free tin**

tin or any tin alloy with < 3 % lead (Pb) content by weight

Note 1 to entry: Some Pb-free finishes other than Pb-free tin, such as tin-bismuth and tin-copper, are considered to be "tin" for the purposes of this specification. Many of these alloys have not been assessed for whiskering behavior.

**3.12****Pb-free tin finish**

final finishes or under-plates either external or internal to a device, PWB or other hardware, including all leads and surfaces, even those coated, encapsulated, or otherwise not exposed

Note 1 to entry: It may include finishes on electrical piece parts, mechanical piece parts, and PWBs. It does not include Pb-free bulk solders, assembly materials, solder balls, or those devices where the Pb-free tin finish has been completely replaced.

**3.13****PCN****part change notice**

document used to record a change in a part

**3.14****piece part**

electronic piece part that is not normally disassembled without destruction and is normally attached to a PWB to perform an electrical function

**3.15**

**PN**

**part number**

number assigned to a part for tracking and identification purposes

**3.16**

**rework**

action taken to return a unit (SRU/LRU/system) to a state meeting all requirements of the engineering drawing, including both functionality and physical configuration by making repairs

Note 1 to entry: Also used to define the act of reprocessing non-complying articles, through the use of original or equivalent processing in a manner that assures full compliance of the article with applicable drawings or specifications.

**3.17**

**repair**

act of restoring the functional capability of a defective article in a manner that precludes compliance of the article with applicable drawings or specifications

**3.18**

**shall**

indicates a mandatory requirement to be followed in order to comply with this specification

**3.19**

**should**

indicates that, among several possibilities, one is recommended as particularly suitable, without mentioning or excluding others; or that a certain course of action is preferred but not necessarily required; or that (in the negative form) a certain course of action is discouraged but not prohibited

**STANDARD PREVIEW**  
**(standards) (iteh.ai)**

[IEC TS 62647-1:2012](https://standards.iteh.ai/catalog/standards/sist/2a894297-979f-4385-8f71-95c89757c9a3/iec-ts-62647-1-2012)

**3.20**

**solder ball technology**

family of components that employ solder balls or bumps to make mechanical and electrical connections between components and PWBs

<https://standards.iteh.ai/catalog/standards/sist/2a894297-979f-4385-8f71-95c89757c9a3/iec-ts-62647-1-2012>

EXAMPLE Ball grid arrays (BGAs), flip chips, and chip scale interconnections.

**3.21**

**soldered assembly**

assembly of two or more basic parts interconnected by a solder alloy

Note 1 to entry: A (Pb)-based soldered assembly is one in which the solder alloys are solely (Pb)-based. A (Pb)-free soldered assembly is one in which the solder alloys are solely (Pb)-free.

**3.22**

**sub-contractor**

organization, within the given high-reliability industry, that supplies, maintains, repairs, or supports electronic systems, and is not the direct supplier to the customer or user of those systems

**3.23**

**supplier**

entity or organization that designs, manufactures, repairs, reworks, or maintains a piece part, unit, or system

Note 1 to entry: This includes original equipment manufacturers (OEMs), repair and rework facilities, subcontractors, and piece part manufacturers.

**3.24**

**system**

one or more units that perform electrical function(s)