

Edition 2.0 2013-04

TECHNICAL SPECIFICATION





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released Available on-line and also once a month by email.

Electropedia www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication of need further assistance, please contact the Customer Service Centre: csc@iec.ch.

3351-5:2013

https://standards.iteh.ai.va/Jav/standyds/vc///7aeff6-56e3-402a-910f-4236d72f099d/jec-ts-62351-5-201



Edition 2.0 2013-04

TECHNICAL SPECIFICATION



Power systems management and associated information exchange – Data and communications security –

Part 5: Security for IEC 60870-5 and derivatives



INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.200 ISBN 978-2-83220-732-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	OREW	DRD6					
1	1 Scope and object						
2	Norn	Normative references9					
3							
4							
5		lem description (informative)					
0	5.1	Overview of clause					
	5.1	Specific threats addressed					
	5.3	Design issues					
	5.5	5.3.1 Overview of subclause					
		5.3.2 Asymmetric communications					
		5.3.3 Message-oriented 12					
		5.3.4 Poor sequence numbers or no sequence numbers					
		5.3.5 Limited processing power					
		5.3.6 Limited bandwidth					
		5.3.7 No access to authentication server					
		5.3.8 Limited frame length					
		5.3.9 Limited checksum 13					
		5.3.10 Radio systems 13					
		5.3.11 Dial-up systems					
		5.3.12 Variety of protocels affected					
		5.3.14 Long upgrade intervals					
		5.3.15 Remote sites					
		5.3.16 Multiple users					
		5.3.17 Urreliable media					
	5.4	General principles					
		5.4.1 Overview of subclause					
		5.4.2 Authentication only					
	<	5.4.3 Application layer only					
		5.4.4 Generic definition mapped onto different protocols					
		5.4.5 Bi-directional					
		5.4.6 Challenge-response					
		5.4.7 Pre-shared keys as default option					
		5.4.8 Backwards tolerance					
		5.4.9 Upgradeable					
		5.4.10 Perfect forward secrecy					
		5.4.11 Multiple users and auditing					
6	The	ry of operation (informative)16					
	6.1	Overview of clause					
	6.2	Narrative description16					
		6.2.1 Basic concepts					
		6.2.2 Initiating the challenge					
		6.2.3 Replying to the challenge					
		6.2.4 Authenticating					
		6.2.5 Authentication failure					

		6.2.6	Aggressive mode	
		6.2.7	Changing keys	18
		6.2.8	Security statistics	22
	6.3	Examp	le message sequences	22
		6.3.1	Overview of subclause	22
		6.3.2	Challenge of a Critical ASDU	23
		6.3.3	Aggressive Mode	24
		6.3.4	Initializing and changing Session Keys	24
	6.4	State n	nachine overview	28
7	Form	nal speci	fication	32
	7.1	Overvie	ew of clause	32
	7.2	Messa	ge definitions	32
		7.2.1	Distinction between messages and ASDUs	32
		7.2.2	Challenge message	33
		7.2.3	Challenge message Reply message	35
		7.2.4	Aggressive Mode Request message	36
		7.2.5	MAC := OS8i[18i]; i:=specified by MALKey Status Request message	
		7.2.6	Key Status massage	38
		7.2.7	Session Key Change message Error message User Status Change message	41
		7.2.8	Error message	43
		7.2.9	User Status Change message	45
		7.2.10	Update Key Change Request message	49
			Update Key Change Reply message	
		7.2.12	Update Key Change message	52
			Update Key Change Signature message	
			Update Key Change Confirmation message	
	7.3		procedures	
	ınuaru	7.3.1	Overview of subclause	
			Security statistics	
			Challenger procedures	
			Responder procedures	
	_			
	Ì	<i>\</i>	Controlled station procedures	
8	Inter		ity requirements	
	8.1		ew of clause	
	8.2		m requirements	
	0.2	8.2.1	Overview of subclause	
		8.2.2	MAC algorithms	
		8.2.3	Key wrap / transport algorithms	
		8.2.4	Fixed values	
		8.2.5	Configurable values	
	8.3		S	
	5.5	8.3.1	Overview of subclause	
		8.3.2	MAC algorithms	
		8.3.3	Encryption algorithms	
		8.3.4	Key wrap / transport algorithms	
		8.3.5	Configurable values	
9	Sner		cations	
9	Oper	nai Appii	OULIONO	

9.1 Overview of clause	98
9.2 Use with TCP/IP	99
9.3 Use with redundant channels	99
9.4 Use with external link encryptors	99
10 Requirements for referencing this specification	99
10.1 Overview of clause	99
10.2 Selected options	99
10.3 Operations considered critical	100
10.4 Addressing information	100
10.5 Message format mapping	
10.6 Reference to procedures	100
11 Protocol implementation conformance statement	
11.1 Overview of clause	
11.2 Required algorithms	.\\101
11.3 MAC algorithms	
11.4 Key wrap algorithms	
11.5 Maximum Error messages sent	101
11.6 Use of Error messages	
11.7 Update Key Change Methods	
11.8 User Status Change	102
Annex A (informative) Compliance with ISONEC 11770	
Bibliography	
Figure 1 – Overview of interaction between Authority and stations	22
Figure 2 - Example of Successful Challenge of Critical ASDU	23
Figure 3 – Example of failed Challenge of Critical ASDU	23
Figure 4 – Example of a successful Aggressive Mode Request	
Figure 5 – Example of a failed Aggressive Mode Request	
Figure 6 – Example of Session Key initialization and periodic update	
Figure 7 – Example of communications failure followed by Session K	
Figure 8 Example of successful User Status and Update Key Chan	
Figure 9 – User changes controlling stations	
Figure 10 – Major state transitions for controlling station authenticati	on29
Figure 11 – Major state transitions for controlled station authentication	on30
Figure 12 – Major state transitions for controlling station Update Key	change31
Figure 13 – Major state transitions for controlled station Update Key	change32
Figure 14 – Example Use of Challenge Sequence Numbers	•
5	
Table 1 – Scope of application to standards	٥
Table 2 – Summary of symmetric keys used	
Table 3 – Summary of asymmetric keys used (optional)	
Table 4 – Challenge message	
Table 5 – Reply message	35
Table 6 – Data Included in the MAC Value calculation	36
Table 7 – Aggressive Mode Request message	26

Table 8 – Data Included in the MAC Value calculation in Aggressive Mode	37
Table 9 – Key Status Request Message	38
Table 10 – Use of Default Session Keys	38
Table 11 – Key Status Message	39
Table 12 – Data Included in the MAC Value Calculation for Key Status	41
Table 13 – Key Change message	41
Table 14 – Data Included in the key wrap (in order)	42
Table 15 – Example of key order	42
Table 16 – Example of Wrapped Key Data	
Table 17 – Error message	43
Table 18 – Creation of Certification Data	46
Table 19 – User Status Change message	46
Table 20 – Update Key Change Request message	50
Table 21 – Update Key Change Reply message	<i>.</i> 51
Table 22 – Update Key Change message	52
Table 23 – Encrypted Update Key Data	53
Table 24 – Update Key Change Signature message	
Table 25 – Data included in the Digital Signature	54
Table 26 – Update Key Change Confirmation message	
Table 27 – Data included in the MAC calculation	
Table 28 – States used in the state machine descriptions	
Table 29 –Security statistics	
Table 30 – Challenger state machine	
Table 31 – User roles	
Table 32 – Controlling Station State Machine – Changing Session Keys	
Table 33 – Controlling Station State Machine – Changing Update Keys	
Table 34 – Special Statistic Event Thresholds	
Table 35 – Algorithms and Messages used for each Update Key Change Method.	
Table 36 – Size of Challenge Ďata	
Table 37 – Configuration of Cryptographic Information	
Table 38 – Legend for configuration of cryptographic information	
Table 39 – Construction of AES-GMAC initialization vector	
Table 40 – Source of initialization vector components in each message	
Table A.1 – Cryptographic Notation	
Table A.2 – Compliance with ISO/IEC 11770	107

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POWER SYSTEMS MANAGEMENT AND ASSOCIATED INFORMATION EXCHANGE – DATA AND COMMUNICATIONS SECURITY –

Part 5: Security for IEC 60870-5 and derivatives

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC/TS 62351-5, which is a technical specification, has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This second edition cancels and replaces the first edition published in 2009. It constitutes a technical revision. The primary changes in the second edition are:

- adds the capability to change Update Keys remotely;
- adds security statistics to aid in detecting attacks;
- adds measures to avoid being forced to change session keys too often;
- discards unexpected messages more often as possible attacks;
- · adds to the list of permitted security algorithms;
- adds new rules for calculating challenge sequence numbers.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
57/1204/DTS	57/1282/RV@

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

Capitalization has been used in the text of this specification to formally identify the most important components of the described security mechanism. These components include: 1) data items e.g. Update Keys, Session Keys; 2) message names, e.g. Challenge, Reply, Aggressive Mode Request; 3) event names e.g. Reply Timeout, Rx Invalid Reply; 4) state names, e.g. Security Idle, Wait for Reply; and 5) statistics e.g. Authentication Failures, Unexpected Messages.

A list of all the parts in the IEC 62351 series, published under the general title Power systems management and associated information exchange – Data and communications security, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed.
- withdrawn,
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

POWER SYSTEMS MANAGEMENT AND ASSOCIATED INFORMATION EXCHANGE – DATA AND COMMUNICATIONS SECURITY –

Part 5: Security for IEC 60870-5 and derivatives

1 Scope and object

This part of IEC 62351 specifies messages, procedures and algorithms for securing the operation of all protocols based on or derived from IEC 60870-5: Telecontrol equipment and systems — Transmission protocols. This Technical Specification applies to at least those protocols listed in Table 1.

Table 1 - Scope of application to standards

Number	Name
IEC 60870-5-101	Companion standard for basic telecontrol tasks
IEC 60870-5-102	Companion standard for the transmission of integrated totals in electric power systems
IEC 60870-5-103	Companion standard for the informative interface of protection equipment
IEC 60870-5-104	Network access for IEC 60870-5-101 using standard transport profiles
DNP3	Distributed Network Protocol (based on IEC 60870-1 through IEC 60870-5 and controlled by the DNP Users Group)

The initial audience for this Technical Specification is intended to be the members of the working groups developing the protocols listed in Table 1. For the measures described in this specification to take effect, they must be accepted and referenced by the specifications for the protocols themselves. This document is written to enable that process.

The subsequent audience for this specification is intended to be the developers of products that implement these protocols.

Portions of this specification may also be of use to managers and executives in order to understand the purpose and requirements of the work.

This part of IEC/TS 62351 focuses only on application layer authentication and security issues arising from such authentication. Other security concerns – in particular, protection from eavesdropping or man-in-the-middle attacks through the use of encryption – are considered to be outside the scope. Encryption may be added through the use of this specification with other specifications.

This document is organized working from the general to the specific, as follows:

- Clauses 2 through 4 provide background terms, definitions, and references.
- Clause 5 describes the problems this specification is intended to address.
- Clause 6 describes the mechanism generically without reference to a specific protocol.
- Clauses 7 and 8 describe the mechanism more precisely and are the primary normative part of this specification.
- Clause 9 describes a few particular implementation issues that are special cases.
- Clause 10 describes the requirements for other standards referencing this specification.

 Clause 11 describes the Protocol Implementation Conformance Statement (PICS) for this mechanism.

Unless specifically labelled as informative or optional, all clauses of this specification are normative.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60870-5 (all parts), Telecontrol equipment and systems – Transmission protocols

IEC/TS 62351-1, Power systems management and associated information exchange – Data and communications security – Part 1: Communication network and system security – Introduction to security issues

IEC/TS 62351-2, Power systems management and associated information exchange – Data and communications security – Part 2: Glossary of terms

IEC/TS 62351-3, Power systems management and associated information exchange – Data and communications security – Part 3. Communication network and system security – Profiles including TCP/IP

IEC/TS 62351-8, Power systems management and associated information exchange – Data and communications security – Part 8: Role-based access control

ISO/IEC 9798-4, Information technology – Security techniques – Entity authentication – Part 4: Mechanisms using a cryptographic check function

ISO/IEC 11770-2:2008, Information technology – Security techniques – Key management – Part 2: Mechanisms using symmetric techniques

ISO/IEC 11770-3:2008, Information technology – Security techniques – Key management – Part 3: Mechanisms using asymmetric techniques

FIPS 180-2, Secure Hash Standard (includes SHA-1, SHA-224, SHA-256, SHA-384 and SHA-512). USA NIST

FIPS 186-2, *Digital Signature Standard (DSS)*, USA NIST, February 2000 including Change Notice #1, October 2001. Used for the random number generation algorithms in the Appendix

FIPS 186-3, *Digital Signature Standard (DSS)*, USA NIST, June 2009. Used for digital signature algorithms when asymmetric Update Key change is implemented

RFC 2104, HMAC: Keyed-Hashing for Message Authentication

RFC 3394, Advanced Encryption Standard (AES) Key Wrap Algorithm

RFC 3447, Public-Key Cryptography Standards (PKCS) #1: RSA Cryptography Specifications Version 2.1

RFC 3629, UTF-8, a transformation format of ISO 10646

RFC 5280, Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile

NIST SP 800-38D, Recommendation for Block Cipher Modes of Operation: Galois/Counter Mode (GCM) and GMAC

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC/TS 62351-2 and the following apply.

3.1

challenger

station that issues authentication challenges

Note 1 to entry: It may be either a controlled or controlling station.

3.2

control direction

direction of transmission from the controlling station to a controlled station

[SOURCE: IEC 60870-5-101:2003, 3.3]

3.3

controlled station

station which is monitored, or commanded and monitored by a master (controlling) station

Note 1 to entry: It is commonly called an "outstation" or "slave" in some specifications.

[SOURCE: IEC 60870-1-3:1997]

3.4

controlling station

station which performs the telecontrol of outstations

Note 1 to entry: Jt'is commonly called a "master" or "master station" in some specifications.

[SOURCE: LEC 60870 1-3:1997]

3.5

monitor direction

direction of transmission from a controlled station to a controlling station

[SOURCE: IEC 60870-5-101:2003, 3.4]

3.6

responder

station that responds or reacts to authentication challenges

Note 1 to entry: It may be either a controlled or controlling station.

3.7

telecontrol

control of operational equipment at a distance using the transmission of information by telecommunication techniques

Note 1 to entry: Telecontrol may comprise any combination of command, alarm, indication, metering, protection and tripping facilities, without any use of speech messages.

[SOURCE: IEC 60870-1-3:1997]

3.8

application service data unit ASDU

application layer message submitted to lower layers for transmission

4 Abbreviated terms

Refer to IEC/TS 62351-2 for a list of applicable abbreviated terms. The following term is included here because it is specifically used in the affected protocols and used in the discussion of this authentication mechanism.

ASDU

application service data unit. The application layer message submitted to lower layers for transmission.

5 Problem description (informative)

5.1 Overview of clause

Clause 5 describes:

- the security threats that this specification is intended to address;
- the unique design problems in implementing authentication for IEC 60870-5 and derived protocols;
- the resulting design principles behind the mechanism.

5.2 Specific threats addressed

This specification shall address only the following security threats, as defined in IEC/TS 62351-2:

- spoofing;
- modification;
- replay;
- eavesdropping— on exchanges of cryptographic keys only, not on other data.

5.3 Design issues

5.3.1 Overview of subclause

Subclause 5.3 describes the challenges faced in developing an authentication proposal that can be applied to all the IEC 60870-5 and derivative protocols. Subclause 5.3 is supplied for the benefit of security experts reviewing this document who may not be familiar with the electrical utility protocol environment.

5.3.2 Asymmetric communications

All the protocols affected by this specification share the concept of inequality between the communication stations. In each of these protocols there is a designated controlling station and a designated controlled station, each having different roles, responsibilities, procedures and message formats. In particular, the controlling station is in many cases responsible for flow control and media access control.

The existence of a definite controlled/controlling station designation has two impacts on the design of this authentication mechanism:

- the format of messages in each direction will differ, even if the functions are the same;
- key distribution is simplified because they will always be issued by the controlling station.

5.3.3 Message-oriented

All of the affected protocols are message-oriented. This means that authentication must be performed on a message-by-message basis, rather than authenticating only at the beginning of a data stream and occasionally thereafter, as some connection-oriented protocols do.

5.3.4 Poor sequence numbers or no sequence numbers

A common security technique to address the threat of replay is to include in the message a sequence number. Combined with tests for message integrity, the sequence number makes it harder for an attacker to simulate a legitimate user by just copying an existing message, because the messages must be transmitted in a particular order.

Unfortunately, none of the affected protocols includes a sequence number that would provide adequate protection. Those sequence numbers that do exist have very low maximum values, permitting an attacker to attempt a replay after gathering only a small number of messages.

Therefore, the design of this specification must include its own sequence numbers and other time-varying data to protect against replay.

5.3.5 Limited processing power

The lack of processing power available on many power utility devices has been a major design concern for the affected protocols since their creation. This design requirement necessarily affects the authentication mechanism also. The concern is heightened by the fact that many of these devices are single-processor machines; a denial-of-service attack would affect not only the communications capability of such devices but their function as an electrical control, protection, or monitoring device also.

Therefore, the use of security measures requiring extremely high processing power, such as public-key encryption and very large key sizes, has been avoided as much as possible.

5.3.6 Limited bandwidth

The limited amount of bandwicth available in utility networks has been the prime design concern (after message integrity) of the affected protocols. Links of 1 200 bits per second and lower are still a reality for many applications of these protocols. Some communications links also charge costs per octet transmitted.

Therefore the authentication mechanism must not add very much overhead (i.e. few octets) to the affected protocols. The size of the challenge and authentication data has therefore been limited and truncated as much as possible while retaining an adequate level of security. Other measures may be taken in the implementations in each protocol.

5.3.7 No access to authentication server

The nature of the utility networks in which the affected protocols are deployed is that the controlling station is often the only device with which the controlled station can communicate. If there is any access to other networks, it is often achieved through the device implementing the controlling station.

The impact of this fact on the authentication mechanism is that any system requiring on-line verification of the controlling station's security credentials by a third party is not practical.