

# SLOVENSKI STANDARD **SIST EN ISO 8826-1:1998**

01-maj-1998

HY\ b] bY'f]gVY'!'?cHJ'b]"YÿU']'!'%"XY'.'Gd`cýbc'dcYbcgHJj`'Ybc'df]\_Uncj Ub'Y'fHGC ,,&\*!%%,-Ł

Technical drawings - Rolling bearings - Part 1: General simplified representation (ISO 8826-1:1989)

Technische Zeichnungen - Wälzlager - Teil 1: Allgemeine vereinfachte Darstellung (ISO 8826-1:1989) iTeh STANDARD PREVIEW

Dessins techniques - Roulements - Partie 1: Représentation simplifiée générale (ISO 8826-1:1989) SIST EN ISO 8826-1:1998

https://standards.iteh.ai/catalog/standards/sist/faabe9b5-f662-40d8-82ca-

Ta slovenski standard je istoveten z: EN ISO 8826-1-1998

ICS:

01.100.20 Konstrukcijske risbe Mechanical engineering

drawings

Rolling bearings 21.100.20 Kotalni ležaji

**SIST EN ISO 8826-1:1998** en

# iTeh STANDARD PREVIEW (standards.iteh.ai)

**EUROPEAN STANDARD** 

**EN ISO 8826-1** 

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

January 1995

ICS 01.100.20; 21.100.20

Descriptors:

drawings, technical drawings, bearings, rolling bearings, graphic methods

English version

Technical drawings - Rolling bearings - Part 1: General simplified representation (ISO 8826-1:1989)

Dessins techniques - Roulements Représentation simplifiée (ISO 8826-1:1989)

- Roulements - Partie 1: Technische Zeichnungen - Wälzlager - Teil 1: simplifiée générale DARD PR Allgemeine vereinfachte Darstellung (ISO 8826-1:1989)

(standards.iteh.ai)

SIST EN ISO 8826-1:1998

https://standards.iteh.ai/catalog/standards/sist/faabe9b5-f662-40d8-82ca-f18f470be070/sist-en-iso-8826-1-1998

This European Standard was approved by CEN on 1995-01-10. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

## CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue de Stassart,36 B-1050 Brussels

Page 2 EN ISO 8826-1:1995

### Foreword

The CEN Technical Board has decided to submit the document for formal vote. The result was positive.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 1995, and conflicting national standards shall be withdrawn at the latest by July 1995.

According to the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, United Kingdom.

## **Endorsement notice**

The text of the International Standard ISO 8826-1:1989 was approved by CEN as a European Standard without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

# INTERNATIONAL STANDARD

ISO 8826-1

> First edition 1989-08-01

## Technical drawings — Rolling bearings —

Part 1: General simplified representation

## iTeh STANDARD PREVIEW

Dessins techniques — Roulements — Partie 1: Représentation simplifiée générale



ISO 8826-1: 1989 (E)

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at VIEW least 75 % approval by the member bodies voting.

(standards.iteh.ai)

International Standard ISO 8826-1 was prepared by Technical Committee ISO/TC 10,

Technical drawings. SIST EN ISO 8826-1:1998

https://standards.iteh.ai/catalog/standards/sist/faabe9b5-f662-40d8-82ca-ISO 8826 will consist of the following parts, under the general title Technical drawings

- Rolling bearings:

- Part 1: General simplified representation
- Part 2: Detailed simplified representation

© ISO 1989

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

ISO 8826-1: 1989 (E)

## Introduction

ISO 8826 provides rules for the simplified representation of rolling bearings.

The principle of drawing practice is to depict the object to scale using lines. In simplified representations, only essential features are shown, preferably in outline (in order to save time and effort).

The degree of simplification depends on the kind of object represented, the scale of the drawing and the purpose of the documentation. This means that either a general simplified representation or a detailed one may be used. A detailed representation shows more details of a rolling bearing, for example the number of rows or the possibility of alignment (see ISO 8826-2).

In order to avoid misunderstandings, only one kind of simplification, either the general or the detailed simplified representation, should be used on a drawing.

# iTeh STANDARD PREVIEW

This page intentionally left blank

# Technical drawings — Rolling bearings

## Part 1:

# General simplified representation

## Scope

This part of ISO 8826 specifies the general simplified representation for rolling bearings.

This representation should be used when it is not necessary to show the exact shape and details of the rolling bearing, for example in assembly drawings.

### Normative reference

The following standard contains provisions which, through reference in this text, constitute provisions of this part of ISO 8826. At the time of publication, the editions indicated was valid. All standards are subject to revision, and parties to agreements based on this part of ISO 8826 are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 128: 1982, Technical drawings — General principles of presentation.

## Method of representation

#### 3.1 Lines

All features of the simplified representation shall be drawn with the same line thickness used for all other visible outlines and edges on the drawing (line type A, ISO 128).

#### 3.2 Scale

The contour of the simplified representation shall be drawn to the same scale as used for the drawing.

## General simplified representation

general purposes (without specified load-bearing characteristics or bearing features, where it is not necessary to show the exact contour), the rolling bearing shall be represented by a square and a free-standing upright cross centred in the square (see figure 1). The cross shall not touch the outlines.

https://standards.iteh.ai/catalog/standards/sist/faabe955-fa60-n 40181 be used in the space on one or both f18f470bc070/sist-en-issides of the axis (see for example figure 3, for the case of a horizontal axis).




Figure 1

If it is necessary to show the exact contour of a rolling bearing, it should be represented by the true outline of its cross-section, with the upright cross in a central position (see figure 2). The cross shall not touch the outlines.




Figure 2