

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Universal serial bus interfaces for data and power –
Part 1: Universal serial bus specification, revision 2.0**

**Interfaces de bus universel en série pour les données et l'alimentation
électrique –
Partie 1: Spécification du bus universel en série, révision 2.0**

<https://standards.iec.ch/standards/s2/62680-1-2013>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2000 USB-IF

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from IEC, or USB-IF at the respective address given below. Any questions about USB-IF copyright should be addressed to the USB-IF. Enquiries about obtaining additional rights to this publication and other information requests should be addressed to the IEC or your local IEC member National Committee.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

USB Implementers Forum, Inc.
3855 S.W. 153rd Drive
Beaverton, OR 97003
United States of America
Tel. +1 503-619-0426
Admin@usb.org
www.usb.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online, and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Universal serial bus interfaces for data and power –
Part 1: Universal serial bus specification, revision 2.0**

**Interfaces de bus universel en série pour les données et l'alimentation
électrique –
Partie 1: Spécification du bus universel en série, révision 2.0**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 35.200

ISBN 978-2-8322-1083-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

INTERNATIONAL ELECTROTECHNICAL COMMISSION

UNIVERSAL SERIAL BUS INTERFACES FOR DATA AND POWER –

Part 1: Universal serial bus specification, revision 2.0

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62680-1 has been prepared by technical area 14: Interfaces and methods of measurement for personal computing equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on documents prepared by the USB Implementers Forum (USB-IF). The structure and editorial rules used in this publication reflect the practice of the organization which submitted it.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|---------------|------------------|
| 100/2156/FDIS | 100/2188/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all the parts in the IEC 62680 series, published under the general title *Universal serial bus interfaces for data and power* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

[IEC 62680-1:2013](https://standards.iteh.ai/standards/si/62680-1-2013)

<https://standards.iteh.ai/catalog/standards/si/62680-1-2013>

INTRODUCTION

The IEC 62680 series is based on a series of specifications that were originally developed by the USB Implementers Forum (USB-IF). These specifications were submitted to the IEC under the auspices of a special agreement between the IEC and the USB IF.

The USB Implementers Forum, Inc.(USB-IF) is a non-profit corporation founded by the group of companies that developed the Universal Serial Bus specification. The USB-IF was formed to provide a support organization and forum for the advancement and adoption of Universal Serial Bus technology. The Forum facilitates the development of high-quality compatible USB peripherals (devices), and promotes the benefits of USB and the quality of products that have passed compliance testing.

ANY USB SPECIFICATIONS ARE PROVIDED TO YOU "AS IS, "WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE USB IMPLEMENTERS FORUM AND THE AUTHORS OF ANY USB SPECIFICATIONS DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OR INFORMATION IN THIS SPECIFICATION.

THE PROVISION OF ANY USB SPECIFICATIONS TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.

Entering into USB Adopters Agreements may, however, allow a signing company to participate in a reciprocal, royalty-free licensing arrangement for compliant products. For more information, please see:

<http://www.usb.org/developers/docs/>
http://www.usb.org/developers/devclass_docs#approved

IEC DOES NOT TAKE ANY POSITION AS TO WHETHER IT IS ADVISABLE FOR YOU TO ENTER INTO ANY USB ADOPTERS AGREEMENTS OR TO PARTICIPATE IN THE USB IMPLEMENTERS FORUM."

This series covers the Universal Serial Bus interfaces for data and power and consists of the following parts:

IEC 62680-1, *Universal Serial Bus interfaces for data and power - Part 1: Universal Serial Bus Specification, Revision 2.0*

IEC 62680-2, *Universal Serial Bus interfaces for data and power - Part 2: USB Micro-USB Cables and Connectors Specification, Revision 1.01*

IEC 62680-3, *Universal Serial Bus interfaces for data and power - Part 3: USB Battery Charging Specification, Revision 1.2*

IEC 62680-4, *Universal Serial Bus interfaces for data and power - Part 4: Universal Serial Bus Cables and Connectors Class Document Revision. 2.0*

This part of the IEC 62680 series consists of several distinct parts:

- the main body of the text, which consists of the original specification and all ECN and Errata developed by the USB-IF;

CONTENTS

| | | |
|-------|------------------------------------|----|
| 1 | Chapter 1 Introduction | 17 |
| 1.1 | Motivation | 17 |
| 1.2 | Objective of the Specification | 17 |
| 1.3 | Scope of the Document | 18 |
| 1.4 | USB Product Compliance | 18 |
| 1.5 | Document Organization | 18 |
| 2 | Chapter 2 Terms and Abbreviations | 19 |
| 3 | Chapter 3 Background | 25 |
| 3.1 | Goals for the Universal Serial Bus | 25 |
| 3.2 | Taxonomy of Application Space | 25 |
| 3.3 | Feature List | 26 |
| 4 | Chapter 4 Architectural Overview | 28 |
| 4.1 | USB System Description | 28 |
| 4.1.1 | Bus Topology | 28 |
| 4.2 | Physical Interface | 29 |
| 4.2.1 | Electrical | 30 |
| 4.2.2 | Mechanical | 30 |
| 4.3 | Power | 30 |
| 4.3.1 | Power Distribution | 31 |
| 4.3.2 | Power Management | 31 |
| 4.4 | Bus Protocol | 31 |
| 4.5 | Robustness | 31 |
| 4.5.1 | Error Detection | 32 |
| 4.5.2 | Error Handling | 32 |
| 4.6 | System Configuration | 32 |
| 4.6.1 | Attachment of USB Devices | 32 |
| 4.6.2 | Removal of USB Devices | 32 |
| 4.6.3 | Bus Enumeration | 32 |
| 4.7 | Data Flow Types | 33 |
| 4.7.1 | Control Transfers | 33 |
| 4.7.2 | Bulk Transfers | 33 |
| 4.7.3 | Interrupt Transfers | 33 |
| 4.7.4 | Isochronous Transfers | 33 |
| 4.7.5 | Allocating USB Bandwidth | 34 |
| 4.8 | USB Devices | 34 |
| 4.8.1 | Device Characterizations | 34 |
| 4.8.2 | Device Descriptions | 35 |
| 4.9 | USB Host: Hardware and Software | 37 |
| 4.10 | Architectural Extensions | 37 |
| 5 | Chapter 5 USB Data Flow Model | 38 |
| 5.1 | Implementer Viewpoints | 38 |
| 5.2 | Bus Topology | 39 |
| 5.2.1 | USB Host | 40 |
| 5.2.2 | USB Devices | 40 |

| | | |
|--------|--|----|
| 5.2.3 | Physical Bus Topology | 41 |
| 5.2.4 | Logical Bus Topology | 42 |
| 5.2.5 | Client Software-to-function Relationship | 43 |
| 5.3 | USB Communication Flow | 43 |
| 5.3.1 | Device Endpoints..... | 45 |
| 5.3.2 | Pipes | 46 |
| 5.3.3 | Frames and Microframes | 48 |
| 5.4 | Transfer Types | 48 |
| 5.4.1 | Table Calculation Examples | 49 |
| 5.5 | Control Transfers | 50 |
| 5.5.1 | Control Transfer Data Format | 50 |
| 5.5.2 | Control Transfer Direction | 51 |
| 5.5.3 | Control Transfer Packet Size Constraints | 51 |
| 5.5.4 | Control Transfer Bus Access Constraints..... | 52 |
| 5.5.5 | Control Transfer Data Sequences | 54 |
| 5.6 | Isochronous Transfers..... | 55 |
| 5.6.1 | Isochronous Transfer Data Format | 55 |
| 5.6.2 | Isochronous Transfer Direction | 55 |
| 5.6.3 | Isochronous Transfer Packet Size Constraints..... | 55 |
| 5.6.4 | Isochronous Transfer Bus Access Constraints | 57 |
| 5.6.5 | Isochronous Transfer Data Sequences | 58 |
| 5.7 | Interrupt Transfers..... | 58 |
| 5.7.1 | Interrupt Transfer Data Format | 58 |
| 5.7.2 | Interrupt Transfer Direction..... | 58 |
| 5.7.3 | Interrupt Transfer Packet Size Constraints | 58 |
| 5.7.4 | Interrupt Transfer Bus Access Constraints | 59 |
| 5.7.5 | Interrupt Transfer Data Sequences | 62 |
| 5.8 | Bulk Transfers..... | 62 |
| 5.8.1 | Bulk Transfer Data Format..... | 62 |
| 5.8.2 | Bulk Transfer Direction | 62 |
| 5.8.3 | Bulk Transfer Packet Size Constraints..... | 62 |
| 5.8.4 | Bulk Transfer Bus Access Constraints | 63 |
| 5.8.5 | Bulk Transfer Data Sequences | 64 |
| 5.9 | High-Speed, High Bandwidth Endpoints | 65 |
| 5.9.1 | High Bandwidth Interrupt Endpoints..... | 65 |
| 5.9.2 | High Bandwidth Isochronous Endpoints | 66 |
| 5.10 | Split Transactions..... | 67 |
| 5.11 | Bus Access for Transfers | 67 |
| 5.11.1 | Transfer Management..... | 68 |
| 5.11.2 | Transaction Tracking | 70 |
| 5.11.3 | Calculating Bus Transaction Times..... | 72 |
| 5.11.4 | Calculating Buffer Sizes in Functions and Software | 74 |
| 5.11.5 | Bus Bandwidth Reclamation | 74 |
| 5.12 | Special Considerations for Isochronous Transfers | 74 |
| 5.12.1 | Example Non-USB Isochronous Application..... | 75 |
| 5.12.2 | USB Clock Model | 77 |

| | | |
|--------|--|-----|
| 5.12.3 | Clock Synchronization | 79 |
| 5.12.4 | Isochronous Devices | 79 |
| 5.12.5 | Data Prebuffering | 87 |
| 5.12.6 | SOF Tracking | 88 |
| 5.12.7 | Error Handling | 88 |
| 5.12.8 | Buffering for Rate Matching | 89 |
| 6 | Chapter 6 Mechanical | 91 |
| 6.1 | Architectural Overview | 91 |
| 6.2 | Keyed Connector Protocol | 91 |
| 6.3 | Cable | 92 |
| 6.4 | Cable Assembly | 92 |
| 6.4.1 | Standard Detachable Cable Assemblies | 92 |
| 6.4.2 | High-/full-speed Captive Cable Assemblies | 94 |
| 6.4.3 | Low-speed Captive Cable Assemblies | 96 |
| 6.4.4 | Prohibited Cable Assemblies | 98 |
| 6.5 | Connector Mechanical Configuration and Material Requirements | 98 |
| 6.5.1 | USB Icon Location | 99 |
| 6.5.2 | USB Connector Termination Data | 99 |
| 6.5.3 | Series “A” and Series “B” Receptacles | 100 |
| 6.5.4 | Series “A” and Series “B” Plugs | 103 |
| 6.6 | Cable Mechanical Configuration and Material Requirements | 106 |
| 6.6.1 | Description | 107 |
| 6.6.2 | Construction | 107 |
| 6.6.3 | Electrical Characteristics | 110 |
| 6.6.4 | Cable Environmental Characteristics | 110 |
| 6.6.5 | Listing | 110 |
| 6.7 | Electrical, Mechanical, and Environmental Compliance Standards | 110 |
| 6.7.1 | Applicable Documents | 116 |
| 6.8 | USB Grounding | 116 |
| 6.9 | PCB Reference Drawings | 116 |
| 7 | Chapter 7 Electrical | 120 |
| 7.1 | Signaling | 120 |
| 7.1.1 | USB Driver Characteristics | 123 |
| 7.1.2 | Data Signal Rise and Fall, Eye Patterns | 130 |
| 7.1.3 | Cable Skew | 139 |
| 7.1.4 | Receiver Characteristics | 139 |
| 7.1.5 | Device Speed Identification | 141 |
| 7.1.6 | Input Characteristics | 142 |
| 7.1.7 | Signaling Levels | 145 |
| 7.1.8 | Data Encoding/Decoding | 158 |
| 7.1.9 | Bit Stuffing | 158 |
| 7.1.10 | Sync Pattern | 160 |
| 7.1.11 | Data Signaling Rate | 160 |
| 7.1.12 | Frame Interval | 160 |
| 7.1.13 | Data Source Signaling | 161 |
| 7.1.14 | Hub Signaling Timings | 163 |

| | | |
|--------|---|-----|
| 7.1.15 | Receiver Data Jitter | 164 |
| 7.1.16 | Cable Delay | 166 |
| 7.1.17 | Cable Attenuation | 167 |
| 7.1.18 | Bus Turn-around Time and Inter-packet Delay | 168 |
| 7.1.19 | Maximum End-to-end Signal Delay | 169 |
| 7.1.20 | Test Mode Support | 170 |
| 7.2 | Power Distribution | 171 |
| 7.2.1 | Classes of Devices | 171 |
| 7.2.2 | Voltage Drop Budget | 175 |
| 7.2.3 | Power Control During Suspend/Resume | 176 |
| 7.2.4 | Dynamic Attach and Detach | 177 |
| 7.3 | Physical Layer | 178 |
| 7.3.1 | Regulatory Requirements | 178 |
| 7.3.2 | Bus Timing/Electrical Characteristics | 178 |
| 7.3.3 | Timing Waveforms | 188 |
| 8 | Chapter 8 Protocol Layer | 191 |
| 8.1 | Byte/Bit Ordering | 191 |
| 8.2 | SYNC Field | 191 |
| 8.3 | Packet Field Formats | 191 |
| 8.3.1 | Packet Identifier Field | 191 |
| 8.3.2 | Address Fields | 192 |
| 8.3.3 | Frame Number Field | 193 |
| 8.3.4 | Data Field | 193 |
| 8.3.5 | Cyclic Redundancy Checks | 194 |
| 8.4 | Packet Formats | 194 |
| 8.4.1 | Token Packets | 194 |
| 8.4.2 | Split Transaction Special Token Packets | 195 |
| 8.4.3 | Start-of-Frame Packets | 200 |
| 8.4.4 | Data Packets | 201 |
| 8.4.5 | Handshake Packets | 202 |
| 8.4.6 | Handshake Responses | 203 |
| 8.5 | Transaction Packet Sequences | 204 |
| 8.5.1 | NAK Limiting via Ping Flow Control | 213 |
| 8.5.2 | Bulk Transactions | 217 |
| 8.5.3 | Control Transfers | 222 |
| 8.5.4 | Interrupt Transactions | 225 |
| 8.5.5 | Isochronous Transactions | 225 |
| 8.6 | Data Toggle Synchronization and Retry | 230 |
| 8.6.1 | Initialization via SETUP Token | 231 |
| 8.6.2 | Successful Data Transactions | 231 |
| 8.6.3 | Data Corrupted or Not Accepted | 231 |
| 8.6.4 | Corrupted ACK Handshake | 232 |
| 8.6.5 | Low-speed Transactions | 233 |
| 8.7 | Error Detection and Recovery | 234 |
| 8.7.1 | Packet Error Categories | 234 |
| 8.7.2 | Bus Turn-around Timing | 234 |

| | | |
|--------|--|-----|
| 8.7.3 | False EOPs | 235 |
| 8.7.4 | Babble and Loss of Activity Recovery | 236 |
| 9 | Chapter 9 USB Device Framework | 237 |
| 9.1 | USB Device States | 237 |
| 9.1.1 | Visible Device States | 237 |
| 9.1.2 | Bus Enumeration | 241 |
| 9.2 | Generic USB Device Operations | 241 |
| 9.2.1 | Dynamic Attachment and Removal | 242 |
| 9.2.2 | Address Assignment | 242 |
| 9.2.3 | Configuration | 242 |
| 9.2.4 | Data Transfer | 243 |
| 9.2.5 | Power Management | 243 |
| 9.2.6 | Request Processing | 243 |
| 9.2.7 | Request Error | 245 |
| 9.3 | USB Device Requests | 246 |
| 9.3.1 | bmRequestType | 246 |
| 9.3.2 | bRequest | 246 |
| 9.3.3 | wValue | 246 |
| 9.3.4 | wIndex | 247 |
| 9.3.5 | wLength | 247 |
| 9.4 | Standard Device Requests | 247 |
| 9.4.1 | Clear Feature | 249 |
| 9.4.2 | Get Configuration | 250 |
| 9.4.3 | Get Descriptor | 250 |
| 9.4.4 | Get Interface | 251 |
| 9.4.5 | Get Status | 251 |
| 9.4.6 | Set Address | 253 |
| 9.4.7 | Set Configuration | 253 |
| 9.4.8 | Set Descriptor | 254 |
| 9.4.9 | Set Feature | 254 |
| 9.4.10 | Set Interface | 255 |
| 9.4.11 | Synch Frame | 256 |
| 9.5 | Descriptors | 256 |
| 9.6 | Standard USB Descriptor Definitions | 257 |
| 9.6.1 | Device | 257 |
| 9.6.2 | Device_Qualifier | 259 |
| 9.6.3 | Configuration | 259 |
| 9.6.4 | Other_Speed_Configuration | 261 |
| 9.6.5 | Interface | 261 |
| 9.6.6 | Endpoint | 263 |
| 9.6.7 | String | 266 |
| 9.7 | Device Class Definitions | 267 |
| 9.7.1 | Descriptors | 267 |
| 9.7.2 | Interface(s) and Endpoint Usage | 267 |
| 9.7.3 | Requests | 268 |
| 10 | Chapter 10 USB Host: Hardware and Software | 269 |

| | | |
|--------|---|-----|
| 10.1 | Overview of the USB Host | 269 |
| 10.1.1 | Overview | 269 |
| 10.1.2 | Control Mechanisms | 272 |
| 10.1.3 | Data Flow | 272 |
| 10.1.4 | Collecting Status and Activity Statistics | 273 |
| 10.1.5 | Electrical Interface Considerations | 273 |
| 10.2 | Host Controller Requirements | 273 |
| 10.2.1 | State Handling | 273 |
| 10.2.2 | Serializer/Deserializer | 274 |
| 10.2.3 | Frame and Microframe Generation | 274 |
| 10.2.4 | Data Processing | 275 |
| 10.2.5 | Protocol Engine | 275 |
| 10.2.6 | Transmission Error Handling | 275 |
| 10.2.7 | Remote Wakeup | 276 |
| 10.2.8 | Root Hub | 276 |
| 10.2.9 | Host System Interface | 276 |
| 10.3 | Overview of Software Mechanisms | 276 |
| 10.3.1 | Device Configuration | 276 |
| 10.3.2 | Resource Management | 278 |
| 10.3.3 | Data Transfers | 279 |
| 10.3.4 | Common Data Definitions | 280 |
| 10.4 | Host Controller Driver | 280 |
| 10.5 | Universal Serial Bus Driver | 281 |
| 10.5.1 | USB D Overview | 281 |
| 10.5.2 | USB D Command Mechanism Requirements | 282 |
| 10.5.3 | USB D Pipe Mechanisms | 284 |
| 10.5.4 | Managing the USB via the USB D Mechanisms | 286 |
| 10.5.5 | Passing USB Preboot Control to the Operating System | 288 |
| 10.6 | Operating System Environment Guides | 289 |
| 11 | Chapter 11 Hub Specification | 290 |
| 11.1 | Overview | 290 |
| 11.1.1 | Hub Architecture | 290 |
| 11.1.2 | Hub Connectivity | 291 |
| 11.2 | Hub Frame/Microframe Timer | 293 |
| 11.2.1 | High-speed Microframe Timer Range | 293 |
| 11.2.2 | Full-speed Frame Timer Range | 293 |
| 11.2.3 | Frame/Microframe Timer Synchronization | 294 |
| 11.2.4 | Microframe Jitter Related to Frame Jitter | 296 |
| 11.2.5 | EOF1 and EOF2 Timing Points | 296 |
| 11.3 | Host Behavior at End-of-Frame | 299 |
| 11.3.1 | Full-/low-speed Latest Host Packet | 299 |
| 11.3.2 | Full-/low-speed Packet Nullification | 299 |
| 11.3.3 | Full-/low-speed Transaction Completion Prediction | 299 |
| 11.4 | Internal Port | 300 |
| 11.4.1 | Inactive | 301 |
| 11.4.2 | Suspend Delay | 301 |

| | | |
|---------|---|-----|
| 11.4.3 | Full Suspend (Fsus) | 301 |
| 11.4.4 | Generate Resume (GResume) | 301 |
| 11.5 | Downstream Facing Ports | 301 |
| 11.5.1 | Downstream Facing Port State Descriptions | 303 |
| 11.5.2 | Disconnect Detect Timer | 307 |
| 11.5.3 | Port Indicator | 308 |
| 11.6 | Upstream Facing Port | 309 |
| 11.6.1 | Full-speed | 309 |
| 11.6.2 | High-speed | 310 |
| 11.6.3 | Receiver | 310 |
| 11.6.4 | Transmitter | 313 |
| 11.7 | Hub Repeater | 314 |
| 11.7.1 | High-speed Packet Connectivity | 315 |
| 11.7.2 | Hub Repeater State Machine | 317 |
| 11.7.3 | Wait for Start of Packet from Upstream Port (WFSOPFU) | 319 |
| 11.7.4 | Wait for End of Packet from Upstream Port (WFEOPFU) | 319 |
| 11.7.5 | Wait for Start of Packet (WFSOP) | 319 |
| 11.7.6 | Wait for End of Packet (WFEOP) | 319 |
| 11.8 | Bus State Evaluation | 319 |
| 11.8.1 | Port Error | 320 |
| 11.8.2 | Speed Detection | 320 |
| 11.8.3 | Collision | 320 |
| 11.8.4 | Low-speed Port Behavior | 321 |
| 11.9 | Suspend and Resume | 321 |
| 11.10 | Hub Reset Behavior | 323 |
| 11.11 | Hub Port Power Control | 324 |
| 11.11.1 | Multiple Gangs | 324 |
| 11.12 | Hub Controller | 325 |
| 11.12.1 | Endpoint Organization | 325 |
| 11.12.2 | Hub Information Architecture and Operation | 325 |
| 11.12.3 | Port Change Information Processing | 326 |
| 11.12.4 | Hub and Port Status Change Bitmap | 327 |
| 11.12.5 | Over-current Reporting and Recovery | 328 |
| 11.12.6 | Enumeration Handling | 329 |
| 11.13 | Hub Configuration | 329 |
| 11.14 | Transaction Translator | 330 |
| 11.14.1 | Overview | 331 |
| 11.14.2 | Transaction Translator Scheduling | 333 |
| 11.15 | Split Transaction Notation Information | 335 |
| 11.16 | Common Split Transaction State Machines | 338 |
| 11.16.1 | Host Controller State Machine | 339 |
| 11.16.2 | Transaction Translator State Machine | 343 |
| 11.17 | Bulk/Control Transaction Translation Overview | 348 |
| 11.17.1 | Bulk/Control Split Transaction Sequences | 349 |
| 11.17.2 | Bulk/Control Split Transaction State Machines | 355 |
| 11.17.3 | Bulk/Control Sequencing | 360 |

| | | |
|------------|--|-----|
| 11.17.4 | Bulk/Control Buffering Requirements | 361 |
| 11.17.5 | Other Bulk/Control Details..... | 361 |
| 11.18 | Periodic Split Transaction Pipelining and Buffer Management..... | 361 |
| 11.18.1 | Best Case Full-Speed Budget | 362 |
| 11.18.2 | TT Microframe Pipeline | 362 |
| 11.18.3 | Generation of Full-speed Frames | 363 |
| 11.18.4 | Host Split Transaction Scheduling Requirements | 363 |
| 11.18.5 | TT Response Generation | 366 |
| 11.18.6 | TT Periodic Transaction Handling Requirements..... | 367 |
| 11.18.7 | TT Transaction Tracking | 369 |
| 11.18.8 | TT Complete-split Transaction State Searching..... | 370 |
| 11.19 | Approximate TT Buffer Space Required | 371 |
| 11.20 | Interrupt Transaction Translation Overview..... | 371 |
| 11.20.1 | Interrupt Split Transaction Sequences..... | 371 |
| 11.20.2 | Interrupt Split Transaction State Machines..... | 375 |
| 11.20.3 | Interrupt OUT Sequencing | 381 |
| 11.20.4 | Interrupt IN Sequencing | 382 |
| 11.21 | Isochronous Transaction Translation Overview..... | 383 |
| 11.21.1 | Isochronous Split Transaction Sequences..... | 384 |
| 11.21.2 | Isochronous Split Transaction State Machines..... | 387 |
| 11.21.3 | Isochronous OUT Sequencing..... | 391 |
| 11.21.4 | Isochronous IN Sequencing | 392 |
| 11.22 | TT Error Handling | 392 |
| 11.22.1 | Loss of TT Synchronization With HS SOFs | 392 |
| 11.22.2 | TT Frame and Microframe Timer Synchronization Requirements..... | 393 |
| 11.23 | Descriptors | 395 |
| 11.23.1 | Standard Descriptors for Hub Class | 395 |
| 11.23.2 | Class-specific Descriptors..... | 403 |
| 11.24 | Requests..... | 404 |
| 11.24.1 | Standard Requests | 404 |
| 11.24.2 | Class-specific Requests..... | 405 |
| Appendix A | Transaction Examples | 421 |
| A.1 | Bulk/Control OUT and SETUP Transaction Examples..... | 421 |
| A.2 | Bulk/Control IN Transaction Examples | 445 |
| A.3 | Interrupt OUT Transaction Examples..... | 469 |
| A.4 | Interrupt IN Transaction Examples | 488 |
| A.5 | Isochronous OUT Split-transaction Examples..... | 510 |
| A.6 | Isochronous IN Split-transaction Examples..... | 519 |
| Appendix B | Example Declarations for State Machines..... | 533 |
| B.1 | Global Declarations..... | 533 |
| B.2 | Host Controller Declarations..... | 536 |
| B.3 | Transaction Translator Declarations | 538 |
| Appendix C | Reset Protocol State Diagrams..... | 542 |
| C.1 | Downstream Facing Port State Diagram | 542 |
| C.2 | Upstream Facing Port State Diagram | 544 |
| Index | | 549 |

Note: All Engineering Change Notice's (ECN) and Errata documents as of September 01, 2012 that pertain to this core specification follow the last page of the specification starting on page 619.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 62680-1:2013](https://standards.iteh.ai/catalog/standards/sist/a9324879-a775-4e55-8f8e-42125914e444/iec-62680-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/a9324879-a775-4e55-8f8e-42125914e444/iec-62680-1-2013>

Withdawn