



SLOVENSKI STANDARD

SIST EN ISO/IEC 7498-1:1997

01-december-1997

Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model (ISO/IEC 7498-1:1994)

Information technology - Open Systems Interconnection - Basic Reference Model: The
Basic Model (ISO/IEC 7498-1:1994)

Informationstechnik - Kommunikation Offener Systeme - Basis-Referenzmodell:
Basismodell (ISO/IEC 7498-1:1994)

Technologies de l'information - Modele de référence de base pour l'interconnexion de
systemes ouverts (OSI): Le modele de base (ISO/IEC 7498-1:1994)

[https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-](https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997)

[bc0cfd54bca/sist-en-iso-iec-7498-1-1997](https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997)

Ta slovenski standard je istoveten z: EN ISO/IEC 7498-1:1995

ICS:

35.100.01	Medsebojno povezovanje odprtih sistemov na splošno	Open systems interconnection in general
-----------	---	--

SIST EN ISO/IEC 7498-1:1997

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO/IEC 7498-1:1997

<https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997>

EUROPEAN STANDARD

EN ISO/IEC 7498-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 1995

ICS 35.100

Descriptors: data processing, information interchange, network interconnection, open systems interconnection, reference models

English version

**Information technology - Open Systems
Interconnection - Basic Reference Model: The
Basic Model (ISO/IEC 7498-1:1994)**

Technologies de l'information - Modèle de
référence de base pour l'interconnexion de
systèmes ouverts (OSI): Le modèle de base
(ISO/IEC 7498-1:1994)

Informationstechnik - Kommunikation Offener
Systeme - Basis-Referenzmodell: Basismodell
(ISO/IEC 7498-1:1994)

(standard.sith.ai)



REPUBLIKA SLOVENIJA
MINISTRSTVO ZA ZNANOST IN TEHNOLOGIJO
Urad RS za standardizacijo in meroslovje
LJUBLJANA

SIST.....EN ISO/IEC 7498-1

PREVZET PO METODI RAZGLASITVE

-12- 1997

This European Standard was approved by CEN on 1995-06-23. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

© 1995

All rights of reproduction and communication in any form and by any means reserved in all countries to CEN and its members.

Ref. No. EN ISO/IEC 7498-1:1995 E

Page 2
EN ISO/IEC 7498-1:1995

Foreword

The text of the International Standard from the work of ISO/IEC/JTC 1 "Information technology" of the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) has been taken as a European Standard by the CEN Technical Board.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 1996, and conflicting national standards shall be withdrawn at the latest by January 1996.

According to the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, United Kingdom.

iTeh STANDARD PREVIEW

Endorsement notice

(standards.iteh.ai)

The text of the International Standard ISO/IEC 7498-1:1994 has been approved by CEN as a European Standard without any modification.

paper standard and its unique identifier: 46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997

INTERNATIONAL STANDARD

ISO/IEC
7498-1

Second edition
1994-11-15

Corrected and reprinted
1996-06-15

Information technology — Open Systems Interconnection — Basic Reference Model: The Basic Model

iTeh STANDARD PREVIEW

(standards.iteh.ai)
*Technologies de l'information — Modèle de référence de base pour
l'interconnexion de systèmes ouverts (OSI): Le modèle de base*

[SIST EN ISO/IEC 7498-1:1997](https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997)

[https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-
bc0cfd54bca/sist-en-iso-iec-7498-1-1997](https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997)



Reference number
ISO/IEC 7498-1:1994(E)

Contents

	<i>Page</i>
1 Scope.....	1
2 Definitions.....	2
3 Notation.....	2
4 Introduction to Open Systems Interconnection (OSI).....	2
4.1 Definitions.....	2
4.2 Open System Interconnection Environment	3
4.3 Modelling the OSI Environment.....	4
5 Concepts of a layered architecture	5
5.1 Introduction.....	5
5.2 Principles of layering	6
5.3 Communication between peer-entities	9
5.4 Identifiers.....	13
5.5 Properties of service-access-points	14
5.6 Data-units.....	15
5.7 The nature of the (N)-service.....	16
5.8 Elements of layer operation	16
5.9 Routing.....	27
5.10 Quality Of Service (QOS).....	27
6 Introduction to the specific OSI layers.....	28
6.1 Specific layers.....	28
6.2 The principles used to determine the seven layers in the Reference Model	29
6.3 Layer descriptions.....	30
6.4 Combinations of connection-mode and connectionless-mode.....	30
6.5 Configurations of OSI Open Systems	31
7 Detailed description of the resulting OSI architecture	32
7.1 Application Layer	32
7.2 Presentation Layer	33
7.3 Session Layer	34
7.4 Transport Layer.....	37
7.5 Network Layer	41
7.6 Data Link Layer	46
7.7 Physical Layer.....	49

© ISO/IEC 1994

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

8	Management aspects of OSI.....	52
8.1	Definitions.....	52
8.2	Introduction.....	53
8.3	Categories of management activities	53
8.4	Principles for positioning management functions	54
9	Compliance and Consistency with this reference model.....	54
9.1	Definitions.....	54
9.2	Application of consistency and compliance requirements	55
Annex A	– Brief explanation of how the layers were chosen	56
Annex B	– Alphabetical index to definitions	57

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO/IEC 7498-1:1997

<https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 7498-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in collaboration with ITU-T. The identical text is published as ITU-T Recommendation X.200.

This second edition, along with parts 2, 3 and 4, cancels and replaces the first edition (ISO 7498:1984), which has been technically revised.

ISO/IEC 7498 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — Basic Reference Model*:

- *Part 1: The Basic Model*
- *Part 2: Security Architecture*
- *Part 3: Naming and addressing*
- *Part 4: Management framework*

Annex B forms an integral part of this part of ISO/IEC 7498. Annex A is for information only.

Introduction

This reference model provides a common basis for the coordination of standards development for the purpose of systems interconnection, while allowing existing standards to be placed into perspective within the overall reference model. It also identifies areas for developing and improving standards and provides a common reference for maintaining consistency among all related standards. The text was developed jointly with ITU-T and the main intent of this revision is to introduce the joint text, which incorporates inclusion of the concept of connectionless transmission, in addition to a number of technical and editorial refinements.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO/IEC 7498-1:1997](https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997)

<https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997>

iTeh STANDARD PREVIEW
This page intentionally left blank
(standards.iteh.ai)

SIST EN ISO/IEC 7498-1:1997

<https://standards.iteh.ai/catalog/standards/sist/4465d4d2-a2ac-46f7-99db-bc0cfd54bca/sist-en-iso-iec-7498-1-1997>

INTERNATIONAL STANDARD

CCITT RECOMMENDATION

INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION – BASIC REFERENCE MODEL: THE BASIC MODEL

1 Scope

1.1 The purpose of this Reference Model of Open Systems Interconnection is to provide a common basis for the coordination of standards development for the purpose of systems interconnection, while allowing existing standards to be placed into perspective within the overall Reference Model.

1.2 The term Open Systems Interconnection (OSI) qualifies standards for the exchange of information among systems that are “open” to one another for this purpose by virtue of their mutual use of the applicable standards.

1.3 The fact that a system is open does not imply any particular systems implementation, technology or means of interconnection, but refers to the mutual recognition and support of the applicable standards.

1.4 It is also the purpose of this Reference Model to identify areas for developing or improving standards, and to provide a common reference for maintaining consistency of all related standards. It is not the intent of this Reference Model either to serve as an implementation specification, or to be a basis for appraising the conformance of actual implementations, or to provide a sufficient level of detail to define precisely the services and protocols of the interconnection architecture. Rather, this Reference Model provides a conceptual and functional framework which allows international teams of experts to work productively and independently on the development of standards for each layer of the Reference Model for OSI.

1.5 The Reference Model has sufficient flexibility to accommodate advances in technology and expansion in user demands. This flexibility is also intended to allow the phased transition from existing implementations to OSI standards.

1.6 While the scope of the general architectural principles required for OSI is very broad, this Reference Model is primarily concerned with systems comprising terminals, computers, and associated devices and the means for transferring information between such systems. Other aspects of OSI requiring attention are described briefly (see 4.2).

1.7 The description of the Basic Reference Model of OSI is developed in stages:

1.8 Clause 4 establishes the reasons for Open Systems Interconnection, defines what is being connected, the scope of the interconnection, and describes the modelling principles used in OSI.

1.9 Clause 5 describes the general nature of the architecture of the Reference Model; namely that it is layered, what layering means, and the principles used to describe layers.

1.10 Clause 6 names, and introduces the specific layers of the architecture.

1.11 Clause 7 provides the description of the specific layers.

1.12 Clause 8 provides the description of Management Aspects of OSI.

1.13 Clause 9 specifies compliance and consistency with the OSI Reference Model.

1.14 An indication of how the layers were chosen is given in Annex A to this Basic Reference Model.

1.15 Additional aspects of this Reference Model beyond the basic aspects are described in several parts. The first part describes the Basic Reference Model. The second part describes the architecture for OSI Security. The third part describes OSI Naming and Addressing. The fourth describes OSI System Management.

1.16 The Basic Reference Model serves as a framework for the definition of services and protocols which fit within the boundaries established by the Reference Model.

1.17 In those few cases where a feature is explicitly marked (optional) in the Basic Reference Model it should remain optional in the corresponding service or protocol (even if at a given instant the two cases of the option are not yet documented).

ISO/IEC 7498-1 : 1994(E)

1.18 This Reference Model does not specify services and protocols for OSI. It is neither an implementation specification for systems, nor a basis for appraising the conformance of implementations.

1.19 For standards which meet the OSI requirements, a small number of practical subsets are defined from optional functions, to facilitate implementation and compatibility.

2 Definitions

Definitions of terms are included at the beginning of individual clauses and sub-clauses. An index of these terms is provided in Annex B for easy reference.

3 Notation

3.1 Layers are introduced in clause 5. An (N)-, (N+1)- and (N-1)- notation is used to identify and relate adjacent layers:

(N)-layer: any specific layer;

(N+1)-layer: the next higher layer;

(N-1)-layer: the next lower layer.

This notation is also used for other concepts in the model which are related to these layers, for example (N)-protocol, (N+1)-service.

3.2 Clause 6 introduces names for individual layers. When referring to these layers by name, the (N)-, (N+1)- and (N-1)- prefixes are replaced by the names of the layers, for example transport-protocol, session-entity, and network-service.

4 Introduction to Open Systems Interconnection (OSI)

NOTE – The general principles described in clauses 4 and 5 hold for all layers of the Reference Model, unless layer specific statements to the contrary are made in clauses 6 and 7.

4.1 Definitions

4.1.1 real system: A set of one or more computers, the associated software, peripherals, terminals, human operators, physical processes, information transfer means, etc., that forms an autonomous whole capable of performing information processing and/or information transfer.

4.1.2 real open system: A real system which complies with the requirements of OSI standards in its communication with other real systems.

4.1.3 open system: The representation within the Reference Model of those aspects of a real open system that are pertinent to OSI.

4.1.4 application process: An element within a real open system which performs the information processing for a particular application.

4.1.5 Open System Interconnection Environment (OSIE): An abstract representation of the set of concepts, elements, functions, services, protocols, etc., as defined by the OSI Reference Model and the derived specific standards which, when applied, enable communications among open systems.

4.1.6 Local System Environment (LSE): An abstract representation of that part of the real system that is not pertinent to OSI.

NOTE – The LSE may include functions necessary for non-OSI communication.

4.1.7 application-process-invocation: A specific utilization of part or all of the capabilities of a given application process in support of a specific occasion of information processing.

4.1.8 application-process-type: A description of a class of application processes in terms of a set of information processing capabilities.

4.2 Open System Interconnection Environment

4.2.1 In the concept of OSI, a real system is a set of one or more computers, associated software, peripherals, terminals, human operators, physical processes, information transfer means, etc., that forms an autonomous whole capable of performing information processing and/or information transfer.

4.2.2 An application process is an element within a real open system which performs the information processing for a particular application.

4.2.3 Application processes can represent manual processes, computerized processes or physical processes.

4.2.4 Some examples of application processes that are applicable to this open system definition are the following:

- a) a person operating a banking terminal is a manual application-process;
- b) a FORTRAN program executing in a computer center and accessing a remote database is a computerized application-process; the remote database management systems server is also an application-process; and
- c) a process control program executing in a dedicated computer attached to some industrial equipment and linked into a plant control system is a physical application-process.

4.2.5 An application process represents a set of resources, including processing resources, within a real open system that may be used to perform a particular information processing activity. An application process may organize its interactions with other application processes in whatever way is necessary to achieve a particular information processing goal: no constraints are imposed by this Reference Model either on the form of these interactions or on the possible relationships that may exist between them.

4.2.6 The activity of a given application process is represented by one or more application process invocations. Cooperation between application processes takes place via relationships established among application process invocations. At a particular time, an application process may be represented by none, one or more application process invocations. An application process invocation is responsible for coordinating its interactions with other application process invocations. Such coordination is outside the scope of this Reference Model.

4.2.7 OSI is concerned with the exchange of information between open systems (and not the internal functioning of each individual real open system).

4.2.8 As shown in Figure 1, the physical media for Open Systems Interconnection provides the means for the transfer of information between open systems.




Figure 1 – Open systems connected by physical media

4.2.9 OSI is concerned only with the interconnection of systems. All other aspects of systems which are not related to interconnection are outside the scope of OSI.

ISO/IEC 7498-1 : 1994(E)

4.2.10 OSI is concerned not only with the transfer of information between systems, i.e. transmission, but also with their capability to interwork to achieve a common (distributed) task. In other words, OSI is concerned with the interconnection aspects of cooperation¹⁾ between systems, which is implied by the expression “systems interconnection.”

4.2.11 The objective of OSI is to define a set of standards to enable real open systems to cooperate. A system which complies with the requirements of applicable OSI standards in its cooperation with other systems is termed a real open system.

4.2.12 The design intent of the OSI standards is to specify a set of standards that make it possible for autonomous systems to communicate. Any equipment which communicates in conformance with all applicable OSI protocol standards is a real world equivalent of the model concept “open system”. Equipment that is in the “terminal” category, that is, one that requires human intervention for the dominant parts of information processing, may satisfy the conditions of the previous sentences when the appropriate OSI standards are employed in communication with other open systems.

4.3 Modelling the OSI Environment

4.3.1 The development of OSI standards, i.e. standards for the interconnection of real open systems, is assisted by the use of abstract models. To specify the external behavior of interconnected real open systems, each real open system is replaced by a functionally equivalent abstract model of a real open system called an open system. Only the interconnection aspects of these open systems would strictly need to be described. However to accomplish this, it is necessary to describe both the internal and external behavior of these open systems. Only the external behavior of open systems is retained for the definition of standards for real open systems. The description of the internal behavior of open systems is provided in the Basic Reference Model only to support the definition of the interconnection aspects. Any real system which behaves externally as an open system can be considered to be a real open system.

4.3.2 This abstract modelling is used in two steps.

4.3.3 First, basic elements of open systems and some key decisions concerning their organization and functioning, are developed. This constitutes the Basic Reference Model of Open Systems Interconnection described in this Recommendation | Part of this International Standard.

4.3.4 Then, the detailed and precise description of the functioning of the open system is developed in the framework formed by the Basic Reference Model. This constitutes the services and protocols for OSI which are the subject of other Recommendations and/or International Standards.

4.3.5 It should be emphasized that the Basic Reference Model does not, by itself, specify the detailed and precise functioning of the open system and, therefore, it does not specify the external behavior of real open systems and does not imply the structure of the implementation of a real open system.

4.3.6 The reader not familiar with the technique of abstract modelling is cautioned that those concepts introduced in the description of open systems constitute an abstraction despite a similar appearance to concepts commonly found in real systems. Therefore, real open systems need not be implemented as described by the Model.

¹⁾ Cooperation among open systems involves a broad range of activities of which the following have been identified:

- a) interprocess communication, which concerns the exchange of information and the synchronization of activity between OSI application processes;
- b) data representation, which concerns all aspects of the creation and maintenance of data descriptions and data transformations for reformatting data exchanged between open systems;
- c) data storage, which concerns storage media, and file and database systems for managing and providing access to data stored on the media;
- d) process and resource management, which concerns the means by which OSI application processes are declared, initiated and controlled, and the means by which they acquire OSI resources;
- e) integrity and security, which concern information processing constraints that have to be preserved or assured during the operation of the open systems; and
- f) program support, which concerns the definition, compilation, linking, testing, storage, transfer, and access to the programs executed by OSI application-processes.

Some of these activities may imply exchange of information between the interconnected open systems and their interconnection aspects may, therefore, be of concern to OSI.

This Basic Reference Model covers the elements of OSI aspects of these activities which are essential for early development of OSI standards.

4.3.7 Throughout the remainder of this Basic Reference Model, only the aspects of real systems and application-processes which lie within the OSI Environment (OSIE) are considered. Their interconnection is illustrated throughout this Reference Model as depicted in Figure 2.

4.3.8 The extent of the application of the OSIE concept through the use of OSI standards may result in subsets of the OSIE which corresponds to partially disjoint sets of real open systems, which are not physically capable of OSI communication between them.




Figure 2 – Basic elements of OSI

5 Concepts of a layered architecture

5.1 Introduction

5.1.1 Clause 5 sets forth the architectural concepts that are applied in the development of the Reference Model of Open Systems Interconnection. Firstly, the concept of a layered architecture (with layers, entities, service-access-points, protocols, connections, etc.) is described. Secondly, identifiers are introduced for entities, service-access-points, and connections. Thirdly, service-access-points and data-units are described. Fourthly, elements of layer operation are described including connections, transmission of data, and error functions. Then, routing aspects are introduced and finally, management aspects are discussed.

5.1.2 The concepts described in clause 5 are those required to describe the Reference Model of Open Systems Interconnection. However, not all of the concepts described are employed in each layer of the Reference Model.