

Edition 4.1 2016-04 CONSOLIDATED VERSION

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Household and similar electrical appliances – Safety – Part 2-68: Particular requirements for spray extraction machines, for commercial use

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-68: Exigences particulières pour les machines de nettoyage par pulvérisation et aspiration, à usage commercial



## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies

### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

### IEC publications search - www.iec,ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

### IEC Just Published - webstore iec.ch/justpublished Stay up to date on all new IEC publications. Just Published

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

### Electropedia - www.electropedia.org

The world's leading optine dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

### Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

### Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

### Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

### Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.


http



Edition 4.1 2016-04 CONSOLIDATED VERSION


## INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Household and similar electrical appliances – Safety –
Part 2-68: Particular requirements for spray extraction machines, for commercial use

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-68: Exigences particulières pour les machines de nettoyage par pulvérisation et aspiration, à usage commercial



INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 23.080; 91.140.65; 97.080

ISBN 978-2-8322-3370-2

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.





Edition 4.1 2016-04 CONSOLIDATED VERSION

## **REDLINE VERSION**

**VERSION REDLINE** 



Household and similar electrical appliances – Safety – Part 2-68: Particular requirements for spray extraction machines, for commercial use

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-68: Exigences particulières pour les machines de nettoyage par pulvérisation et aspiration, à usage commercial

### **CONTENTS**

F	OREWORD	4
IN	ITRODUCTION	7
1	Scope	8
2	Normative references	9
3	Terms and definitions	9
4	General requirement	11
5	General conditions for the tests	11
6	Classification	12
7	7/1	12
8	Protection against access to live parts	15
9	Starting of motor-operated appliances	15
10	Power input and current	15
1		15
12	2 Void	16
13		
14		16
15	5 Moisture resistance	16
16		18
17	7 Overload protection of transformers and associated circuits	18
18		18
19	Abnormal operation	18
20	O Stability and mechanical hazards	19
1ttps://2	1 Mechanical strength	50335-220
22	2 Construction	23
23	3 Internal wiring	24
24		24
25	5 Supply connection and external flexible cords	25
26	3 Terminals for external conductors	26
27	7 Provision for earthing	26
28	<b>↓</b> -	
29	9 Clearances, creepage distances and solid insulation	26
30		
3	1 Resistance to rusting	27
32	2 Radiation, toxicity and similar hazards	
	nnexes	
A	nnex B (normative) Appliances powered by rechargeable batteries that are echarged in the appliance	
	nnex S (normative) Battery-operated appliances powered by batteries that are	
	on-rechargeable or not recharged in the appliance	32
	nnex AA (informative) Emission of acoustical noise	
	nnex BB (informative) Emission of vibration	
	ihliography	37

© IEC 2016	
Figure 101 – Impact test apparatus	27
Figure 102 – Apparatus for testing the abrasion resistance of current-carrying hos	ses28
Figure 103 – Apparatus for testing the resistance to flexing of current-carrying ho	ses28
Figure 104 – Configuration of the hose for the freezing treatment	29
Figure 105 – Flexing positions for the hose after removal from the freezing cabine	et29
Figure AA.1 – Machine with cleaning head connected by hose and connecting tube	oe35
Table 12 – Pull force and torque	26
iTex Syndalos	
(https://standxxdx.iteh.ai)	
Dycur en Preview	
0.033-2-68:2012	
://standards.iteh.ai/	

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

## Part 2-68: Particular requirements for spray extraction machines, for commercial use

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60335-2-68 edition 4.1 contains the fourth edition (2012-03) [documents 61J/490/FDIS and 61J/499/RVD] and its amendment 1 (2016-04) [documents 61J/629/FDIS and 61J/639/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

IEC 60335-2-68:2012+AMD1:2016 CSV - 5 - © IEC 2016

International Standard IEC 60335-2-68 has been prepared by subcommittee 61J: Electrical motor-operated cleaning appliances for commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances.

The principal changes in this edition as compared with the third edition of IEC 60335-2-68 are as follows (minor changes are not listed):

- the title has been changed for better distinction with regard to IEC 60335-2-72;
- the scope has been revised editorially to avoid misunderstandings;
- terms and definitions has been revised with regard to the requirements revised;
- the standard has been revised in general and updated regarding state-of-the-art, as far as necessary, in particular some changes has been made to Clauses 15, 22 and 25;
- the markings and instructions (Clause 7) have been revised basically;
- a new Annex AA 'Emission of acoustical noise' was added; and
- a new Annex BB 'Emission of vibration' was added.

This publication has been drafted in accordance with the ISONE'S Directives, Part 2

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for spray extraction machines for commercial use.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications, in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of Amendment 1 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTex Sandaxos iteh.ai)

October Preview

E//standards.iteh.aiv

tandards.iteh.aiv

tandar

### INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

## Part 2-68: Particular requirements for spray extraction machines, for commercial use

### 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electrical portable, non-self-propelled motor-operated spray extraction machines with or without attachments and with or without electrical heating elements, intended for commercial indoor use.

NOTE 101 This standard applies to machines for **commercial use** the following list, although not comprehensive, gives an indication of locations that are included in the scope:

- public use areas such as hotels, schools, hospitals;
- industrial locations, for example factories and manufacturing shops
- retail outlets, for example shops and supermarkets;
- business premises, for example offices and banks;
- rental services for those machines;
- all uses other than normal housekeeping purposes.

They are not equipped with a traction drive. The following power systems are covered:

- mains powered motors up to a rated voltage of 250 V for single-phase appliances and 480 V for other appliances,
- battery powered motors.

This standard applies to machines in which the pressure of the employed cleaning agent does not exceed 2,5 MPa, and in which the product of the pressure (in MPa) and the flow of cleaning agent (in litres per minute) does not exceed 100, and in which the temperature of the cleaning agent at the spray nozzle outlet does not exceed 85 °C.

This standard does not apply to

- vacuum cleaners and water-suction cleaning appliances for household use (IEC 60335-2-2),
- floor treatment machines for commercial use (IEC 60335-2-67, IEC 60335-2-72);
- wet and dry vacuum cleaners, including power brush, for commercial use (IEC 60335-2-69);
- hand-held and transportable motor-operated electric tools (IEC 60745 series, IEC 61029 series, IEC 62841).
- machines designed for use in corrosive or explosive environments (dust, vapour or gas);
- machines designed for picking up hazardous dusts (as defined in IEC 60335-2-69), inflammable substances, or glowing particles;
- machines designed to handle hazardous solvents, such as flammable or explosive liquids;

NOTE 102 Attention is drawn to the fact that in many countries, additional requirements on the safe use of the equipment covered can be specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

### 2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60312-1, Vacuum cleaners for household use – Part 1: Dry vacuum cleaners – Methods for measuring the performance

ISO 6344-2, Coated abrasives – Grain size analysis – Part 2: Determination of grain size distribution of macrogrits P12 to P220

### 3 Terms and definitions

This clause of Part 1 is applicable except as follows.

### 3.1.9 Replacement:

### normal operation

conditions under which the machine is operated in normal use, specified as follows:

the machine is operated with the spray extraction pump with the nozzle giving the highest load, the vacuum motor, the device for agitating the carpet pile (If any), the cleaning agent heater (if any) and the soiled water discharge pump (if any) all in use. Any marking of short time intermittent operation of the pumps is observed.

The **normal operation**  $P_m$  of the vacuum motor is obtained at the following power input:

$$P_{m} = 0.5 (P_{f} + P_{i})$$

where

P<sub>finder</sub> is the input, in watts, when the machine has been operated for 3 min, fitted with the nozzle and hose giving the highest input;

P<sub>i</sub> is the input, in watts, when the machine has been operated for 20 s with the nozzle sealed, immediately following the 3-minute-period with the nozzle open. Any valve or similar device used to ensure a flow of air to cool the motor in the event of a blockage of a main air inlet is rendered ineffective.

 $P_{\rm f}$  and  $P_{\rm i}$  are measured with the supply voltage adjusted to **rated voltage**, or to a voltage equal to the mean value of the **rated voltage range** if the difference between the limits of the **rated voltage range** does not exceed 10 % of the mean value of the range. If the difference between the limits of the **rated voltage range** exceeds 10 % of the mean value, the tests are carried out with the supply voltage set to the upper limit of the range.

The hose is laid out straight. If the machine is provided with a hose as an optional accessory, it is operated without the hose.

Electrically driven devices for agitating the carpet, if any, are in operation but are not in contact with the floor or any other surface or with the means used to seal the air inlet.

The adjustment of the air inlet is not altered when it is specified that the machine is operated under normal load, irrespective of the supply voltages specified in the test. Where optional filtration systems are supplied with the **spray extraction machine**, the filtration system giving the least air resistance (maximum flow) is fitted.

The normal load is equal to the mean load  $P_r$  for the electrically driven agitating device such as a motor driven brush is determined in accordance with the following:

- the agitating device operates on a carpet as specified in IEC 60312-1;
- the mean load  $P_r$  is determined when using the device in the following way:
  - After setting the device, the device is moved twice over a distance of 5 m in the direction giving the highest load;
- the motor responsible for the airflow operates under the same conditions as determining  $P_{\rm f}$ , i. e. no airflow restrictions, and measurements are taken after 3 min;
- the device is adjusted to the carpet pile height;
- it is necessary to move the agitating device slowly across the carpet to avoid carpet damage.

Soiled water discharge pumps, if applicable, are operated as follows

The pump delivers a continuous flow of water without any soiled water discharge hose attached to the soiled water outlet of the machines unless the discharge hose is permanently attached to the machine. The vacuum motor works during the test, unless an interlock device is provided to prevent combined operation of both motors.

Socket-outlets for accessories are loaded with a resistive load in accordance with the marking.

### 3.101

### cleaning agent pre-heater

electric heating element which is intended to raise the temperature of the cleaning agent to operating temperature before the cleaning operation

### 3.102

### cleaning agent heater

electric heater which is intended to maintain the cleaning agent at the correct temperature for effective operation

### 3.103

### cleaning agent

water with or without the addition of soluble or miscible detergent

### 3.104

### spray extraction machine

machine with on without heating elements and with or without attachments, by which a cleaning agent under pressure is sprayed into or onto the surface to be cleaned and the remaining soiled cleaning agent is removed by suction

### 3.105

### maximum rated operating pressure

maximum pressure generated by the pump when operated at rated voltage

### 3.106

### water-suction cleaning machine

machine for applying and extracting a cleaning agent