



SLOVENSKI STANDARD

SIST EN 28632-1:1997/A1:1997

01-december-1997

Information technology - Computer graphics - Metafile for the storage and transfer of picture description information - Part 1: Functional specification - Amendment 1: Rules for profiles (ISO/IEC 8632-1:1992, Amendment 1:1994)

Information technology - Computer graphics - Metafile for the storage and transfer of picture description information -

Informationstechnik - Graphische Datenverarbeitung - Datei für die Speicherung und Übertragung von Bildinformationen -

Technologies de l'information - Infographie - Métafichier de stockage et de transfert des informations de description d'

<https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997>

Ta slovenski standard je istoveten z: EN 28632-1:1994/A1:1995

ICS:

35.140 Üæ ~ } æ } æ \ æ \ æ \ æ \ æ Computer graphics

SIST EN 28632-1:1997/A1:1997 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 28632-1:1997/A1:1997](https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997)

<https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997>

EUROPEAN STANDARD

EN 28632-1:1994/A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 1995

ICS 35.140

Descriptors: See ISO document

English version

Information technology - Computer graphics -
Metafile for the storage and transfer of picture
description information - Part 1: Functional
specification - AMENDEMENT 1: Rules for profiles
(ISO/IEC 8632-1:1992/ Amendment 1:1994)

Technologies de l'information - Infographie -
Métafichier de stockage et de transfert des
informations de description d'images - Partie
1: Description fonctionnelle - AMENDEMENT 1:
Règles pour profils (ISO/IEC 8632-1:1992/
Amendement 1:1994)

STANDARD PREVIEW
(standards.iteh.ai)
SIST EN 28632-1:1994/A1:1997
https://standards.iteh.ai/catalog/standards/sist/en-28632-1:1994/a1-1997-4b27e032a0e3/sist-en-28632-1:1997-a1-1997-4b27e032a0e3
REPUBLIKA SLOVENIJA
MINISTRSTVO ZA ZNANOST IN TEHNOLOGIJO
Urad RS za standardizacijo in meroslovje
LJUBLJANA
SIST. EN 28632-1 / A1
PREVZET PO METODI RAZGLASITVE

-12- 1997

This amendment 1 modifies the European Standard EN 28632-1:1994. This amendment was approved by CEN on 1995-11-30. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

© 1995

All rights of reproduction and communication in any form and by any means reserved in all countries to CEN and its members.

Ref. No. EN 28632-1:1994/A1:1995 E

Page 2

EN 28632-1:1994/A1:1995

Foreword

The text of the Amendment ISO 8632-1:1992/A1:1994 to the International Standard from ISO/IEC/JTC 1 "Information Technology" of the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) has been taken over as Amendment to the European Standard by CEN Technical Board.

This Amendment to the European Standard EN 28632-1:1994 shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 1996, and conflicting national standards shall be withdrawn at the latest by June 1996.

According to the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the Amendment to the International Standard ISO/IEC 8632-1:1992/Amendment 1:1994 has been approved by CEN as a European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 28632-1:1997/A1:1997

<https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27cfaa5aee/sist-en-28632-1-1997-a1-1997>



INTERNATIONAL STANDARD

ISO/IEC 8632-1

Second edition
1992-10-01

AMENDMENT 1
1994-12-15

Information technology — Computer graphics — Metafile for the storage and transfer of picture description information —

iTeh STANDARD PREVIEW Part 1: (Functional specification)

AMENDMENT 1: Rules for profiles

<https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997>

*Technologies de l'information — Infographie — Métafichier de stockage et de
transfert des informations de description d'images —*

Partie 1: Description fonctionnelle

AMENDEMENT 1: Règles pour profils



Reference number
ISO/IEC 8632-1:1992/Amd.1:1994(E)

ISO/IEC 8632-1:1992/Amd.1:1994(E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 1 to International Standard ISO/IEC 8632-1:1992 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Sub-committee 24, *Computer graphics and image processing*.
<https://standards.iso.org/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997>

© ISO/IEC 1994

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Information technology — Computer graphics — Metafile for the storage and transfer of picture description information —

Part 1: Functional specification

AMENDMENT 1: Rules for profiles

Page vii

Replace clause 7 in the Contents by:

| | |
|---|-------|
| "7 Profiles and conformance | |
| 7.1 Introduction | |
| 7.1.1 Objectives | |
| 7.1.2 Scope | |
| 7.1.3 Concept and purpose of profiles for CGM | |
| 7.1.4 Purpose of the Model Profile | |
| 7.2 Conformance | |
| 7.2.1 Conformance of profiles | |
| 7.2.2 Conformance of metafiles | |
| 7.2.3 Conformance of metafile generators | |
| 7.2.4 Conformance of metafile interpreters | |
| 7.3 Criteria for designing profiles | |
| 7.3.1 Criteria on the profile in its entirety | |
| 7.3.2 Criteria for the technical content of the profile | |
| 7.4 Form and format of a profile | |
| 7.5 Profile rules, proforma, and model profile | |
| 7.5.1 Overview | |
| 7.5.2 General principles | |
| 7.5.2.1 Self-identification of profiles | |
| 7.5.2.2 Source identification of profiles | |
| 7.5.2.3 Private encodings | |
| 7.5.2.4 Restrictions on grammar and state tables | |
| 7.5.2.5 Defining subsets | |
| 7.5.2.6 Metafile defaults | |
| 7.5.2.7 Restricting element values | |
| 7.5.2.8 Classification of elements and parameter values | |
| 7.5.2.9 Registered elements and values | |
| 7.5.2.10 Generator and interpreter behaviour | |
| 7.5.2.11 Physical media | |
| 7.5.3 Multifile rules | |
| 7.5.4 Multi-element rules | |
| 7.5.4.1 Colour | |
| 7.5.4.2 Indexes (except colour) | |
| 7.5.4.3 Line primitives - geometric degeneracies | |
| 7.5.4.4 Area primitives - geometric degeneracies | |
| 7.5.4.5 Graphical text strings | |

| | | |
|---|-------|---|
| 7.5.4.6 Non-graphical text strings | | |
| 7.5.4.7 Data record strings | | |
| 7.5.5 Individual element rules | | |
| 7.5.6 Generator implementation requirements | | |
| 7.5.6.1 Relationship to other profiles | | |
| 7.5.6.2 Generator fidelity | | |
| 7.5.6.3 Preservation of primitives | | |
| 7.5.6.4 Semantic latitude | | |
| 7.5.6.5 Generator error processing | | |
| 7.5.6.6 Reporting | | |
| 7.5.6.7 Degeneracies | | |
| 7.5.7 Interpreter implementation requirements | | |
| 7.5.7.1 Relationship to other profiles | | |
| 7.5.7.2 Number of pictures | | |
| 7.5.7.3 Empty pictures | | |
| 7.5.7.4 Interpreter fidelity | | |
| 7.5.7.5 Semantic latitude | | |
| 7.5.7.6 Interpreter error processing | | |
| 7.5.7.7 Reporting | | |
| 7.5.7.8 Degeneracies | | |
| 7.5.8 PPF tables | | |
| H Font character codes and metrics | | |
| H.1 Introduction | | |
| H.2 Association of character code to glyph | | |
| H.3 Font metric table | | " |

<https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997>

Page 2

Clause 2: Add the following to the list of references:

"ISO 8601:1988 *Data elements and interchange formats — Information interchange - Representation of dates and time.*

ISO 8859-1:1987 *Information processing — 8-bit single-byte coded graphic character sets - Latin alphabet No. 1.*

ISO/IEC TR 10000-1:1992 *Information technology — Framework and taxonomy of International Standardized Profiles - Part 1: Framework.*

ISO/IEC TR 10000-2:1992 *Information technology — Framework and taxonomy of International Standardized Profiles - Part 2: Taxonomy of profiles."*

Page 4

Clause 3.1: Add the following to the list of definitions:

"3.1.99 **colour device:** A device which offers more than two colours.

3.1.100 grey-scale device: A special case of colour device where hue and saturation are the same for all colours (generally saturation = 0).

3.1.101 geometric degeneracy: The degeneracy is intrinsic to the parameterization of the element. A degeneracy which results when parameterization for the geometry does not provide sufficient information to draw the intended primitive.

3.1.102 interoperability: The generator and the interpreter have the same understanding of the encodings, the syntax, and the semantics of the metafile.

3.1.103 monochrome device: A device which has only two colours, a foreground and a background colour. The background colour is the colour of the display surface after it has been cleared.

3.1.104 Profile Proforma (PPF): A template consisting of profile specifications, which is used by writers of profiles for generating instances of a profile. A completed PPF specifies the rules and options of a profile of ISO/IEC 8632."

Page 9

Clause 3.2: Add the following to the list of abbreviations:

"ISP International Standardized Profile
PPF Profile Proforma"

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 28632-1:1997/A1:1997](https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997)

Page 232

[https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-](https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997)

Replace Clause 7 with the following new clause.

"7 Profiles and conformance

7.1 Introduction

7.1.1 Objectives

This clause provides rules for defining valid profiles of ISO/IEC 8632. Profiles are used as a method for defining subsets of ISO/IEC 8632 by identifying the CGM elements, parameters, options, and implementation requirements necessary for meeting a particular set of requirements.

The primary objectives of the profile rules are:

- a) to promote interoperability by minimizing arbitrary subsets of ISO/IEC 8632;
- b) to provide the framework for developing profiles;
- c) to promote uniformity in the development of conformance tests;

- d) to supplement ISO/IEC TR10000 for International Standardized Profiles (ISPs) for the CGM standard;
- e) to provide a basis for evaluating profiles as potential ISPs.

7.1.2 Scope

This clause:

- a) defines the concept of profiles of ISO/IEC 8632;
- b) provides rules for defining profiles of ISO/IEC 8632;
- c) provides conformance criteria for profiles of ISO/IEC 8632;
- d) provides conformance criteria for metafiles, metafile generators, and metafile interpreters;
- e) defines criteria on which to evaluate profiles of ISO/IEC 8632;
- f) provides a Profile Proforma (PPF) and Model Profile.

This clause addresses the CGM data stream and implementation requirements. Implementation requirements address the latitude allowed by CGM generators and interpreters. This clause does not directly address the environmental, performance, or resource requirements of the generator or interpreter.

This clause does not define the application requirements or dictate application functional content of a profile — the latter is the purview of application constituencies.

The scope of this clause is limited to rules for valid profiles for open interchange of graphical picture metafiles.

7.1.3 Concept and purpose of profiles for CGM

A major goal of ISO/IEC 8632 is to facilitate the transfer of picture information between computers, sites, and applications.

Profiles provide a means to:

- a) improve interoperability between implementations by inhibiting the proliferation of private subsets of ISO/IEC 8632;
- b) provide a foundation for testing and promote uniformity of conformance tests;
- c) enhance the availability of consistent implementations of profiles.

A profile of ISO/IEC 8632 defines the options, elements, and parameters of ISO/IEC 8632 necessary to accomplish a particular function and maximize the probability of interchange between systems

implementing the profile. Profiles are defined by application constituencies who agree to adhere to the same subset of CGM for the purpose of graphical data interchange using ISO/IEC 8632. Alternatively, profiles of ISO/IEC 8632 may be part of a set of interrelated standards and profiles assembled for the purpose of accomplishing a larger functional purpose.

A profile may:

- d) give the meaning of implementation dependent semantics of some elements;
- e) enforce common resolution of ambiguous semantics of ISO/IEC 8632;
- f) ensure that identical use of identical elements and parameter values has the same meaning;
- g) specify subsets or groupings of registered items from the appropriate ISO/IEC registers;
- h) prohibit undefined or ill-defined elements or parameter values.

A profile of ISO/IEC 8632, according to the taxonomy of ISO/IEC TR10000-2, is an FCG Profile, that is, an interchange format and representation profile of CGM.

A profile of ISO/IEC 8632 shall not specify any requirement that would contradict or cause non-conformance to ISO/IEC 8632. Any metafile conforming to a profile of ISO/IEC 8632 conforms to ISO/IEC 8632.

Profiles address metafile requirements, as well as implementation requirements for metafile generators and metafile interpreters. Profiles define maximum requirements for generators and minimum requirements for interpreters.

7.1.4 Purpose of the Model Profile

The Model Profile serves two purposes:

- 1) It is a usable, implementable instance of a profile of ISO/IEC 8632. It is the only instance contained in ISO/IEC 8632. While it is designed to be implementable on a range of systems, it is also designed with modest limits that will not preclude its implementation in limited environments (low to mid-range computing systems). The Model Profile may not be suitable for application communities with more advanced and demanding requirements.
- 2) It is a guide to writing profiles. As an instance of a profile, the Model Profile is a starting point from which an application-specific profile should be defined, for those application communities for which the Model Profile itself does not suffice. Writers of profiles should consider each of the specifications of the Model Profile and either accept the specifications where they are adequate, or modify them when not.

7.2 Conformance

7.2.1 Conformance of profiles

A profile of ISO/IEC 8632

- a) shall meet all requirements specified in ISO/IEC 8632;
- b) shall be structured in accordance with the structural components and presentation rules defined in 7.4;
- c) shall not specify any requirements that would contradict or cause non-conformance to ISO/IEC 8632;
- d) may contain a conformance clause that adds requirements that are more specific and limited in scope than ISO/IEC 8632;
- e) shall meet the conformance requirements for a FCG Profile as defined in ISO/IEC TR10000-1;
- f) shall meet all the specific rules in this clause.

iTech STANDARD PREVIEW
(standards.itech.ai)

7.2.2 Conformance of metafiles

Conformance of metafiles to ISO/IEC 8632 is defined in terms of conformance to profiles. A metafile conforms to ISO/IEC 8632 if it conforms to a profile.

In order to conform to a profile of ISO/IEC 8632, a metafile

- a) shall be a syntactically correct metafile for a specific version;
- b) shall conform to all profile requirements defined for that version.

A metafile is a syntactically correct version of ISO/IEC 8632 if the following conditions are met.

- c) The metafile contains exactly one correct METAFILE VERSION element.
- d) All graphical elements contained therein match the functional specification of the corresponding elements of ISO/IEC 8632-1 for that version. The metafile shall obey the relationships defined in the formal grammar for that version, the state tables, and all other syntactic requirements for that version.
- e) The sequence of elements in the metafile obeys the relationships specified in ISO/IEC 8632-1 for that version, producing the structure specified in ISO/IEC 8632-1. For example, the metafile must begin with BEGIN METAFILE and end with END METAFILE, and include exactly one metafile descriptor at the beginning which contains at least all the required elements.

- f) No elements appear in the metafile other than those specified in ISO/IEC 8632-1 for that version, unless required for the encoding technique. All non-standardized elements are encoded using the ESCAPE or GDP elements or the external elements APPLICATION DATA and MESSAGE.
- g) The metafile is encoded according to the rules in one of the standardized encodings specified in ISO/IEC 8632-2, ISO/IEC 8632-3, or ISO/IEC 8632-4.

7.2.3 Conformance of metafile generators

Conformance of metafile generators is defined in terms of conformance to a particular profile of CGM.

If **P** is a profile of CGM which conforms to the rules of this clause, then a metafile generator is a conforming **P** generator if it:

- a) generates only metafiles which conform to the requirements of profile **P** or is directed to operate in a mode where only such metafiles can be generated;
- b) maps the graphical characteristics of the pictures onto a set of CGM elements which define those pictures within the accuracy and latitude defined by the Generator Implementation Requirements in the profile **P**.

(standards.iteh.ai)

A metafile generator which conforms to the Model Profile for a specific version, shall:

- c) generate no syntax in violation of that version of ISO/IEC 8632;
- d) generate metafiles which conform to that version of the Model Profile;
- e) map the graphical characteristics of application pictures onto a set of CGM elements which define those pictures within the latitude allowed by the Generator Implementation Requirements of the Model Profile.

7.2.4 Conformance of metafile interpreters

Conformance of metafile interpreters is defined in terms of conformance to a particular profile of CGM.

If **P** is a profile of CGM which conforms to the rules of this clause, then a metafile interpreter is a conforming **P** interpreter if it:

- a) is able to read any metafile which conforms to the requirements of profile **P**;
- b) renders the graphical characteristics of the CGM elements in any such metafile into a graphical image or picture within the accuracy and latitude defined by the Interpreter Implementation Requirements in the profile **P**.

A metafile interpreter which conforms to the Model Profile for a specific version, shall:

- c) be able to read any metafile which conforms to that version of the Model Profile of ISO/IEC 8632;
- d) render the graphical characteristics of the CGM elements in any such metafile into a graphical image or picture within the latitude defined by the Interpreter Implementation Requirements of the Model Profile.

7.3 Criteria for designing profiles

The following criteria provide the means for determining the appropriateness and correctness of proposed profiles. The objective is to limit the proliferation of profiles and ensure the quality of those profiles.

7.3.1 Criteria on the profile in its entirety

The following criteria shall be applied to a proposed profile.

- a) The application constituency and functional purpose of a proposed profile shall be well defined.
- b) The functional purpose of a proposed profile shall not be satisfied by an existing profile. If the functional purpose of a proposed profile can be satisfied by a derivative of an existing profile, it shall be so defined — significant subsets shall not be replicated.
- c) The proposed profile shall meet the identified functional requirements.
<https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997>

7.3.2 Criteria for the technical content of the profile

The following criteria shall be applied to the technical content of a proposed profile.

- a) A proposed profile shall not specify requirements that violate ISO/IEC 8632.
- b) A proposed profile shall place requirements on the CGM and not on the internal behaviour, structure, or performance of implementations (e.g., generators and interpreters).
- c) A proposed profile may contain requirements on the functional and graphical characteristics of implementations claiming conformance to the profile.
- d) A proposed profile shall be consistent in its requirements regarding CGM elements and parameters. For example, if a profile places no restrictions on the number of indexes defined by the CHARACTER SET LIST element, then it is inconsistent to place a restriction on CHARACTER SET INDEX.
- e) A proposed profile shall not specify requirements which are conflicting, unnecessary, or redundant.

7.4 Form and format of a profile

A profile of ISO/IEC 8632 shall contain the following components:

- a) a concise definition of the scope and purpose of the profile;
- b) a scenario illustrating the profile's use and applicability;
- c) all references to ISO/IEC 8632, i.e., approved amendments, errata, and registers.
- d) references to any other relevant source documents;
- e) specification of the set of elements, parameters, implementation requirements, and features of ISO/IEC 8632, presented in the format and according to the rules of 7.5.
- f) a definition of conformance of metafiles and implementations to the profile.

The content and layout of the profile shall conform to the *Rules for Drafting and Presentation of International Standardized Profiles* in annex A of ISO/IEC TR10000-1.

7.5 Profile rules, proforma, and model profile

iTeh STANDARD PREVIEW
(standards.iteh.ai)

7.5.1 Overview

[SIST EN 28632-1:1997/A1:1997](https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997)

<https://standards.iteh.ai/catalog/standards/sist/a63f0943-64ee-4cf3-9617-4b27efaa5ace/sist-en-28632-1-1997-a1-1997>

This clause presents:

- a) rules for defining CGM profiles;
- b) a Profile Proforma (PPF);
- c) a definition of the Model Profile.

The PPF is a set of tables which are a template for writing profiles. Most of the profile rules are inherent in the structure of the PPF. For example, the PPF requires certain information to be completed — each such case is a statement, equivalent to the rule, "Profiles shall specify ...".

All CGM profiles shall include a completed PPF.

This clause contains the completed PPF of the Model Profile.

The following subclauses address

- General Principles which apply to all profiles.
- Metafile Rules, which apply to the general characteristics of a conforming metafile.
- Multi-element Rules, which apply to several elements.