



SLOVENSKI STANDARD
SIST EN 300 392-3-5 V1.2.1:2006

01-april-2006

Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 3. del: Medsebojno delovanje na medsistemskem vmesniku (ISI) - 5. poddel: Dodatna omrežna funkcija: upravljanje mobilnosti (ANF-ISIMM)

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 5: Additional Network Feature for Mobility Management (ANF-ISIMM)

STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 392-3-5 V1.2.1:2006](https://standards.iteh.ai/catalog/standards/sist/c5041be8-f90b-48d3-9f45-10cf9e894125/sist-en-300-392-3-5-v1-2-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/c5041be8-f90b-48d3-9f45-10cf9e894125/sist-en-300-392-3-5-v1-2-1-2006>

Ta slovenski standard je istoveten z: EN 300 392-3-5 Version 1.2.1

ICS:

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

SIST EN 300 392-3-5 V1.2.1:2006 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 392-3-5 V1.2.1:2006](https://standards.iteh.ai/catalog/standards/sist/c5041be8-f90b-48d3-9f45-10cf9e894125/sist-en-300-392-3-5-v1-2-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/c5041be8-f90b-48d3-9f45-10cf9e894125/sist-en-300-392-3-5-v1-2-1-2006>

ETSI EN 300 392-3-5 V1.2.1 (2004-01)

European Standard (Telecommunications series)

**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 5: Additional Network Feature
for Mobility Management (ANF-ISIMM)**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 392-3-5 V1.2.1:2006](https://standards.iteh.ai/catalog/standards/sist/c5041be8-f90b-48d3-9f45-10cf9e894125/sist-en-300-392-3-5-v1-2-1-2006)

<https://standards.iteh.ai/catalog/standards/sist/c5041be8-f90b-48d3-9f45-10cf9e894125/sist-en-300-392-3-5-v1-2-1-2006>



Reference

REN/TETRA-03089

Keywords

interworking, management, mobility, radio,
TETRA, V+D

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 392-3-5 V1.2.1:2006

<https://standards.iteh.ai/catalog/standards/sist/c5041be8-f90b-48d3-9f45-10cf9e894127/etsi-en-300-392-3-5-v1-2-1-2006> **Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:

editor@etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2004.
All rights reserved.

DECT™, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	15
Foreword.....	15
1 Scope	17
2 References	18
3 Definitions and abbreviations.....	19
3.1 Definitions	19
3.2 Abbreviations	21
4 Overview	22
4.1 General	22
4.2 Applicability.....	22
4.2.1 Entities	22
4.2.2 Services.....	22
4.3 Testability.....	23
4.4 Provision/withdrawal.....	23
4.5 Activation/deactivation	23
4.6 Charging.....	23
5 The generic ANF-ISIMM stage 1 service model	24
5.1 ANF-ISIMM - the service provider.....	24
5.2 SwMI MMs - the ANF-ISIMM service users.....	24
5.3 Stage 1 description conventions	25
6 Migration service description - stage 1	26
6.1 Pre-requisite requirements for the migration service.....	26
6.2 Service definition	26
6.3 Service description	26
6.4 Service architecture	27
6.5 Normal procedures	27
6.5.1 Invocation	27
6.5.1.1 Invocation criteria	27
6.5.1.2 Invocation of ANF-ISIMM.....	28
6.5.2 Operation	29
6.5.2.1 Migration with pre-defined migration profile(s)	30
6.5.2.1.1 Support for call restoration	30
6.5.2.1.2 Final migration approval	31
6.5.2.2 Migration with migration profile exchange.....	32
6.5.2.2.1 Basic migration profile exchange	32
6.5.2.2.2 SS-migration profile(s) exchange	42
6.5.2.2.3 Support for call restoration.....	44
6.5.2.2.4 Final migration approval	44
6.5.2.2.5 SS-migration profile exchange after final migration approval	45
6.6 Exceptional procedures	45
6.6.1 Detected by the visited SwMI MM.....	47
6.6.2 Detected by the home SwMI MM	48
6.7 Interactions	48
6.7.1 Interactions with the authentication service.....	48
6.7.2 Interactions with the group attachment and the group detachment services	48
6.8 Dynamic description.....	48
7 Restricted migration service description - stage 1.....	51
7.1 Pre-requisite requirements for the restricted migration service.....	51
7.2 Service definition	51
7.3 Service description	51
7.4 Service architecture	52
7.5 Normal procedures	53

7.5.1	Invocation	53
7.5.1.1	Invocation criteria	53
7.5.1.2	Invocation of ANF-ISIMM	53
7.5.2	Operation	56
7.5.2.1	Operation when the visited SwMI MM invokes restricted migration	56
7.5.2.2	Invocation of RSI	57
7.5.2.3	Support for emergency call restoration	57
7.5.2.4	Receipt of restricted migration approval	57
7.6	Exceptional procedures	57
7.6.1	Detected by the visited SwMI MM	59
7.6.2	Detected by the home SwMI MM	59
7.7	Interactions	59
7.7.1	Interactions with the authentication service	59
7.7.2	Interactions with the group attachment and the group detachment services	59
7.8	Dynamic description	59
8	Removal of Subscriber Information (RSI) service description - stage 1	61
8.1	Service definition	61
8.2	Service description	61
8.3	Service architecture	62
8.4	Normal procedures	62
8.4.1	Invocation	62
8.4.1.1	Invocation criteria	62
8.4.1.2	Invocation of ANF-ISIMM	63
8.4.2	Operation	64
8.5	Exceptional procedures	65
8.6	Interaction with authentication	66
8.7	Dynamic description	66
9	De-registration service description - stage 1	67
9.1	Service definition	67
9.2	Service description	67
9.3	Service architecture	68
9.4	Normal procedures	68
9.4.1	Invocation	68
9.4.1.1	Invocation criteria	68
9.4.1.2	Invocation of ANF-ISIMM	68
9.4.2	Operation	69
9.5	Exceptional procedures	70
9.5.1	Detected by the visited SwMI MM	71
9.5.2	Detected by the home SwMI MM	71
9.6	Dynamic description	71
10	Profile update service description - stage 1	72
10.1	Service definition	72
10.2	Service description	72
10.3	Service architecture	73
10.4	Normal procedures	73
10.4.1	Invocation	73
10.4.1.1	Invocation criteria	73
10.4.1.2	Invocation of ANF-ISIMM	74
10.4.2	Operation	84
10.5	Exceptional operation	94
10.6	Dynamic description	95
11	SS-profile update service description - stage 1	96
11.1	Service definition	96
11.2	Service description	96
11.3	Service architecture	96
11.4	Normal procedures	97
11.4.1	Invocation	97
11.4.1.1	Invocation criteria	97
11.4.1.2	Invocation of ANF-ISIMM	97

11.4.2	Operation	98
11.4.2.1	Creation of temporary SS-migration profiles	98
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles	98
11.5	Exceptional operation.....	100
11.6	Dynamic description.....	101
12	Authentication service description - stage 1.....	102
12.1	Pre-requisite requirements for the authentication service.....	102
12.2	Service definition	102
12.3	Service description	102
12.4	Service architecture	102
12.5	Normal procedures	103
12.5.1	Invocation	103
12.5.1.1	Invocation criteria	103
12.5.1.2	Invocation of ANF-ISIMM	103
12.5.2	Operation	104
12.5.2.1	Exchange of authentication parameters.....	104
12.5.2.2	Sending of authentication result.....	105
12.6	Exceptional procedures	105
12.6.1	Detected by the visited SwMI MM.....	106
12.6.2	Detected by the home SwMI MM	107
12.7	Interaction with migration and restricted migration	107
12.7.1	Normal operation.....	107
12.7.2	Exceptional procedures.....	107
12.8	Dynamic description.....	108
13	Over The Air Re-keying (OTAR) service description - stage 1.....	109
13.1	Pre-requisite requirements.....	109
13.2	Service definition	109
13.3	Service description	110
13.4	Service architecture	110
13.5	Normal procedures	111
13.5.1	Invocation	111
13.5.1.1	Invocation criteria	111
13.5.1.2	Invocation of ANF-ISIMM	111
13.5.1.2.1	Case 1).....	111
13.5.1.2.2	Case 2).....	112
13.5.1.2.3	Case 3).....	112
13.5.1.2.4	Case 4).....	113
13.5.2	Operation	113
13.5.2.1	Case 1)	113
13.5.2.2	Case 2)	114
13.5.2.3	Case 3)	115
13.5.2.4	Case 4)	115
13.6	Exceptional procedures	115
13.6.1	Detected by the visited SwMI MM.....	117
13.6.2	Detected by the home SwMI MM	117
13.7	Dynamic description.....	117
14	Individual subscriber Database Recovery (IDR) service description - stage 1	120
14.1	Service definition	120
14.2	Service description	121
14.3	Service architecture	121
14.4	Normal procedures	122
14.4.1	Invocation	122
14.4.1.1	Invocation criteria	122
14.4.1.2	Invocation of ANF-ISIMM	122
14.4.2	Operation	124
14.4.2.1	The visited SwMI MM receives the HMM recovery indication	124
14.4.2.1A	The home SwMI MM receives the VMM recovery indication	125
14.4.2.2	The virtual migration or restricted migration	125
14.4.2.3	The virtual RSI.....	126
14.4.2.4	The iteration	126

14.4.2.5	The completion of the IDR	126
14.4.2.5.1	VMM recovery	126
14.4.2.5.2	HMM recovery	127
14.5	Exceptional procedures	127
14.6	Dynamic description.....	128
15	Group attachment service description - stage 1.....	131
15.1	Service definition	131
15.2	Service description	131
15.3	Service architecture	132
15.4	Normal procedures	132
15.4.1	Invocation	132
15.4.1.1	Invocation criteria	132
15.4.1.2	Invocation of ANF-ISIMM	133
15.4.1.2.1	Case 1).....	133
15.4.1.2.2	Cases 2) to 4).....	134
15.4.1.2.3	Case 5).....	135
15.4.1.2.4	Case 6).....	141
15.4.2	Operation	142
15.4.2.1	Case 1)	142
15.4.2.1.1	Group attachment with pre-defined migration profile(s).....	142
15.4.2.1.2	Group attachment with migration profile exchange	145
15.4.2.1.3	SS-migration profile(s) exchange	150
15.4.2.2	Cases 2) to 4).....	153
15.4.2.2.1	Updates to G-HDB	153
15.4.2.2.2	Sending of group attachment approval.....	153
15.4.2.2.3	Receipt of group attachment approval.....	154
15.4.2.3	Case 5)	154
15.4.2.3.1	Home SwMI MM initiated group attachment with pre-defined migration profile(s).....	155
15.4.2.3.2	Home SwMI MM initiated group attachment with migration profile exchange.....	156
15.5	Exceptional procedures	159
15.5.1	Detected by the visited SwMI MM.....	161
15.5.2	Detected by the home SwMI MM.....	161
15.6	Interactions	162
15.7	Dynamic description.....	163
16	Group detachment service description (stage 1)	165
16.1	Service definition	165
16.2	Service description	166
16.3	Service architecture	167
16.4	Normal procedures	167
16.4.1	Invocation	167
16.4.1.1	Invocation criteria	167
16.4.1.2	Invocation of ANF-ISIMM	168
16.4.1.2.1	Cases 1) to 3).....	168
16.4.1.2.2	Case 4).....	168
16.4.2	Operation	169
16.4.2.1	Cases 1) to 3).....	169
16.4.2.2	Case 4)	170
16.5	Exceptional procedures	171
16.6	Interactions	172
16.7	Dynamic description.....	173
17	Group Database Recovery (GDR) service description - stage 1	174
17.1	Service definition	174
17.2	Service description	174
17.3	Service architecture	175
17.4	Normal procedures	176
17.4.1	Invocation	176
17.4.1.1	Invocation criteria	176
17.4.1.2	Invocation of ANF-ISIMM	176
17.4.2	Operation	177
17.4.2.1	Verification of age information.....	178

17.4.2.2	The visited SwMI MM receives the G-HDR indication.....	178
17.4.2.3	The home SwMI MM receives the G-VDR indication	179
17.4.2.4	The virtual group attachment and detachment	179
17.4.2.5	The iteration	180
17.4.2.6	The completion of the GDR	180
17.4.2.6.1	G-HDR	180
17.4.2.6.2	G-VDR	181
17.5	Exceptional procedures	181
17.6	Dynamic description.....	183
18	Group linking/unlinking service description - stage 1	185
18.1	Service definition	185
18.2	Service description	186
18.3	Service architecture	187
18.4	Normal procedures	187
18.4.1	Invocation	187
18.4.1.1	Invocation criteria	187
18.4.1.2	Invocation of ANF-ISIMM	187
18.4.1.2.1	Case 1) - group linking service.....	187
18.4.1.2.2	Case 2) - group unlinking service.....	188
18.4.1.2.3	Case 3) - remote group unlinking service.....	189
18.4.2	Operation	189
18.4.2.1	Case 1) - group linking service	189
18.4.2.1.1	First phase of group linking service.....	189
18.4.2.1.2	Second phase of group linking service	190
18.4.2.2	Case 2) - group unlinking service	192
18.4.2.3	Case 3) - remote group unlinking service	193
18.5	Exceptional procedures	193
18.5.1	Case 1) - group linking service.....	194
18.5.2	Case 2) - group unlinking service	195
18.5.3	Case 3) - remote group unlinking service	195
18.6	Interactions	196
18.7	Dynamic description.....	196
19	ANF-ISIMM stage 2 specification	199
19.1	General	199
19.2	Functional model.....	199
19.3	Information flow diagrams	200
20	Migration - stage 2 information flow sequences	201
20.1	Normal operation.....	201
20.1.1	Migration with pre-defined profile(s)	201
20.1.2	Migration with basic migration profile exchange	202
20.1.3	Migration with basic migration and SS-migration profiles exchange.....	203
20.1.3.1	SS-migration profiles exchanged before final migration approval.....	203
20.1.3.2	SS-migration profiles exchanged after final migration approval	205
20.2	Exceptional operation.....	207
20.2.1	Migration rejection request upon receipt of the Migration_ind	207
20.2.2	Migration rejection request upon receipt of Profile update_conf and SS-profile update_conf.....	208
20.3	FE actions for subscriber migration	209
20.3.1	FE actions of FE1	209
20.3.2	FE actions of FE3	210
21	Restricted migration - stage 2 information flow sequences	211
21.1	Normal operation.....	211
21.1.1	Restricted migration requested by visited SwMI MM.....	211
21.1.2	Restricted migration requested by home SwMI upon receipt of MIGRATION_ind from the visited SwMI MM	211
21.1.3	Restricted migration requested by home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the visited SwMI MM	211
21.2	Exceptional operation.....	212
21.3	FE actions for restricted migration	212
21.3.1	FE actions of FE1	212

21.3.2	FE actions of FE3	212
22	Removal of Subscriber Information - stage 2 information flow sequences	213
22.1	Normal operation.....	213
22.2	Exceptional operation.....	214
22.3	FE actions for subscriber migration	214
22.3.1	FE actions of FE1	214
22.3.2	FE actions of FE4	215
23	De-registration - stage 2 information flow sequences	215
23.1	Normal operation.....	215
23.1.1	Visited SwMI MM initiated de-registration.....	215
23.1.2	Home SwMI MM initiated de-registration	216
23.2	Exceptional operation.....	217
23.2.1	Visited SwMI MM initiated de-registration rejected	217
23.2.2	Home SwMI MM initiated de-registration rejected.....	218
23.3	FE actions	218
23.3.1	FE actions of FE1	218
23.3.2	FE actions of FE3	219
24	Profile update - stage 2 information flow sequences.....	219
24.1	Normal operation.....	220
24.2	Profile update rejection	221
24.3	FE actions for Profile update.....	221
24.3.1	FE actions of FE1	221
24.3.2	FE actions of FE3	221
25	SS-profile update - stage 2 information flow sequences	222
25.1	Normal operation.....	222
25.2	SS-profile update rejection.....	223
25.3	FE actions for SS-profile update.....	223
25.3.1	FE actions of FE1	223
25.3.2	FE actions of FE3	223
26	Authentication - stage 2 information flow sequences	224
26.1	Normal operation.....	224
26.1.1	Authentication.....	224
26.1.2	Successful subsequent authentication	225
26.2	Authentication invoked in conjunction with migration	226
26.3	Exceptional operation.....	228
26.3.1	Authentication rejection in the visited SwMI	228
26.4	FE actions for authentication.....	229
26.4.1	FE actions of FE1	229
26.4.2	FE actions of FE3	229
27	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	230
27.1	Normal operation.....	230
27.1.1	OTAR SCK generation service.....	230
27.1.2	Visited SwMI MM initiated OTAR SCK delivery service	232
27.1.3	Home SwMI MM initiated OTAR SCK delivery service.....	233
27.1.4	OTAR SCK generation service, subsequent use of parameters	234
27.2	Exceptional operation.....	235
27.2.1	Failed OTAR SCK generation service.....	235
27.2.2	Failed visited SwMI MM initiated OTAR SCK delivery	236
27.2.3	Failed home SwMI MM initiated OTAR SCK delivery	237
27.2.4	Failed subsequent use of OTAR SCK generation parameters	238
27.3	FE actions for OTAR	238
27.3.1	FE actions of FE1	238
27.3.2	FE actions of FE3	239
28	Individual subscriber database recovery - stage 2 information flow sequences.....	240
28.1	Normal operation.....	240
28.1.1	HMM recovery	240
28.1.2	VMM recovery	243

28.2	Exceptional operation.....	246
28.2.1	Rejection of HMM recovery.....	246
28.2.2	Rejection of VMM recovery.....	247
28.3	FE actions.....	247
28.3.1	FE actions of FE1.....	247
28.3.2	FE actions of FE3.....	248
28.3.3	FE actions of FE4.....	248
29	Group attachment - stage 2 information flow sequences.....	249
29.1	Normal operation.....	249
29.1.1	Visited SwMI MM initiated group attachment without migration profile exchange.....	249
29.1.2	Visited SwMI MM initiated first group attachment with migration profile exchange.....	250
29.1.3	Home SwMI MM initiated group attachment without migration profile exchange.....	252
29.1.4	Home SwMI MM initiated group attachment with migration profile exchange.....	253
29.2	Exceptional operation.....	255
29.2.1	Rejection of visited SwMI MM initiated group attachment without migration profile exchange.....	255
29.2.2	Rejection of home SwMI MM initiated group attachment with migration profile exchange.....	256
29.2.3	Rejection of home SwMI MM initiated group attachment without migration profile exchange.....	257
29.2.4	Rejection of home SwMI MM initiated group attachment with migration profile exchange, rejected by subscriber.....	258
29.3	FE actions.....	259
29.3.1	FE actions of FE2.....	259
29.3.2	FE actions of FE3.....	260
30	Normal operation for group detachment - stage 2 information flow sequences.....	261
30.1	Normal operation.....	261
30.1.1	Visited SwMI MM initiated group detachment.....	261
30.1.2	Home SwMI MM initiated group detachment.....	262
30.2	Exceptional operation.....	263
30.2.1	Rejection of visited SwMI MM initiated group detachment.....	263
30.2.2	Rejection of home SwMI MM initiated group detachment rejection.....	264
30.3	FE actions.....	264
30.3.1	FE actions of FE2.....	264
30.3.2	FE actions of FE3.....	265
31	Group database recovery - stage 2 information flow sequences.....	266
31.1	Normal operation.....	266
31.1.1	G-HDR.....	266
31.1.2	G-VDR.....	269
31.2	Exceptional operation.....	272
31.2.1	Rejection of G-HDR.....	272
31.2.2	Rejection of G-VDR.....	273
31.3	FE actions.....	273
31.3.1	FE actions of FE2.....	273
31.3.2	FE actions of FE3.....	274
32	Group linking/unlinking - stage 2 information flow scenarios.....	274
32.1	Normal operation.....	274
32.1.1	Group linking.....	274
32.1.2	Group unlinking.....	274
32.1.3	Remote group unlinking.....	275
32.2	Exceptional operation - group linking rejected by participating SwMI.....	275
32.3	FE actions.....	275
32.3.1	FE actions of FE5.....	275
32.3.2	FE actions of FE6.....	275
33	Definition of stage 2 information flows.....	275
33.1	AUTHENTICATION DEMAND.....	275
33.2	AUTHENTICATION RESPONSE.....	276
33.3	AUTHENTICATION RESULT.....	276
33.4	AUTH REJECT.....	276
33.5	DE-REGISTRATION.....	277
33.6	DE-REG REJECT.....	277
33.7	GROUP ATTACHMENT.....	277

33.8	GROUP ATT REJECT	278
33.9	GROUP DETACHMENT	278
33.10	GROUP DET REJECT	278
33.11	HMM RECOVERY	278
33.12	HMM RECOVERY COMPLETED	279
33.13	HMM RECOVERY REJECT	279
33.14	LINKING	279
33.15	LINKING COMMAND	280
33.16	LINKING REJECT	280
33.17	MIGRATION	280
33.18	MIGRATION REJECT	280
33.19	OTAR-KEY DEMAND	281
33.20	OTAR-KEY PROVIDE	281
33.21	OTAR-KEY REJECT	281
33.22	OTAR-KEY RESULT	282
33.23	OTAR-PARAM DEMAND	282
33.24	OTAR-PARAM PROVIDE	282
33.25	OTAR-PARAM REJECT	283
33.26	OTAR-PARAM RESULT	283
33.27	PROFILE REJECT	283
33.28	PROFILE UPDATE	284
33.29	REMOTE UNLINKING	284
33.30	REMOVE REJECT	284
33.31	REMOVE SUBS	284
33.32	SS-PROFILE REJECT	285
33.33	SS-PROFILE UPDATE	285
33.34	UNLINKING	286
33.35	UNLINKING REJECT	286
33.36	VMM RECOVERY	286
33.37	VMM RECOVERY COMPLETED	286
33.38	VMM RECOVERY REJECT	287
33.39	Profiles	287
33.39.1	Basic migration profiles	287
33.39.1.1	Group basic migration profile (original and temporary)	287
33.39.1.2	Individual basic migration profile	288
33.39.2	SS-migration profile (original and temporary)	290
33.39.3	Relation between subscribers and group	290
34	ANF-ISIMM encoding requirements - stage 3	290
34.1	ANF-ISIMM PDU description tables	290
34.1.1	AUTHENTICATION DEMAND	291
34.1.2	AUTHENTICATION RESPONSE	291
34.1.3	AUTHENTICATION RESULT	291
34.1.4	AUTH REJECT	292
34.1.5	DE-REGISTRATION	292
34.1.6	DE-REGISTRATION RESPONSE	293
34.1.7	DE-REG REJECT	293
34.1.8	GROUP ATTACHMENT	293
34.1.9	GROUP ATTACHMENT RESPONSE	294
34.1.10	GROUP ATT REJECT	295
34.1.11	GROUP DETACHMENT	295
34.1.12	GROUP DETACHMENT RESPONSE	296
34.1.13	GROUP DET REJECT	296
34.1.14	HMM RECOVERY	296
34.1.15	HMM RECOVERY COMPLETED	297
34.1.16	HMM RECOVERY REJECT	297
34.1.17	HMM RECOVERY RESPONSE	297
34.1.18	LINKING	298
34.1.19	LINKING COMMAND	298
34.1.20	LINKING COMMAND RESPONSE	298
34.1.21	LINKING REJECT	298
34.1.22	LINKING RESPONSE	298

34.1.23	MIGRATION	298
34.1.24	MIGRATION REJECT	299
34.1.25	MIGRATION REJECT RESPONSE	299
34.1.26	MIGRATION RESPONSE.....	300
34.1.27	OTAR-KEY DEMAND	300
34.1.28	OTAR-KEY PROVIDE.....	301
34.1.29	OTAR-KEY REJECT.....	301
34.1.30	OTAR-KEY RESULT	301
34.1.31	OTAR-PARAM DEMAND	302
34.1.32	OTAR-PARAM PROVIDE.....	302
34.1.33	OTAR-PARAM REJECT	303
34.1.34	OTAR-PARAM RESULT	303
34.1.35	PROFILE REJECT	303
34.1.36	PROFILE UPDATE	304
34.1.37	PROFILE UPDATE RESPONSE.....	304
34.1.38	REMOTE UNLINKING.....	305
34.1.39	REMOVE REJECT	305
34.1.40	REMOVE SUBS	305
34.1.41	REMOVE SUBS RESPONSE.....	306
34.1.42	SS-PROFILE REJECT	306
34.1.43	SS-PROFILE UPDATE.....	307
34.1.44	SS-PROFILE UPDATE RESPONSE.....	307
34.1.45	UNLINKING.....	308
34.1.46	UNLINKING REJECT	308
34.1.47	UNLINKING RESPONSE	308
34.1.48	VMM RECOVERY	308
34.1.49	VMM RECOVERY COMPLETED.....	309
34.1.50	VMM RECOVERY REJECT.....	309
34.1.51	VMM RECOVERY RESPONSE.....	309
34.2	PDU information element encoding	310
34.2.1	Advanced link	310
34.2.2	Age stamp	310
34.2.3	AI security class (participating SwMI)	310
34.2.4	AI security class (requested)	311
34.2.5	AI encryption state list	311
34.2.6	ANF-ISIMM invoke id	312
34.2.7	Authentication invocation.....	312
34.2.8	Authentication rejection cause.....	313
34.2.9	Authentication service	313
34.2.10	Authentication type.....	313
34.2.11	Basic migration profile info	314
34.2.12	Call restoration support.....	314
34.2.13	Call time-out set-up phase timer (T301).....	314
34.2.14	Call time-out timer (T310).....	314
34.2.15	Circuit mode protected (high) data service	315
34.2.16	Circuit mode protected (low) data service	315
34.2.17	Circuit mode unprotected speech + data service.....	316
34.2.18	CONS.....	316
34.2.19	Default SS-information.....	317
34.2.20	De-registration rejection cause	317
34.2.21	De-registration type	318
34.2.22	Duplex service	318
34.2.23	End-to-end encryption service	318
34.2.24	First/Subsequent Group attachment.....	319
34.2.25	Following conditional element(s) present.....	319
34.2.25.1	Forced removal	319
34.2.26	Group attachment/detachment	320
34.2.27	Group attachment rejection cause.....	320
34.2.28	Group basic migration profile (original and temporary).....	321
34.2.29	Group detachment rejection cause	322
34.2.30	Group information	322
34.2.31	Group information in subscriber profile	322

34.2.32	Group priority	323
34.2.33	GSSI.....	323
34.2.34	Home/Visited SwMI MM initiated.....	323
34.2.35	Independent of authentication service.....	323
34.2.36	Individual basic migration profile (original and temporary).....	324
34.2.37	Interleaving depth	325
34.2.38	IP service	325
34.2.39	ISSI	326
34.2.40	ISI profile type 3 element identifier.....	326
34.2.41	Last group detachment.....	326
34.2.42	Linking rejection cause.....	327
34.2.43	Maximum number of timeslots.....	327
34.2.44	Migration rejection cause.....	327
34.2.45	Migration type	328
34.2.46	MNI	328
34.2.47	MNIs of SSI and of visited SwMI MM following.....	328
34.2.48	Not supported SS	328
34.2.49	Number of following elements	329
34.2.50	Number of not supported SSs	329
34.2.51	Number of SS-information	329
34.2.52	Original/Subsequent use of param.....	329
34.2.53	OTAR SCK delivery service	330
34.2.54	OTAR SCK generation service.....	330
34.2.55	OTAR SCK key rejection cause	331
34.2.56	OTAR SCK param rejection cause	331
34.2.57	Other linked group.....	331
34.2.58	PDU type	332
34.2.59	Pre-defined profile set reference(s).....	333
34.2.60	Profile exchange support	333
34.2.61	Profile rejection cause.....	334
34.2.62	Profile type.....	334
34.2.63	Point-to-multipoint acknowledged service.....	334
34.2.64	Point-to-multipoint broadcast service.....	335
34.2.65	Point-to-multipoint service.....	335
34.2.66	Point-to-point service.....	335
34.2.67	Profile status	336
34.2.68	Proprietary	336
34.2.69	Recovery.....	336
34.2.70	Recovery rejection cause	337
34.2.71	Recovery type	337
34.2.72	Restricted migration support.....	337
34.2.73	RSI rejection cause	337
34.2.74	SCLNS.....	338
34.2.75	SDS profile	338
34.2.76	Speech service	338
34.2.77	SS-information.....	339
34.2.78	SS-information response.....	339
34.2.79	SS-migration profile (original)	339
34.2.80	SS-migration profile response (temporary).....	340
34.2.81	SS-profile response status.....	340
34.2.82	SS-profile update indicator	340
34.2.83	SS-response status	341
34.2.84	SS-status	341
34.2.85	SS-type.....	341
34.2.86	Subscriber information	341
34.2.87	Subscriber information in group profile.....	341
34.2.88	Subscriber status	342
34.2.89	Type 3 element identifier.....	342
34.2.90	Unlinking rejection cause	342
34.2.91	Validity time	342
34.2.92	Validity time type	343

35	ANF-ISIMM procedures - stage 3.....	343
35.1	General	343
35.2	Generic procedures.....	343
35.2.1	Invoking SwMI.....	343
35.2.2	Receiving SwMI.....	343
35.2.3	Clearing of ISI GFP transport connection.....	343
35.2.4	Convert primitive to PDU.....	344
35.2.5	Convert PDU to primitive.....	344
35.2.6	Correspondence between ANF-ISIMM primitives and PDUs.....	344
35.3	SDL descriptions.....	345
35.4	Migration.....	345
35.4.1	Visited SwMI ANF-ISIMM.....	345
35.4.2	Home SwMI ANF-ISIMM	348
35.5	Restricted migration	351
35.5.1	Visited SwMI ANF-ISIMM.....	352
35.5.2	Home SwMI ANF-ISIMM	353
35.6	Removal of Subscriber Information	354
35.6.1	Home SwMI ANF-ISIMM	354
35.6.2	Previous visited SwMI ANF-ISIMM.....	355
35.7	De-registration.....	356
35.7.1	Visited SwMI ANF-ISIMM.....	356
35.7.2	Home SwMI ANF-ISIMM	357
35.8	Profile update	358
35.8.1	Home SwMI ANF-ISIMM	358
35.8.2	Visited SwMI ANF-ISIMM.....	359
35.9	SS-profile update.....	360
35.9.1	Home SwMI ANF-ISIMM.....	360
35.9.2	Visited SwMI ANF-ISIMM.....	361
35.10	Authentication	362
35.10.1	Visited SwMI ANF-ISIMM.....	362
35.10.2	Home SwMI ANF-ISIMM	363
35.11	Over the air re-keying.....	365
35.11.1	OTAR SCK generation.....	365
35.11.1.1	Visited SwMI ANF-ISIMM.....	365
35.11.1.2	Home SwMI ANF-ISIMM.....	366
35.11.2	OTAR SCK delivery.....	368
35.11.2.1	Visited SwMI ANF-ISIMM	368
35.11.2.2	Home SwMI ANF-ISIMM.....	369
35.12	Individual subscriber database recovery.....	371
35.12.1	HMM recovery	371
35.12.1.1	Visited SwMI ANF-ISIMM	371
35.12.1.2	Home SwMI ANF-ISIMM.....	374
35.12.1.3	Previous visited SwMI ANF-ISIMM	377
35.12.2	VMM recovery	377
35.12.2.1	Visited SwMI ANF-ISIMM	377
35.12.2.2	Home SwMI ANF-ISIMM.....	380
35.12.2.3	Previous visited SwMI ANF-ISIMM	382
35.13	Group attachment	382
35.13.1	Visited SwMI ANF-ISIMM.....	382
35.13.2	Home SwMI ANF-ISIMM	387
35.14	Group detachment	391
35.14.1	Visited SwMI ANF-ISIMM.....	391
35.14.2	Home SwMI ANF-ISIMM	392
35.15	Group database recovery	394
35.15.1	Visited SwMI ANF-ISIMM.....	394
35.15.2	Home SwMI ANF-ISIMM	397
35.16	Group linking/unlinking	400
35.16.1	Linking controlling SwMI ANF-ISIMM	400
35.16.2	Linking participating SwMI ANF-ISIMM	400
36	ANF-ISIMM specific additions to ISI GFP - stage 3.....	400
36.1	ISI GFP connection	400