



SLOVENSKI STANDARD
SIST IEC 62642-6:2024

01-september-2024

Nadomešča:
SIST IEC 60839-1-2:1995

Alarmni sistemi - Sistemi za javljanje vloma in ropa - 6. del: Napajalniki (IEC 62642-6:2011)

Alarm systems - Intrusion and hold-up systems - Part 6: Power supplies

Systèmes d'alarme - Systèmes d'alarme contre l'intrusion et les hold-up - Partie 6: Alimentation

Ta slovenski standard je istoveten z: IEC 62642-6:2011

SIST IEC 62642-6:2024

<https://standards.iteh.ai/catalog/standards/sist/56a60989-52f0-4d43-99c4-25f19074fe76/sist-iec-62642-6-2024>

ICS:

13.310	Varstvo pred kriminalom	Protection against crime
13.320	Alarmni in opozorilni sistemi	Alarm and warning systems

SIST IEC 62642-6:2024

en



IEC 62642-6

Edition 1.0 2011-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Alarm systems – Intrusion and hold-up systems –
Part 6: Power supplies**

**Systèmes d'alarme – Systèmes d'alarme contre l'intrusion et les hold-up –
Partie 6: Alimentation**

iTeh Standards
<https://standards.iteh.ai/>
Document Preview

[SIST IEC 62642-6:2024](https://standards.iteh.ai/catalog/standards/sist/56a60989-52f0-4d43-99c4-25f19074fe76/sist-iec-62642-6-2024)

<https://standards.iteh.ai/catalog/standards/sist/56a60989-52f0-4d43-99c4-25f19074fe76/sist-iec-62642-6-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 13.320

ISBN 978-2-88912-356-8

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references.....	10
3 Terms, definitions and abbreviations.....	11
3.1 Terms and definitions.....	11
3.2 Abbreviations.....	13
4 Functional requirements.....	13
4.1 General.....	13
4.2 Monitoring of PS.....	15
4.2.1 Loss of EPS.....	16
4.2.2 Storage device – Low voltage.....	16
4.2.3 Storage device – Failure.....	17
4.2.4 Low output voltage.....	17
4.2.5 Power unit failure.....	17
4.2.6 Remote test.....	18
4.3 APS capability.....	18
4.4 Recharging for PS type A.....	18
4.5 Over-voltage protection.....	19
4.6 Short circuit protection.....	19
4.7 Overload protection.....	19
4.8 Deep discharge protection.....	19
4.9 Automatic changeover to APS.....	19
4.10 Ripple.....	19
4.11 Tamper security.....	20
4.11.1 Tamper protection.....	20
4.11.2 Tamper detection.....	20
4.12 Environment.....	21
4.13 Safety.....	22
4.14 EMC.....	22
4.15 Electrical.....	22
4.15.1 Connections.....	22
4.15.2 Rated output.....	23
4.15.3 Output voltage range.....	23
4.15.4 Input voltage range.....	23
4.15.5 Output voltage stability – Gradual load variation.....	23
4.15.6 Output voltage stability – Switched load variation.....	23
4.15.7 Transients on the power outputs.....	23
5 Marking.....	23
6 Documentation.....	24
7 Tests.....	24
7.1 General test conditions.....	25
7.1.1 Standard laboratory conditions for testing.....	25
7.1.2 General detection testing environment and procedures.....	25
7.1.3 Signal or message processing time.....	25
7.1.4 Load electrical characteristics.....	26

7.1.5	SD discharged condition	26
7.2	Reduced functional test	26
7.2.1	Principle	26
7.2.2	Test conditions	26
7.2.3	Mounting	26
7.2.4	Procedure	26
7.2.5	Pass/Fail criteria	27
7.3	PS rating	27
7.3.1	Principle	27
7.3.2	Test conditions	27
7.3.3	Mounting	27
7.3.4	Procedure	27
7.3.5	Pass/Fail criteria	28
7.4	Output voltage stability – Gradual load variation	28
7.4.1	Principle	28
7.4.2	Test conditions	28
7.4.3	Mounting	28
7.4.4	Procedure	28
7.4.5	Pass/Fail criteria	28
7.5	Output voltage stability – Switched load variation	29
7.5.1	Principle	29
7.5.2	Test conditions	29
7.5.3	Mounting	29
7.5.4	Procedure	29
7.5.5	Pass/Fail criteria	29
7.6	Signalling: loss of EPS	30
7.6.1	Principle	30
7.6.2	Test conditions	30
7.6.3	Mounting	30
7.6.4	Procedure	30
7.6.5	Pass/Fail criteria	30
7.7	Signalling: storage device – Low voltage	30
7.7.1	Principle	30
7.7.2	Test conditions	30
7.7.3	Mounting	30
7.7.4	Procedure – Phase I	31
7.7.5	Procedure – Phase II	31
7.7.6	Pass/Fail criteria	31
7.8	Signalling: storage device – Failure	32
7.8.1	Principle	32
7.8.2	Test conditions	32
7.8.3	Mounting	32
7.8.4	Procedure – Phase I	32
7.8.5	Procedure – Phase II	32
7.8.6	Pass/Fail criteria	32
7.9	Signalling: low output voltage	32
7.9.1	Principle	32
7.9.2	Test conditions	32
7.9.3	Mounting	33

7.9.4	Procedure.....	33
7.9.5	Pass/Fail criteria.....	33
7.10	Signalling: power unit failure	33
7.10.1	Principle	33
7.10.2	Test conditions	33
7.10.3	Mounting	33
7.10.4	Procedure.....	33
7.10.5	Pass/Fail criteria.....	34
7.11	Signalling: power unit failure – SD charging	34
7.11.1	Principle	34
7.11.2	Test conditions	34
7.11.3	Mounting	34
7.11.4	Procedure.....	34
7.11.5	Pass/Fail criteria.....	34
7.12	Remote test.....	34
7.12.1	Principle	34
7.12.2	Test conditions	35
7.12.3	Mounting	35
7.12.4	Procedure – Phase I.....	35
7.12.5	Procedure – Phase II.....	35
7.12.6	Pass/Fail criteria.....	35
7.13	SD recharging	35
7.13.1	Principle	35
7.13.2	Test conditions	36
7.13.3	Mounting	36
7.13.4	Procedure.....	36
7.13.5	Pass/Fail criteria.....	36
7.14	Over-voltage protection	37
7.14.1	Principle	37
7.14.2	Test conditions	37
7.14.3	Mounting	37
7.14.4	Procedure.....	37
7.14.5	Pass/Fail criteria.....	37
7.15	Short circuit protection	37
7.15.1	Principle	37
7.15.2	Test conditions	37
7.15.3	Mounting	38
7.15.4	Procedure – Phase I.....	38
7.15.5	Procedure – Phase II.....	38
7.15.6	Repeat	38
7.15.7	Pass/Fail criteria.....	38
7.16	Overload protection.....	38
7.16.1	Principle	38
7.16.2	Test conditions	39
7.16.3	Mounting	39
7.16.4	Procedure – Phase I.....	39
7.16.5	Procedure – Phase II.....	39
7.16.6	Repeat	39
7.16.7	Pass/Fail criteria.....	39

7.17	Deep discharge protection	40
7.17.1	Principle	40
7.17.2	Test conditions	40
7.17.3	Mounting	40
7.17.4	Procedure	40
7.17.5	Pass/Fail criteria	40
7.18	Automatic changeover to APS	40
7.18.1	Principle	40
7.18.2	Test conditions	41
7.18.3	Mounting	41
7.18.4	Procedure	41
7.18.5	Pass/Fail criteria	41
7.19	Tamper protection	41
7.19.1	Principle	41
7.19.2	Procedure	41
7.19.3	Pass/Fail criteria	41
7.20	Tamper protection – Access to the inside of the housing	42
7.20.1	Principle	42
7.20.2	Test conditions	42
7.20.3	Mounting	42
7.20.4	Procedure	42
7.20.5	Pass/Fail criteria	42
7.21	Tamper detection – Removal from mounting	42
7.21.1	Principle	42
7.21.2	Test conditions	43
7.21.3	Mounting	43
7.21.4	Procedure	43
7.21.5	Pass/Fail criteria	43
7.22	Tamper detection – Penetration of the housing	43
7.22.1	Principle	43
7.22.2	Test conditions	43
7.22.3	Mounting	43
7.22.4	Procedure	44
7.22.5	Pass/Fail criteria	44
7.23	Environment and EMC	44
7.23.1	Principle	44
7.23.2	Procedure	44
7.23.3	Pass/Fail criteria	44
7.24	Marking and documentation	45
7.24.1	Principle	45
7.24.2	Procedure	45
7.24.3	Pass/Fail criteria	45
Annex A (informative)	Determination of storage device failure	46
Bibliography		47
Figure 1	– Power supply types	14
Table 1	– Power supply functions	15

Table 2 – Power supply signalling	16
Table 3 – Maximum time to detect and signal storage device low voltage	17
Table 4 – Tamper detection	20
Table 5 – Removal from mounting.....	20
Table 6 – Environmental and EMC tests and severity.....	22
Table 7 – Tests for PS according to type	25
Table A.1 – Minimum load times for common storage devices in use in I&HAS	46

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST IEC 62642-6:2024](https://standards.iteh.ai/catalog/standards/sist/56a60989-52f0-4d43-99c4-25f19074fe76/sist-iec-62642-6-2024)

<https://standards.iteh.ai/catalog/standards/sist/56a60989-52f0-4d43-99c4-25f19074fe76/sist-iec-62642-6-2024>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ALARM SYSTEMS –
INTRUSION AND HOLD-UP SYSTEMS –**

Part 6: Power supplies

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62642-6 has been prepared by IEC technical committee 79: Alarm and electronic security systems.

This standard is based on EN 50131-6 (2008).

The text of this standard is based on the following documents:

FDIS	Report on voting
79/326/FDIS	79/335/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62642 series can be found, under the general title *Alarm systems – Intrusion and hold-up systems*, on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[SIST IEC 62642-6:2024](#)

<https://standards.iteh.ai/catalog/standards/sist/56a60989-52f0-4d43-99c4-25f19074fe76/sist-iec-62642-6-2024>

INTRODUCTION

This Part 6 of the IEC 62642 deals with power supplies (PS) of intrusion and hold-up alarm systems (I&HAS) installed in buildings. It includes devices that are installed inside or outside of the supervised premises and mounted in indoor or outdoor environments. The other parts of this series of standards are as follows:

- Part 1 System requirements
- Part 2-2 Intrusion detectors – Passive infrared detectors
- Part 2-3 Intrusion detectors – Microwave detectors
- Part 2-4 Intrusion detectors – Combined passive infrared / microwave detectors
- Part 2-5 Intrusion detectors – Combined passive infrared / ultrasonic detectors
- Part 2-6 Intrusion detectors – Opening contacts (magnetic)
- Part 2-71 Intrusion detectors – Glass break detectors – Acoustic
- Part 2-72 Intrusion detectors – Glass break detectors – Passive
- Part 2-73 Intrusion detectors – Glass break detectors – Active
- Part 3 Control and indicating equipment
- Part 4 Warning devices
- Part 5-3 Interconnections – Requirements for equipment using radio frequency techniques
- Part 6 Power supplies
- Part 7 Application guidelines
- Part 8 Security fog devices/systems

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST IEC 62642-6:2024](https://standards.iteh.ai/catalog/standards/sist/56a60989-52f0-4d43-99c4-25f19074fe76/sist-iec-62642-6-2024)

<https://standards.iteh.ai/catalog/standards/sist/56a60989-52f0-4d43-99c4-25f19074fe76/sist-iec-62642-6-2024>

ALARM SYSTEMS – INTRUSION AND HOLD-UP SYSTEMS –

Part 6: Power supplies

1 Scope

This part of the IEC 62642 series specifies the requirements, performance criteria and testing procedures for power supplies (PS) to be used as part of Intrusion and Hold up Alarm Systems (I&HAS). The PS shall either be an integral part of an I&HAS component or stand-alone. The control functions of the PS may be incorporated as part of the PS device, or may be provided by another I&HAS component e.g. a control and indicating equipment (CIE).

This International Standard is not applicable when the PS requirements for I&HAS components are included within the relevant product standard.

The requirements correspond to each of the four security grades given in the IEC 62642-1. Requirements are also given for four environmental classes covering applications in internal and outdoor locations.

This standard covers mandatory functions which shall be provided on all PS and optional functions which may be provided.

Other functions associated with I&HAS not specified in this standard may be provided. Such functions shall not affect the requirements of any mandatory or optional functions.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60065, *Audio, video and similar electronic apparatus – Safety requirements*

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*

IEC 60950 (all parts), *Information technology equipment – Safety*

IEC 61000-6-3, *Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments*

IEC 62599-1, *Alarm systems – Part 1: Environmental test methods*

IEC 62599-2, *Alarm systems – Part 2: Electromagnetic compatibility – Immunity requirements for components of fire and security alarm systems*

IEC 62642-1:2010, *Alarm systems – Intrusion and hold-up systems – Part 1: System requirements*

IEC 62642-3, *Alarm systems – Intrusion and hold-up systems – Part 3: Control and indicating equipment*