

Edition 3.0 2011-09

# INTERNATIONAL STANDARD





## THIS PUBLICATION IS COPYRIGHT PROTECTED

## Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Web: www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Rease make sure that you have the latest edition, a corrigenda or an amendment might have been published.

■ Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.ies.ch/webstore/custservices.ch/webst

If you wish to give us your feedback on this publication of need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 3.0 2011-09

## INTERNATIONAL STANDARD



INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

N

ICS 33.180.10

ISBN 978-2-88912-688-0

## CONTENTS

FOF	REWC	PRD	3			
1	Scop	e	5			
2	Normative references					
3	Definitions					
4	Optical fibre cables					
5	•	Materials				
	5.1	Optical fibre	7			
	5.2	Electrical conductors				
	5.3	Other materials	_			
	5.4	Environmental requirements	7			
6	Cable	e construction	7			
7	Meas	Measuring methods				
	7.1	General Measuring methods for dimensions	7			
	7.2	Measuring methods for dimensions	8			
	7.3	Measuring methods for mechanical characteristics	8			
	7.4					
	7.5	Measuring methods for transmission and optical characteristics	8			
	7.6	Measuring methods for environmental characteristics				
	7.7	Measuring methods for cable element characterisation				
8		ed Technical Reports	9			
Ann perf	iex A formai	(informative) Guide to specific defined applications and cabled fibre	. 11			
Ann	ех В	(informative) Guide to qualification sampling	. 12			
Bibl	iograp	phy	. 14			
Tab	Table 1 – Measuring methods for dimensions					
Tab	Table 2 – Measuring methods for electrical characteristics					
Tab	le 3 –	Transmission and optical characteristics of cabled optical fibres	9			

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### **OPTICAL FIBRE CABLES –**

## Part 1-1: Generic specification – General

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter veterred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, EC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-1-1 has been prepared by subcommittee 86A: Fibres and Cables, of IEC technical committee 86: Fibre optics.

This third edition cancels and replaces the second edition, published in 2002, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the contents are updated throughout;
- the informative Annexes A "Guide to the installation of optical fibre cables" and B "Guide to hydrogen effects in optical fibre cables" have been deleted from this standard and will be published as separate Technical Reports;
- c) the informative Annex C is renamed Annex A and the informative Annex B "Guide to qualification sample" is added.

This standard shall be used in conjunction with IEC 60794-1-2.

The text of this standard is based on the following documents:

CDV	Report on voting
86A/1355/CDV	86A/1399/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61754 series, under the general title *Optical* fibre cables, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed.
- withdrawn,
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of January 2012 have been included in this copy.

IMPORTANT – The 'colour inside logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### **OPTICAL FIBRE CABLES -**

## Part 1-1: Generic specification - General

#### 1 Scope

This part of IEC 60794 applies to optical fibre cables for use with communication equipment and devices employing similar techniques and to cables having a combination of both optical fibres and electrical conductors.

The object of this standard is to establish uniform generic requirements for the geometrical, transmission, material, mechanical, ageing (environmental exposure), climatic and electrical properties of optical fibre cables, where appropriate.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60189-1, Low-frequency cables and wires with PVC insulation and PVC sheath – Part 1: General test and measuring methods

IEC 60793-1-1, Optical fibres - Part 1-1: Measurement methods and test procedures - General and guidance

IEC 60793-1-21, Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry

IEC 60793-1-22, Optical fibres – Part 1-22: Measurement methods and test procedures – Length measurement IEC 60793-1-40, Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation

IEC 60793-1-40 Optical fibres – Part 1-40: Measurement methods and test procedures – Attenutation

IEC 60793-1-46, Optical fibres – Part 1-46: Measurement methods and test procedures – Monitoring of changes in optical transmittance

IEC 60793-1-48, Optical fibres – Part 1-48: Measurement methods and test procedures – Polarization Mode Dispersion

IEC 60793-2, Optical fibres - Part 2: Product specifications - General

IEC 60794-1-2, Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures

IEC 60794-1-2:2003, Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures<sup>1</sup>

IEC 60794-4-20:-2, Optical fibre cables – Part 4-20: Aerial optical cables along electrical power lines – Family specification for ADSS (All Dielectric Self Supported) Optical cables

IEC 60811-201, Electric and optical fibre cables – Test methods for non-metallic materials – Part 201: General tests – Measurement of insulation thickness<sup>3</sup>

IEC 60811-202, Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath<sup>4</sup>

IEC 60811-203, Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions<sup>5</sup>

ISO 14001, Environmental management systems - Requirements with guidance for use

ISO 14064-1, Greenhouse gases. Specification with guidance at the organization level for quantification and reporting of greenhouse gas emissions and removals

#### 3 Definitions

For the purpose of this document, the following definitions apply:

#### 3.1

#### no change in attenuation

an acceptance criterion for attenuation measurement that includes an allowance for measurement uncertainty arising from measurement errors or calibration errors due to a lack of suitable reference standards

NOTE For a practical interpretation, see LEC 60794-1-20.

#### 3.2

## no change in fibre strain

an acceptance criterion for fibre strain measurement that includes an allowance for measurement uncertainty arising from measurement errors or calibration errors due to a lack of suitable reference standards

NOTE For a practical interpretation, see IEC 60794-1-20.

#### 4 Optical fibre cables

Optical fibre cables, containing optical fibres and possibly electrical conductors, consist of the following types:

- indoor cables;
- patchcords;

<sup>1</sup> To be replaced by future IEC 60794-1-22.

<sup>2</sup> To be published.

<sup>3</sup> To be published.

<sup>4</sup> To be published.

<sup>5</sup> To be published.

- premises cabling;
- cables for installation in ducts and lashed aerial cables;
- cables for direct burial:
- cables for installation in tunnels;
- aerial cables;
- underwater cables for lakes, river crossings and coastal applications;
- microduct cabling;
- cables for utility rights of way such as sewers, gas pipes and water pipes;
- overhead cables (power lines);
- other optical fibre cable types not listed above.

#### 5 Materials

## 5.1 Optical fibre

Optical fibres shall meet the requirements of IEC 60793-1-1, IEC 60793-2 and the relevant IEC standards. Annex A gives guidance on system performance standards.

#### 5.2 Electrical conductors

The characteristics of any electrical conductors shall be in ascordance with the relevant IEC standards.

#### 5.3 Other materials

Material used in the construction of optical fibre cables shall be compatible with the physical and optical properties of the fibres and shall be in accordance with the relevant IEC standards.

## 5.4 Environmental requirements

When requested, information shall be provided on the overall environmental impact of the cable and cable material. This information should include manufacturing, cable handling and environmental impact during the lifetime of the cable. Examples of relevant information are the minimisation or replacement of harmful materials and improvements in waste disposal. Relevant standards include ISO 14001 and ISO 14064-1.

#### 6 Cable construction

The construction, dimensions, weight, mechanical, optical, electrical and climatic properties of each type of optical fibre cable shall be as stated in the relevant specification.

### 7 Measuring methods

#### 7.1 General

Not all tests are applicable to all cables.

Intrinsic characteristics of optical fibres are not normally measured by cable manufacturers. The relevant values are provided by optical fibre manufacturers, available as unitary or statistical values. For practical reasons, the core diameter of single-mode fibres is not specified. Mode field diameter is the relevant specification parameter.

Guidance on selecting fibres for testing is given in Annex B.

#### 7.2 Measuring methods for dimensions

The dimensions of the optical fibres, electrical conductors and cables shall be determined by subjecting samples to tests selected from Table 1. The tests applied, acceptance criteria and number of samples shall be as specified in the relevant specification.

Table 1 – Measuring methods for dimensions

Test method	Test	Characteristics covered by test method
IEC 60793-1-21	Coating geometry measurement	Diameter of primary coating
		Diameter of inked fibre
		Diameter of secondary or "buffer" coating
		Non-circularities of secondary or "buffer" coating
IEC 60793-1-22 method A	Delay of transmitted and/or reflected pulse	Length of fibre
IEC 60793-1-22 method B	Backscattering technique	Length of fibre
IEC 60189-1	Mechanical	Diameter of electrical conductor
IEC 60811-201	Mechanical	Thickness of insulation – electrical
IEC 60811-202		conductors
IEC 60811-203	en STAIC VACE OF	Thickness of sheaths  Overall dimensions

## 7.3 Measuring methods for mechanical characteristics

The mechanical characteristics of optical fibre cables shall be verified by subjecting samples to tests selected from NEC 60794-1-21. The tests applied and acceptance criteria shall be as specified in the relevant specification.

## 7.4 Measuring methods for electrical characteristics

When electrical conductors are incorporated in an optical fibre cable, verification of various electrical characteristics may be necessary. Typical tests are shown in Table 2, in addition to those given in IEC 60794-1-24. The tests applied and the acceptance criteria shall be as laid down in the relevant specification.

Table 2 - Measuring methods for electrical characteristics

Test method	Test	Characteristics covered by test method
IEC 60189-1	Conductor resistance	Characteristics of insulated electrical conductors
	Dielectric strength of insulation Insulation resistance	The insulation properties of conductors within optical fibre cables are normally just specified for the incoming material, pre-cabling.

For cables installed along overhead power lines, specialised tests are given in future IEC 60794-1-24 (method H1: Short circuit test and method H2: Lightning test method) and in IEC 60794-4-20 (Annex C: Electrical test (tracking).

## 7.5 Measuring methods for transmission and optical characteristics

The transmission and optical characteristics of optical fibre in cables shall be verified by carrying out selected tests from those shown in Table 3. The tests applied and acceptance criteria shall be as specified in the relevant specification.