

# TECHNICAL REPORT

## RAPPORT TECHNIQUE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE  
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

Database on the characteristics of radio services

Base de données des caractéristiques des services radioélectriques

CISPR TR 31:2012

<https://standards.iteh.ai/catalog/standards/sist/02e478fb-be94-4762-8a16-8d1df6fee176/cispr-tr-31-2012>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Liens utiles:

Recherche de publications CEI - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# TECHNICAL REPORT

# RAPPORT TECHNIQUE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE  
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

Database on the characteristics of radio services

(standards.iteh.ai)

Base de données des caractéristiques des services radioélectriques

CISPR TR 31:2012

<https://standards.iteh.ai/catalog/standards/sist/02e478fb-be94-4762-8a16-8d1df6fee176/cispr-tr-31-2012>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

K

ICS 33.100.10

ISBN 978-2-83220-362-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references .....	5
3 General .....	5
4 Outline of database .....	5
5 Input to database .....	8
6 Usage of database .....	8
Annex A (informative) Reporting form .....	9
Bibliography.....	10
Table 1 – Explanation of columns in the spreadsheet.....	5
Table 2 – Example based on the principles defined in Table 1 .....	7
Table A.1 – Reporting form .....	9

## iTeh STANDARD PREVIEW (standards.iteh.ai)

CISPR TR 31:2012

<https://standards.iteh.ai/catalog/standards/sist/02e478fb-be94-4762-8a16-8d1df6fee176/cispr-tr-31-2012>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## DATABASE ON THE CHARACTERISTICS OF RADIO SERVICES

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

CISPR 31, which is a technical report, has been prepared by CISPR subcommittee H: Limits for the protection of radio services.

This second edition cancels and replaces the first edition published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) replacement of CISPR 23 as reference standard for the determination of limits by CISPR 16-4-4:2007 on "model for the calculation of limits for the protection of radio services".

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
CISPR/H/228/DTR	CISPR/H/234/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

CISPR TR 31:2012

<https://standards.iteh.ai/catalog/standards/sist/02e478fb-be94-4762-8a16-8d1df6fee176/cispr-tr-31-2012>

## DATABASE ON THE CHARACTERISTICS OF RADIO SERVICES

### 1 Scope

This Technical Report covers the rationale behind the actual database covering the characteristics of radio services. The database is a “living document” in the format of a spreadsheet file in the EMC Zone of the IEC web site (<http://www.iec.ch/emc/database>).

The objective of the database is to register those characteristics which are relevant for derivation and specification of limits for disturbance emissions from electric and/or electronic equipment, systems and installations. Committees responsible for generic and/or product emission EMC standards should use this information together with CISPR 16-4-4.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 16-4-4:2007, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-4: Uncertainties, statistics, and limit modelling – Statistics of complaints and a model for the calculation of limits for the protection of radio services*

### 3 General

<https://standards.iteh.ai/catalog/standards/sist/02e478fb-be94-4762-8a16-8d1df6fee176/cispr-tr-31-2012>

The database content is comprised of objective radio system characteristics and subjective information on typical intended usage.

### 4 Outline of database

The explanation of the columns in the spreadsheet is given in Table 1.

**Table 1 – Explanation of columns in the spreadsheet**

Characteristics	Explanation/purpose
Radio system (name)	Identification of the system
Reference document (specification)	Reference to the system specification
Receiving frequency band (MHz)	Frequency band in MHz specified by the band edge frequencies
Field strength to protect or sensitivity	Typically the lowest useable field strength or specified sensitivity in dB( $\mu$ V/m)
Protection ratio R (dB)	Ratio of the minimum useable field strength for the wanted RF signal to the maximum acceptable level of an interfering signal
Receiving antenna gain Gr (dB)	Typical gain in dB in the main lobe of an antenna intended for use with a system
Receiving bandwidth Brec (kHz)	Bandwidth in kHz between “–3 dB” points
Isolation distance d (m)	Typical distance in m between a receiver and a likely source of interference

Characteristics	Explanation/purpose
Systematic isolation Is (dB)	Typical extra isolation in dB because, for example, of typical installation practice
Existing number of units	Estimated number of units (expressed as less than 100, or 100 up to 1 million or > 1 million)
Is it fixed or mobile?	Is the typical application mobile or is it fixed? If both then state both
Duty cycle (is the equipment always on, in stand-by or used off and on?)	Percentage of time where the receiver is active
Modulation	Modulation scheme and duplex/simplex system
Is it a safety-related service?	Is the service part of a security- or safety system?
Characteristics of most harmful interference (modulation/bandwidth)	An indication of what type of interference is the most harmful, e.g. broadband, narrowband, pulsed, CW etc.
Output power and effective radiated power (ERP)	Transmitter output power or ERP from an integrated system in W
Antenna characteristics (maximum gain) if different from the RX antenna	Typical gain in dB in the main lobe of an antenna intended for use with the system
Usage area (country and/or region)	Is the typical area of use restricted to one country, region or is it worldwide

## iTeh STANDARD PREVIEW (standards.iteh.ai)

CISPR TR 31:2012

<https://standards.iteh.ai/catalog/standards/sist/02e478fb-be94-4762-8a16-8d1df6fee176/cispr-tr-31-2012>





## 5 Input to database

Input can be made by using the template (Annex A reporting form) and by forwarding the input to the CISPR H Secretariat.

See Annex A.

## 6 Usage of database

The database is placed in the EMC zone of the IEC web site (<http://www.iec.ch/emc/database>) and is freely accessible. Product committees preparing EMC emission standards should consider at which frequency ranges their equipment are likely to generate emissions. The relevant frequency ranges in this database should be consulted in order to identify which radio services can be affected and which are the related levels of tolerable interference. CISPR 16-4-4 shall be used for the principles of setting emission limits based on the information in the database.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

CISPR TR 31:2012

<https://standards.iteh.ai/catalog/standards/sist/02e478fb-be94-4762-8a16-8d1df6fee176/cispr-tr-31-2012>

## Annex A (informative)

### Reporting form

Please use the reporting form to fill in the required information and return it either on a disc or by e-mail. Your information for the database will not be scrutinized.

The following characteristics shall be included (see Table A.1).

**Table A.1 – Reporting form**

Characteristics	Input column	Explanation/purpose
Radio system (name)		Identification of the system
Reference document (specification)		Reference to the system specification
Receiving frequency band (MHz)		Frequency band in MHz specified by the band edge frequencies
Field strength to protect or sensitivity $E_o$ (dB $\mu$ V/m)		Typically the lowest useable field strength or specified sensitivity in dB( $\mu$ V/m)
Protection ratio R (dB)		Ratio of the minimum useable field strength for the wanted RF signal to the maximum acceptable level of an interfering signal
Receiving antenna gain $G_r$ (dB)		Typical gain in dB in the main lobe of an antenna intended for use with a system
Receiving bandwidth $B_{rec}$ (kHz)		Bandwidth in kHz between “–3 dB” points
Isolation distance d (m)		Typical distance in m between a receiver and a likely source of interference
Systematic isolation $I_s$ (dB)		Typical extra isolation in dB because of, for example, typical installation practice
Existing number of units		Estimated number of units (expressed as < 100, or 100 up to 1 million or >1 million)
Is it fixed or mobile?		Is the typical application mobile or is it fixed? If both then state both
Receiver operating period (is the equipment always on, in stand-by or used off and on?)		Percentage of time where the receiver is active
Modulation		Modulation scheme and duplex/simplex system
Is it a safety-related service?		Is the service part of a security- or safety system?
Characteristics of most harmful interference (modulation/bandwidth)		An indication of what type of interference is the most harmful, e.g. broadband, narrowband, pulsed, CW etc.
Output power and effective radiated power (ERP)		Transmitter output power or ERP from an integrated system in W
Antenna characteristics (maximum gain) if different from the RX antenna		Typical gain in dB in the main lobe of an antenna intended for use with the system
Usage area (country and/or region)		Is the typical area of use restricted to one country or region, or is it worldwide?