



Edition 1.0 2015-09

# **INTERNATIONAL STANDARD**

# NORME **INTERNATIONALE**



Explosive atmospheres-STANDARD PREVIEW Part 30-1: Electrical resistance trace heating – General and testing requirements (standards.iteh.al)

Atmosphères explosives -Partie 30-1: Traçage par résistance électrique – Exigences générales et d'essais e4a5ed396411/iec-ieee-60079-30-1-2015





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2015 IEC, Geneva, Switzerland Copyright © 2015 IEEE

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing being secured. Requests for permission to reproduce should be addressed to either IEC at the address below or IEC's member National Committee in the country of the requester or from IEEE.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue New York, NY 10016-5997 United States of America stds.ipr@ieee.org www.ieee.org

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About the IEEE

IEEE is the world's largest professional association dedicated to advancing technological innovation and excellence for the benefit of humanity. IEEE and its members inspire a global community through its highly cited publications, conferences, technology standards, and professional and educational activities.

#### About IEC/IEEE publications

The technical content of IEC/IEEE publications is kept under constant review by the IEC and IEEE. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire	The world's leading online dictionary of electronic and
	electrical terms containing 21 000 terms and definitions in
Technical Specifications, Technical Reports and other (	English and French, with equivalent terms in 16 additional
documents. Available for PC, Mac OS, Android Tablets and	languages. Also known as the International Electrotechnical
iPad.	Vocabulary (IEV) online.
IEC/IEEE 6007	9-30-1:2015
IEC publications search - webstore.iec.ch/advsearchform	IEC Glossary - std.iec.ch/glossary
	67 000 electrotechnical terminology entries in English and
variety of criteria (reference number, a text, 96 technical con	French extracted from the Terms and Definitions clause of
committee,). It also gives information on projects, replaced	IEC publications issued since 2002. Some entries have been
and withdrawn publications.	collected from earlier publications of IEC TC 37, 77, 86 and
·	CISPR.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.





Edition 1.0 2015-09

# **INTERNATIONAL STANDARD**

# NORME **INTERNATIONALE**



Explosive atmospheres-STANDARD PREVIEW Part 30-1: Electrical resistance trace heating - General and testing requirements

Atmosphères explosives – IEC/IEEE 60079-30-1:2015 Partie 30-1: Traçage par résistance électrique - Exigences générales et d'essais e4a5ed396411/iec-ieee-60079-30-1-2015

**INTERNATIONAL** ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE **INTERNATIONALE** 

ICS 29.260.20

ISBN 978-2-8322-5548-3

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

### CONTENTS

FC	DREWORD.		5
IN	TRODUCTIO	ON	10
1	Scope		11
2	Normative	e references	15
3	Terms an	d definitions	16
4	General r	equirements	22
		neral	
		hanical strength	
		minations and connections	
	4.4 Circ	uit protection requirements for branch circuits	23
	4.5 Tem	nperature requirements	23
	4.5.1	General	23
	4.5.2	Stabilized design	24
	4.5.3	Controlled design	
5	-		
		e tests	26
	5.1.1	Genera Teh STANDARD PREVIEW	
	5.1.2	Dielectric test	26
	5.1.3		
	5.1.4	Flammability test <u>IEC/IEEE 60079-30-1:2015</u>	
	5.1.5	Impact tests Imps//standards/ist/e8e0eb30-7113-4014-b2fd	
	5.1.6 5.1.7	Deformation test4a5ed396411/icc-iccc-60079-30-1-2015	
	5.1.8	Water resistance test	
	5.1.9	Integral components resistance to water test	
	5.1.10	Verification of rated output	
	5.1.11	Thermal stability of electrical insulating material	
	5.1.12	Thermal performance test	
	5.1.13	Determination of maximum sheath temperature	
	5.1.14	Verification of start-up current	46
	5.1.15	Verification of the electrical resistance of electrically conductive covering	46
	5.1.16	Outdoor exposure test	47
	5.2 Rou	tine tests	47
	5.2.1	Dielectric test	47
	5.2.2	Verification of rated output	47
6	Marking .		47
	6.1 Pro	duct markings for trace heaters	47
	6.2 Mar	kings for field assembled components	48
7		tation requirements	
		eral	
		uit design documentation	
		ce heating system documentation	
	7.3.1	General	49

7.3.2	For trace heating systems according to the product classification	
1.0.2	method	49
7.3.3	For trace heating systems according to stabilized design method	49
7.3.4	For trace heating systems according to controlled design method	49
7.4 Ir	nstructions for installation of trace heating system	50
7.5 Ir	nstructions for commissioning	50
7.6 Ir	nstructions for maintenance / repair or modification	50
	formative) Type test matrix for EPLs Gb/Gc/Db/Dc (Refer to IEC 60079-14 ionship of EPLs to Zones)	52
Annex B (in	formative) Checklist for installation	53
	ormative) Trace heater product design verification methodology	
C.1 G	eneral	54
C.2 D	esign methodology and selection of trace heaters	54
C.3 S	tabilized design calculations	54
C.4 T	race heater performance and equilibrium conditions	55
C.5 H	eat loss calculations	57
C.6 ⊢	eat loss design safety factor	58
C.7 N	laximum temperature determination	58
C.7.1	Theoretical pipe and sheath temperature calculations – Metallic applications	58
C.7.2	Theoretical vessel and sheath temperature calculations - Metallic applications	59
C.7.3	Sheath temperature - metallic applications utilizing a temperature limiter control sensing the trace heater sheath or an artificial hot spot	
C.7.4	Theoretical sheath temperature calculations – Non-metallic applications.	
C.7.5	Sheath temperature i/monemetallic/applications utilizing a temperature limiter control sensing the trace heatersheath or an artificial hot spot	62
Annex D (n	limiter control sensing the trace heater sheatmor an artificial hot spot prmative) Requirements for Division 1 and Division 2 trace heating	
Annex D (n systems	limiter control sensing the trace heater sheath or an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating	63
Annex D (n systems	limiter control sensing the trace heater sheatmor an artificial hot spot prmative) Requirements for Division 1 and Division 2 trace heating	63
Annex D (n systems D.1 A	limiter control sensing the trace heater sheath or an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating	63
Annex D (ne systems D.1 A D.2 G	limiter control sensing the trace heater sheatmor an artificial hot spot prmative) Requirements for Division 1 and Division 2 trace heating pplication	63 63 63
Annex D (no systems D.1 A D.2 G D.3 T	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections	63 63 63 63
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1	limiter control sensing the trace heater sheatmor an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections control and temperature requirements	63 63 63 63 63
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2	limiter control sensing the trace heater sheatm or an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections ontrol and temperature requirements General Stabilized design	63 63 63 63 63 63
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections	63 63 63 63 63 63 63
Annex D (na systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.3 D.4.4	limiter control sensing the trace heater sheatmor an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections ontrol and temperature requirements General Stabilized design Controlled design Requirements for protective device in Divisions 1 and 2	63 63 63 63 63 63 64 64
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.3 D.4.4 D.5 T	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections. control and temperature requirements General Stabilized design Controlled design Requirements for protective device in Divisions 1 and 2 ype tests	63 63 63 63 63 63 64 64 64
Annex D (na systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.3 D.4.4 D.5 T D.5.1	limiter control sensing the trace heater sheath or an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections ontrol and temperature requirements General Stabilized design Controlled design Requirements for protective device in Divisions 1 and 2 ype tests. Division 1 trace heating equipment	63 63 63 63 63 64 64 64 64
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.4 D.5 T D.5.1 D.5.1	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections. fontrol and temperature requirements General Stabilized design Controlled design Requirements for protective device in Divisions 1 and 2 ype tests Division 1 trace heating equipment Division 2 equipment	63 63 63 63 63 63 64 64 64 64 65
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.3 D.4.4 D.5 T D.5.1 D.5.2 D.6 M	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections. control and temperature requirements General Stabilized design Controlled design Requirements for protective device in Divisions 1 and 2 ype tests Division 1 trace heating equipment Division 2 equipment	63 63 63 63 63 63 64 64 64 64 64 65
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.4 D.5 T D.5.1 D.5.1 D.5.2 D.6 M D.7 In	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral. erminations and connections control and temperature requirements General Stabilized design Controlled design Requirements for protective device in Divisions 1 and 2 ype tests Division 1 trace heating equipment Division 2 equipment arking	63 63 63 63 63 63 64 64 64 64 64 65 65
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.3 D.4.4 D.5 T D.5.1 D.5.1 D.5.2 D.6 M D.7 In Annex E (no	limiter control sensing the trace heater sheath or an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections ontrol and temperature requirements General	63 63 63 63 63 63 64 64 64 64 64 65 65 65
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.3 D.4.4 D.5 T D.5.1 D.5.1 D.5.2 D.6 M D.7 In Annex E (no	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral. erminations and connections control and temperature requirements General Stabilized design Controlled design Requirements for protective device in Divisions 1 and 2 ype tests Division 1 trace heating equipment Division 2 equipment arking	63 63 63 63 63 63 64 64 64 64 64 65 65 65
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.3 D.4.4 D.5 T D.5.1 D.5.2 D.6 M D.7 In Annex E (no	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral	63 63 63 63 63 63 64 64 64 64 65 65 65 65 67
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.3 D.4.4 D.5 T D.5.1 D.5.2 D.6 M D.7 In Annex E (no	limiter control sensing the trace heater sheath or an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections ontrol and temperature requirements General	63 63 63 63 63 63 64 64 64 64 65 65 65 65 67
Annex D (no systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.4 D.5 T D.5.1 D.5.2 D.6 M D.7 In Annex E (no Bibliograph	limiter control sensing the trace heater sheath of an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral	63 63 63 63 63 63 64 64 64 64 64 64 65 65 67 69
Annex D (na systems D.1 A D.2 G D.3 T D.4 C D.4.1 D.4.2 D.4.3 D.4.4 D.5 T D.5.1 D.5.2 D.6 M D.7 In Annex E (no Bibliograph Figure 1 – F Figure 2 – E	limiter control sensing the trace heater sheath or an artificial hot spot ormative) Requirements for Division 1 and Division 2 trace heating pplication eneral erminations and connections ontrol and temperature requirements General Stabilized design Controlled design Requirements for protective device in Divisions 1 and 2 ype tests Division 1 trace heating equipment Division 2 equipment larking prmative) Type test matrix for Division 1 and 2 explosive atmospheres	63 63 63 63 63 63 64 64 64 64 64 65 65 65 67 69 69

	2010
Figure 5 – Integral components resistance to water test	34
Figure 6 – Verification of rated output	35
Figure 7 – Maximum sheath temperature using product classification approach	39
Figure 8 – Verification of sheath temperatures using pipe sculpture	41
Figure 9 – Verification of sheath temperature, plate test	44
Figure 10 – Verification of sheath temperature – plate test with serpentined sample	44
Figure 11 – Plate test with two samples crossed over	45
Figure 12 – Plate test with a single sample crossed over	46
Figure C.1 – Equilibrium conditions for workpiece maintenance	55
Figure C.2 – Equilibrium conditions for upper limit evaluation	56
Table 1 – Application or exclusion of specific clauses of IEC 60079-0	11
Table 2 – Sheath temperature design conditions based on equipment protection levels – Stabilized design approach	24
Table 3 – Sheath temperature design conditions based on equipment protection levels EPLs – Controlled design approach	25
Table 4 – Test voltages for the dielectric test	26
Table A.1 – Determination of test samples	52
Table B.1 – Trace heater installation record – Example	53
Table D.1 – Division trace heating systems	63
Table D.1 – Division trace heating systems Table D.2 – Sheath temperature design conditions – Stabilized design approach	64
Table D.3 – Sheath temperature design conditions <sub>30-</sub> With temperature control device	64
Table E.1 – Applicable:trace.heateriand/trace.heater/padsband/panels/tests by installation location	67
Table E.2 – Applicable tests for integral components with trace heaters and trace	

- 4 -

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### **EXPLOSIVE ATMOSPHERES –**

#### Part 30-1: Electrical resistance trace heating – General and testing requirements

#### FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and nongovernmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. *IEEE documents are made available for use subject to important notices and legal disclaimers (see http://standards.ieee.org/IPR/disclaimers.html for more information)*.

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations. This Dual Logo International Standard was jointly developed by the IEC and IEEE under the terms of that agreement.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE-SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

International Standard IEC/IEEE 60079-30-1 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres, in cooperation with the Petroleum & Chemical Industry Committee of the IEEE Industrial Applications Society under the IEC/IEEE Dual Logo Agreement.

This publication is published as an IEC/IEEE Dual Logo standard.

NOTE A list of IEEE participants can be found at the following URL: <u>http://standards.ieee.org/downloads/60079/60079-30-1-2015/60079-30-1-2015\_wg-participants.pdf</u>.

This bilingual version (2018-04) corresponds to the English version, published in 2015-09.

This first edition of IEC/IEEE 60079-30-1 cancels and replaces the first edition of IEC 60079-30-1 published in 2007 and constitutes a technical revision.

This edition includes the following significant changes, apart from the general revision and updating of the first edition of IEC 60079-30-1 and harmonization with IEEE Std 515, with respect to the previous edition:

- the inclusion of a minimum temperature impact test;
- the addition of a mechanical procedure in the thermal stability test;
- the inclusion of a thermal performance test to replace the thermal safety requirements;
- the inclusion of a second procedure utilizing a plate fixture for sheath temperature determination;
  Teh STANDARD PREVIEW
- the inclusion of an ultraviolet and condensation test;
- the revision and significant expansion of documentation requirements;
- the addition of Annexes covering requirements for Divisions 1 and 2;
- the addition of a table covering the applicability of requirements from IEC 60079-0;
- the addition of an Annex covering trace heater product design verification methodology (formerly located in IEC 60079-30-2);
- the further harmonization of this edition with several national standards.

The significance of changes between IEC 60079-30-1, Edition 1.0 (2007) and IEC/IEEE 60079-30-1, Edition 1.0 (2015) is as listed below:

		Туре		
Changes	Clause	Minor and editorial changes	Extension	Major technical changes
Addition of clarification for the exclusion of EPLs Ga and Da	1	x		
Addition of requirements for the Division method of area classification that may be applied by some users	1		х	
Addition of table specifying the application or exclusion of specific clauses of IEC 60079-0 Edition 6	1	x		
For stabilized designs, a clarification for the need for verification by testing and the addition of a table for the specific requirements	4.5.2	x		
For controlled designs, a clarification for the need for verification by testing and the addition of a table for the specific requirements	4.5.3	x		
For controlled designs, clarifications and additions on the separate requirements for Gb/Db and Gc/Dc	4.5.3		х	
The requirements for calibration of the flammability test fixture are replaced with equivalent requirements	5.1.4	х		

#### IEC/IEEE 60079-30-1:2015 © IEC/IEEE 2015

		Туре		
Changes	Clause	Minor and editorial changes	Extension	Major technical changes
for the energy levels of the test gases				
Addition of a minimum temperature impact test	5.1.5			C1
For thermal stability, the addition of a bending requirement on a mandrel	5.1.11			C1
The replacement of the thermal safety procedure with a thermal performance procedure	5.1.12			C2
The addition of a second procedure utilizing a plate fixture for the systems method for maximum sheath temperature determination	5.1.13.2			C3
Addition of outdoor exposure test	5.1.16			C4
Requirement changed for the marking of the minimum installation temperature	6.1			C5
Addition of new markings requirements for field assembled components	6.2			C5
Additions and changes to the documentation requirements	7			C5
Addition of Annex	Annex A	X	<b>X</b> 7	
Addition of Annex	Annex B	X	V	
Addition of Annex specifying trace heating designation verification methodology, moved from IEC 60079-30-2	Annex C	ai)		C6
Addition of Annex for the Division method of area E 600 classification that may be applied by some users standa	79 <u>30-1:2015</u> Annex D rds/sist/e8e0el	30-7113-4014	X -b2fd-	
Addition of Annex for the Division method of area/icc-icc classification that may be applied by some users	e- <u>60079-30-</u> Annex E	1-2015	х	

NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version.

#### **Explanations:**

#### A) Definitions

#### Minor and editorial changes

clarification decrease of technical requirements minor technical change editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

#### **Extension** addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

#### Major technical changes

addition of technical requirements increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

#### B) Information about the background of 'Major Technical Changes'

C1 – The requirements for additional mechanical testing have been included for harmonization and for added safety.

C2 – The requirements for thermal performance have been included to recognize the necessity for thermal stability of products in explosive atmospheres.

C3 – A second procedure utilizing a plate fixture has been included for sheath temperature determination, which may be used in lieu of the sheath temperature verification part of 5.1.13.4.2.

C4 – An outdoor exposure test has been added to cover products that may be exposed to sunlight and moisture in the intended application.

#### <u>IEC/IEEE 60079-30-1:2015</u>

C5 – Additional marking<sub>tar</sub>and<sub>is</sub> documentation<sub>ar</sub>requirements<sub>7</sub> have<sub>01</sub>been<sub>1</sub> added to provide additional information to the end user<sub>96411/iec-iece-60079-30-1-2015</sub>

C6 – The trace heating design verification methodology has been added to align with the evaluation requirements for the stabilized design and the controlled design methods of maximum sheath temperature determination.

This bilingual version (2018-03) corresponds to the English version, published in 2015-09.

The text of this standard is based on the following IEC documents:

FDIS	Report on voting
31/1191/FDIS	31/1201/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

International standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

This standard is intended to be used in conjunction with IEC/IEEE 60079-30-2:2015, *Explosive atmospheres – Part 30-2: Electrical resistance trace heating – Application guide for design, installation and maintenance.* 

A list of all parts of IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC/IEEE 60079-30-1:2015</u> https://standards.iteh.ai/catalog/standards/sist/e8e0eb30-7113-4014-b2fde4a5ed396411/iec-ieee-60079-30-1-2015

#### INTRODUCTION

IEC/IEEE 60079-30-1 is intended to provide a comprehensive overview of the essential requirements and testing appropriate to electric surface heating equipment used in explosive atmospheres. The requirements of this part of IEC 60079 are considered to be the minimum requirements for equipment protection levels Gb, Gc, Db, and Dc in explosive atmospheres for gases, dusts, and fibres/flyings. While some of this work already exists in national standards or international standards, this standard has collated much of this existing work and considerably added to it. This standard also contains the minimum requirements for users applying the Division method of area classification.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC/IEEE 60079-30-1:2015</u> https://standards.iteh.ai/catalog/standards/sist/e8e0eb30-7113-4014-b2fde4a5ed396411/iec-ieee-60079-30-1-2015

### **EXPLOSIVE ATMOSPHERES –**

### Part 30-1: Electrical resistance trace heating – General and testing requirements

#### 1 Scope

This part of IEC 60079 specifies general and testing requirements for electrical resistance trace heaters for application in explosive atmospheres with the exclusion of those for EPL Ga and Da. This standard covers trace heaters that comprise either factory or field (work-site) assembled units, and which may be series trace heaters, parallel trace heaters, trace heater pads, or trace heater panels that have been assembled and/or terminated in accordance with the manufacturer's instructions.

This standard also includes requirements for termination assemblies and control methods used with trace heating systems. The explosive atmospheres referred to in this standard are those defined in IEC 60079-10-1 and IEC 60079-10-2.

Annexes D and E outline the application of this standard for those users applying the Division method of area classification.

### iTeh STANDARD PREVIEW

This standard supplements and modifies the general requirements of IEC 60079-0, except as indicated in Table 1. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirement of this standard takes precedence.

#### <u>IEC/IEEE 60079-30-1:2015</u>

#### Table 1 http://tation.or/exclusion.of/specific3clauses.of IEC 60079-0 e4a5ed396411/iec-ieee-60079-30-1-2015

	IEC 60079-0	Electrical resistance integral co	Terminations as		
Ed. 6.0 (2011) (informative)	Clause / Subclause title (normative)	Group I and Group II	Group III	separate components	
1	Scope	Applies	Applies	Applies	
2	Normative references	Applies	Applies	Applies	
3	Terms and definitions	Applies, except ambient temperature, see 3.1	Applies, except ambient temperature, see 3.1	Applies, except ambient temperature, see 3.1	
4	Equipment grouping	Applies	Applies	Applies	
4.1	Group I	Applies	Excluded	Applies	
4.2	Group II	Applies, always IIC	Excluded	Applies	
4.3	Group III	Excluded	Applies, outside of thermal insulation only, always IIIC	Applies, outside of thermal insulation only	
4.4	Equipment for a particular explosive atmosphere	Excluded	Excluded	Applies	
5.1	Environmental influences	Applies	Applies	Applies	
5.1.1	Ambient temperature	Replaced by 6.1e)	Replaced by 6.1e)	Applies, see 3.1	
5.1.2	External source of heating or cooling	Applies	Applies	Applies	
5.2	Service temperature	Modified	Modified	Applies	

	IEC 60079-0	Electrical resistance trace heaters and integral components		Terminations as
Ed. 6.0 (2011) (informative)	Clause / Subclause title (normative)	Group I and Group II	Group III	separate components
5.3.1	Determination of maximum surface temperature	Replaced by 4.5 in conjunction with 5.1.13	Replaced by 4.5 in conjunction with 5.1.13 only when tested in accordance with 5.1.13.3.	Applies
5.3.2.1	Group I electrical equipment	Applies	Excluded	Applies
5.3.2.2	Group II electrical equipment	Applies	Excluded	Applies
5.3.2.3.1	Group III electrical equipment, Maximum surface temperature determined without a dust layer	Excluded	Applies, where the maximum sheath temperatures determined by IEC/IEEE 60079-30- 1 are used in place of the method for temperature determination from IEC 60079-0.	Applies
5.3.2.3.2		Excluded	Applies, where the maximum sheath temperature is determined only for those surfaces that are specified to be exposed to layers of combustible dust.	Applies
	<u>IEC/</u> https://standards.iteh.ai/cata	IEEE 60079-30-1:2015 log/standards/sist/e8e0eb30 {11/iec-ieee-60079-30-1-2/	Does not apply for trace heaters specified to be covered by the mal jnsulation.	
5.3.3	Small component temperature for Group I and Group II electrical equipment	Excluded	Excluded	Applies
6.1	Requirements for all electrical equipment – General	Applies	Applies	Applies
6.2	Mechanical strength	Replaced by 4.2	Replaced by 4.2	When in direct contact with the trace heater, may be substituted by 4.2
6.3	Opening times	Excluded	Excluded	Applies
6.4	Circulating currents in enclosures (e.g. of large electrical machines)	Excluded	Excluded	Excluded
6.5	Gasket retention	Excluded	Excluded	Applies
6.6	Electromagnetic and ultrasonic radiating equipment	Excluded	Excluded	Applies
7.1.1	Non-metallic enclosures and non-metallic parts of enclosures – Applicability	Replaced by the last paragraph of 4.1	Replaced by the last paragraph of 4.1	Applies
7.1.2.1	Specification of materials, General	Replaced by the last paragraph of 4.1	Replaced by the last paragraph of 4.1	Applies
7.1.2.2	Specification of materials, plastic materials	Replaced by the last paragraph of 4.1	Replaced by the last paragraph of 4.1	Applies
7.1.2.3	Elastomers	Replaced by the last paragraph of 4.1	Replaced by the last paragraph of 4.1	Applies
7.2	Thermal endurance	Replaced by requirements and tests	Replaced by requirements and	Applies

	IEC 60079-0	Electrical resistance trace heaters and integral components		Terminations as
Ed. 6.0 Clause / Subclause title (2011) (normative) (informative)		Group I and Group II	Group III	separate components
· · · ·		of this standard	tests of this standard	
7.3	Resistance to light	Replaced by 5.1.16 for trace heaters and integral components specified for outdoor exposure	Replaced by 5.1.16 for trace heaters and integral components specified for outdoor exposure	Applies
7.4.1	Electrostatic charges on external non-metallic materials, Applicability	Excluded	Excluded	Applies
7.4.2	Avoidance of a build-up of electrostatic charge on Group I or Group II electrical equipment	Excluded	Excluded	Applies
7.4.3	Avoidance of a build-up of electrostatic charge on equipment for Group III	Excluded	Excluded	Applies
7.5	Accessible metal parts	Excluded	Excluded	Applies
8.1	Material composition	Excluded	Excluded	Applies
8.2	Group I	Excluded	Excluded	Applies
8.3	Group II iTeh STAN		Excluded	Applies
8.4	Group III	Excluded	Excluded	Applies
9	Fasteners	Excluded	Excluded	Applies
10	Interlocking devices	Excluded	Excluded	Applies
11	Bushingstps://standards.iteh.ai/cata	loExeludeeds/sist/e8e0eb30	- Flacjuded4-b2fd-	Applies
12	Materials used for cementing 396	Replaced by the last 1-2 paragraph of 4.1	Replaced by the last paragraph of 4.1	Applies
13	Ex Components	Applies	Applies	Applies
14	Connection facilities and termination compartments	Covered by the requirements of this standard	Covered by the requirements of this standard	Applies
15	Connection facilities for earthing and bonding conductors	Replaced by 5.1.15	Replaced by 5.1.15	Applies
16	Entries into enclosures	Excluded	Excluded	Applies
17	Supplementary requirements for rotating electrical machines	Excluded	Excluded	Excluded
18	Supplementary requirements for switchgear	Excluded	Excluded	Excluded
19	Supplementary requirements for fuses	Excluded	Excluded	Applies
20	Supplementary requirements for plugs and sockets	Excluded	Excluded	Applies
21	Supplementary requirements for luminaires	Excluded	Excluded	Excluded
22	Supplementary requirements for caplights and handlights	Excluded	Excluded	Excluded
23	Equipment incorporating cells and batteries	Excluded	Excluded	Applies
24	Documentation	Applies	Applies	Applies
25	Compliance of prototype or	Applies	Applies	Applies