

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Optical fibre cables –  
Part 2-31: Indoor cables – Detailed specification for optical fibre ribbon cables  
for use in premises cabling**

**Câbles à fibres optiques –  
Partie 2-31: Câbles intérieurs – Spécification particulière pour les câbles à fibres  
optiques en ruban utilisés dans le câblage de locaux**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2012 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.  
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente. un corrigendum ou amendement peut avoir été publié.

#### Liens utiles:

Recherche de publications CEI - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Optical fibre cables –**  
**Part 2-31: Indoor cables – Detailed specification for optical fibre ribbon cables**  
**for use in premises cabling**

**Câbles à fibres optiques –**  
**Partie 2-31: Câbles intérieurs – Spécification particulière pour les câbles à fibres**  
**optiques en ruban utilisés dans le câblage de locaux**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

H

ICS 33.180.10

ISBN 978-2-83220-437-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references .....	5
3 General requirements .....	5
4 Particular requirements .....	6
4.1 Temperature cycling.....	6
4.2 Transmission requirements.....	6
4.2.1 Attenuation of cabled fibre.....	6
4.2.2 Fibre bandwidth requirements.....	7
Bibliography.....	8
Table 1 – Multimode maximum cable attenuation coefficient (dB/km).....	6
Table 2 – Single-mode maximum cable attenuation coefficient (dB/km) .....	7
Table 3 – Minimum multimode fibre bandwidth (MHz×km).....	7

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## OPTICAL FIBRE CABLES –

**Part 2-31: Indoor cables –  
Detailed specification for optical fibre ribbon cables  
for use in premises cabling**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-2-31 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2005. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- incorporation of the OM4 cabled fibre performance category;
- incorporation of the OS2 cabled fibre performance category;
- incorporation of the B6\_a1 and B6\_a2 fibre categories as per IEC 60793-2-50.

The text of this standard is based on the following documents:

FDIS	Report on voting
86A/1468/FDIS	86A/1484/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

IEC 60794-2-31:2012

<https://standards.iteh.org/catalogue/standards/sis/82495618-8142-4803-8390-5ce1440b1254/iec-60794-2-31-2012>

# OPTICAL FIBRE CABLES –

## Part 2-31: Indoor cables – Detailed specification for optical fibre ribbon cables for use in premises cabling

### 1 Scope

This part of the IEC 60794 series presents the detailed requirements specific to indoor optical fibre ribbon cables to ensure compatibility with ISO/IEC 11801. The requirements of the family specification IEC 60794-2-30 are applicable to cables covered by this standard.

The particular requirements detailed in Clause 4 either define a specific option relative to the requirements of IEC 60794-2-30 or define additional requirements.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE They complete the normative references already listed in the generic specification (IEC 60794-1-1[1]<sup>1</sup> and IEC 60794-1-2) and in the sectional specification (IEC 60794-2 [2]) or in the family specification (IEC 60794-2-30).

IEC 60793-2-10:2011, *Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*

IEC 60793-2-50:2008, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures*

IEC 60794-2-30:2008, *Optical fibre cables – Part 2-30: Indoor cables – Family specification for ribbon cables*

ISO/IEC 11801, *Information technology – Generic cabling for customers premises*

### 3 General requirements

The cable shall comply with the family specification (IEC 60794-2-30) and meet the requirements that are defined in it.

The optical fibre contained in the cables which are covered by this standard shall comply with one of the following standards and meet the normative requirements defined within them as applicable:

- IEC 60793-2-50:2008, Annex A (Single-mode B1.1 fibre)

<sup>1</sup> Numbers in square brackets refer to the Bibliography

- IEC 60793-2-50:2008, Annex C (Single-mode B1.3 fibre)
- IEC 60793-2-50:2008, Annex G (Single-mode B6\_a1 and B6\_a2 fibre)
- IEC 60793-2-10:2011, Annex A (Multimode A1a.1, 50 µm core fibre)
- IEC 60793-2-10:2011, Annex A (Multimode A1a.2, 50 µm core fibre)
- IEC 60793-2-10:2011, Annex A (Multimode A1a.3, 50 µm core fibre)
- IEC 60793-2-10:2011, Annex B (Multimode A1b, 62,5 µm core fibre)

To ensure compatibility with ISO/IEC 11801, optical performance level requirements are presented in terms of the performance classification codes for cabled optical fibre as follows:

- OS1 Single-mode fibre, categories B1.1, B1.3 or sub-categories B6\_a1 and B6\_a2;
- OS2 Single-mode fibre, category B1.3 or sub-categories B6\_a1 and B6\_a2
- OM1 Multimode fibre, model A1a.1 or sub-category;A1b
- OM2 Multimode fibre, model A1a.1 or sub-category;A1b;
- OM3 Multimode fibre, model A1a.2;
- OM4 Multimode fibre, model A1a.3.

NOTE These codes are informative from the perspective of the requirements defined in this detailed specification.

#### 4 Particular requirements

##### 4.1 Temperature cycling

The cable shall meet the requirement of IEC 60794-2-30:2008, Table 2, Option c (–20 °C to +60 °C).

The test shall be performed on a 50 m specimen.

No attenuation changes shall be allowed during the test (see IEC 60794-1-2 for definition of “no change in attenuation”).

##### 4.2 Transmission requirements

###### 4.2.1 Attenuation of cabled fibre

Depending on the fibre category, the attenuation coefficient of the cabled fibre shall be less than the maximum values in Table 1 for the multimode fibres and less than the maximum values in Table 2 for single-mode fibres – for the wavelengths listed in the table.

The fibre category shall be agreed between customer and supplier.

**Table 1 – Multimode maximum cable attenuation coefficient (dB/km)**

Fibre	Attenuation coefficient at 850 nm	Attenuation coefficient at 1 300 nm	Performance codes
IEC 60793-2-10, A1a.1	3,5	1,5	OM1 OM2
IEC 60793-2-10, A1a.2	3,5	1,5	OM1 OM2 OM3
IEC 60793-2-10, A1a.3	3,5	1,5	OM1 OM2 OM3 OM4
IEC 60793-2-10, A1b	3,5	1,5	OM1 OM2



**Table 2 – Single-mode maximum cable attenuation coefficient (dB/km)**

Fibre	Wavelengths nm	Maximum attenuation coefficient	Performance codes
IEC 60793-2-50, B1.1, B1.3 ,B6_a1 , B6_a2	1 310, 1 550	1,0	OS1
IEC 60793-2-50, B1.3, B6_a1, B6_a2	1 310, 1 383, 1 550	0,4	OS2

#### 4.2.2 Fibre bandwidth requirements

There are no bandwidth requirements on single-mode fibre.

For cables containing multimode fibres, the uncabled fibre shall be specified at one of the performance levels defined in Table 3 in terms of minimum bandwidth (MHz × km), wavelength, and type of measurement.

The fibre category and performance level shall be agreed between customer and supplier.

**Table 3 – Minimum multimode fibre bandwidth (MHz×km)**

Fibre	Nominal core diameter µm	Overfilled bandwidth at 850 nm	Overfilled bandwidth at 1 300 nm	Effective modal bandwidth at 850 nm	Performance codes
IEC 60793-2-10, A1a.1	50	200	500	na	OM1
IEC 60793-2-10, A1a.1	50	500	500	na	OM2
IEC 60793-2-10, A1a.2	50	1 500	500	2 000	OM3
IEC 60793-2-10, A1a.3	50	3 500	500	4 700	OM4
IEC 60793-2-10, A1b	62,5	200	500	na	OM1
IEC 60793-2-10, A1b	62,5	500	500	na	OM2

## Bibliography

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-2, *Optical fibre cables – Part 2: Indoor cables – Sectional specification*

---

Witholdrawn

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

IEC 60794-2-31-2012  
<https://standards.iteh.ai/catalog/standards/sist/a249b18-8142-4803-8390-5ce1440bf254/iec-60794-2-31-2012>

Withdawn

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

IEC 60794-2-31-2012

<https://standards.iteh.ai/catalog/standards/sist/a209b18-8142-4803-8390-5ce1440bf254/iec-60794-2-31-2012>