

Edition 2.0 2010-06

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Industrial communication networks—Profiles REVIEW
Part 3-6: Functional safety fieldbuses — Additional specifications for CPF 6
Standards.iten.al

Réseaux de communication industriels – Profils – Partie 3-6: Bus de terrain de sécurité fonctionnelle – Spécifications supplémentaires pour CPF 6 b71218e2b1/iec-61784-3-6-2010





#### THIS PUBLICATION IS COPYRIGHT PROTECTED

#### Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Email: inmail@iec.cl Web: www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub ARD PREVIEW

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

IEC 61784-3-6:2010

Electropedia: www.electropedia.org.ds.iteh.ai/catalog/standards/sist/5347993a-68e7-48e7-b406-

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

■ Customer Service Centre: <u>www.iec.ch/webstore/custserv</u>

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: <u>csc@iec.ch</u> Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

#### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur\_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

■ Service Clients: <u>www.iec.ch/webstore/custserv/custserv\_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 2.0 2010-06

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Industrial communication networks / Profiles - REVIEW
Part 3-6: Functional safety fieldbuses - Additional specifications for CPF 6

Réseaux de communication industriels - Profils - Partie 3-6: Bus de terrain de sécurité fonctionnelle - Spécifications supplémentaires pour CPF 6b71218e2b1/iec-61784-3-6-2010

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 25.040.40; 35.100.05

ISBN 978-2-88912-812-9

## CONTENTS

| FO | REW   | ORD       |   | 7  |
|----|-------|-----------|---|----|
| 0  | Intro | duction   |   | 9  |
|    | 0.1   | Gener     | al  | 9  |
|    | 0.2   | Paten     | t declaration   | 11 |
| 1  | Scop  | e         |   | 12 |
| 2  | Norn  | native re | eferences   | 12 |
| 3  | Term  | ıs, defir | nitions, symbols, abbreviated terms and conventions   | 13 |
|    | 3.1   |           | and definitions   |    |
|    |       | 3.1.1     | Common terms and definitions  |    |
|    |       | 3.1.2     | CPF 6: Additional terms and definitions   | 18 |
|    | 3.2   | Symbo     | ols and abbreviated terms   | 18 |
|    |       | 3.2.1     | Common symbols and abbreviated terms  | 18 |
|    |       | 3.2.2     | CPF 6: Additional symbols and abbreviated terms   | 19 |
|    | 3.3   | Conve     | entions   | 20 |
| 4  | Over  | view of   | FSCP 6/7 (INTERBUS™ Safety)   | 20 |
|    | 4.1   | Gener     | al  | 20 |
|    | 4.2   | Techn     | ical overview   | 20 |
|    | 4.3   | Functi    | ical overviewonal Safety Communication Profile 6/7  | 21 |
| 5  | Gene  |           | (standards.iteh.ai)   |    |
|    | 5.1   |           | nal documents providing specifications for the profile  |    |
|    | 5.2   | Safety    | functional requirementsC 61784-3-6:2010   | 22 |
|    | 5.3   | Safety    | https://standards.iteh.ai/catalog/standards/sist/5347993a-68e7-48e7-b406-   | 22 |
|    |       | 5.3.1     | functional requirementsC 61784-3-6:2010<br>metasures / metasures / metasures / 77b71218e2b1/iec-61784-3-6-2010<br>General | 22 |
|    |       | 5.3.2     | Sequence number   |    |
|    |       | 5.3.3     | Time stamp  | 23 |
|    |       | 5.3.4     | Time expectation  | 23 |
|    |       | 5.3.5     | Acknowledgement   | 23 |
|    |       | 5.3.6     | Connection authentication   | 23 |
|    |       | 5.3.7     | Distinction between safety relevant messages and non-safety   |    |
|    |       |           | relevant messages – different data integrity assurance system   |    |
|    |       | 5.3.8     | Parameterized shutdown time   |    |
|    | 5.4   | •         | communication layer structure   |    |
|    |       | 5.4.1     | Decomposition process   |    |
|    |       | 5.4.2     | Definition of the safety function of the safety communication system  | 25 |
|    |       | 5.4.3     | Decomposition of the safety function of a safety communication system into function blocks                                | 26 |
|    |       | 5.4.4     | Assignment of the function blocks to subsystems   | 27 |
|    |       | 5.4.5     | Safety requirements and safety integrity requirements   | 30 |
|    |       | 5.4.6     | Specification of the safe state   | 30 |
|    |       | 5.4.7     | Response to a fault   | 31 |
|    |       | 5.4.8     | Stop category   | 33 |
|    |       | 5.4.9     | Safe Transmission   | 33 |
|    | 5.5   | Relati    | onships with FAL (and DLL, PhL)   | 33 |
|    |       | 5.5.1     | Overview  | 33 |
|    |       | 5.5.2     | Use of the AR-US service to initiate and parameterize   | 34 |
|    |       | 5.5.3     | Use of the AR-US service to transmit safety data  | 35 |

|   |                                       | 5.5.4                           | Use of the AR-US service to abort                                      | 36 |  |  |
|---|---------------------------------------|---------------------------------|--|----|--|--|
|   |                                       | 5.5.5                           | Data types   | 36 |  |  |
| 6 | Safe                                  | ty comr                         | munication layer services  | 36 |  |  |
|   | 6.1                                   | Gener                           | ral  | 36 |  |  |
|   | 6.2                                   |                                 |  |    |  |  |
|   | 6.3                                   | Function block requirements     |  |    |  |  |
|   |                                       | 6.3.1                           | Input Safe Data function block   |    |  |  |
|   |                                       | 6.3.2                           | Output Safe Data function block  |    |  |  |
|   |                                       | 6.3.3                           | Safe Calculation function block  |    |  |  |
|   | 6.4                                   | Conte                           | ext management   | 38 |  |  |
|   |                                       | 6.4.1                           | Initiate service   | 38 |  |  |
|   |                                       | 6.4.2                           | Abort service  | 39 |  |  |
|   | 6.5                                   | Function block parameterization |  | 40 |  |  |
|   |                                       | 6.5.1                           | Send application parameter service                                     |    |  |  |
|   |                                       | 6.5.2                           | Send application parameter ID service                                  |    |  |  |
|   |                                       | 6.5.3                           | Parameterize device service  |    |  |  |
|   | 6.6                                   | Safe F                          | Process Data Mode  |    |  |  |
|   |                                       | 6.6.1                           | Transmit-Safety-Data   |    |  |  |
|   |                                       | 6.6.2                           | Set-Diagnostic-Data service  |    |  |  |
|   |                                       | 6.6.3                           | <u> </u>   |    |  |  |
| 7 | Safe                                  | tv comr                         | Set-Acknowledgement-Data service                                       | 45 |  |  |
|   | 7.1                                   |                                 |  |    |  |  |
|   |                                       | 7 1 1                           | y PDU format(standards.iteh.ai) Structure of safety messages           | 45 |  |  |
|   |                                       | 7.1.2                           | Description of the polynomial used 010                                 |    |  |  |
|   |                                       | 7.1.3                           | Structure of safety messages for safe parameterization and idle        |    |  |  |
|   |                                       | 7.1.4                           | Structure of safety/messages for/the transmission of safety data       |    |  |  |
|   |                                       | 7.1.5                           | Messages for synchronization   |    |  |  |
|   |                                       | 7.1.6                           | Structure of safety messages for aborting connections                  |    |  |  |
|   | 7.2                                   |                                 | description  |    |  |  |
|   |                                       | 7.2.1                           | SCLM and SCLS state machines   |    |  |  |
|   |                                       | 7.2.2                           | Initiate   |    |  |  |
|   |                                       | 7.2.3                           | Parameterization   |    |  |  |
|   |                                       | 7.2.4                           | Process data mode  |    |  |  |
|   |                                       | 7.2.5                           | Process data mode with diagnostic data transmission                    |    |  |  |
|   |                                       | 7.2.6                           | Process data mode with Acknowledgement-Data transmission               |    |  |  |
|   |                                       | 7.2.7                           | Connection aborted   |    |  |  |
|   | 7.3                                   |                                 |  |    |  |  |
|   |                                       | 7.3.1                           | Connection abort in the event of an error detected by the SCLM         |    |  |  |
|   |                                       | 7.3.2                           | Abort of all connections in the event of an error detected by the      |    |  |  |
|   |                                       |                                 | SCLS   | 68 |  |  |
|   |                                       | 7.3.3                           | Abort of all connections in the event of an error detected by the SCLM | 70 |  |  |
| 8 | Safety communication layer management |                                 |  |    |  |  |
|   | 8.1                                   | 3.1 General                     |  |    |  |  |
|   | 8.2                                   |                                 |  |    |  |  |
|   | 8.3                                   |                                 |  |    |  |  |
|   | 8.4                                   |                                 |  |    |  |  |
| 9 | Syst                                  |                                 | uirements  |    |  |  |
|   | 0.1                                   | Q.1. Indicators and switches    |  |    |  |  |

| 9      | .2 Ins  | stallation guidelines  | 73 |
|--------|---------|--|----|
| 9      | .3 Sa   | afety function response time   | 73 |
|        | 9.3     | 3.1 General  | 73 |
|        | •       | 3.2 Calculation of the parameterized shutdown time   |    |
|        |         | uration of demands   |    |
| 9      |         | onstraints for calculation of system characteristics   |    |
|        |         | 5.1 System characteristics   |    |
| 0      |         | 5.2 Calculation of the number of telegrams per second  |    |
|        |         | aintenanceafety manual   |    |
| -      |         | nent   |    |
|        |         | ormative) Additional information for functional safety communication   | 00 |
|        |         | PF 6   | 81 |
|        |         | ormative) Information for assessment of the functional safety ion profiles of CPF 6  | 82 |
|        |         | /  |    |
| DIDIIO | grapity |  | 00 |
| Table  | 1 – Ov  | verview of profile identifier usable for FSCP 6/7  | 22 |
| Table  | 2 – Se  | election of the various measures for possible errors   | 23 |
|        |         |  |    |
| Table  | 4 – Si  | st of function blocks and subsystemsgnal flow between the function blocks DPREVIEW   | 29 |
|        |         | itiate service param <b>eterandards.iteh.ai</b> )  |    |
|        |         | arameterization mode and related services  |    |
|        |         |  |    |
| Table  | 8 – Ab  | port service parameters <u>IEC 61784-3-6:2010</u><br>https://standards.itch.ai/catalog/standards/sist/5347993a-68e7-48e7-b406-<br>port of a point-to-point-connection by the 4SRP or SRC | 40 |
|        |         | end application parameter service  |    |
| Table  | 10 – S  | Send application parameter ID service  | 41 |
|        |         | Parameterize device parameters   |    |
|        |         | ransmit-Safety-Data service parameters   |    |
|        |         | Set-Diagnostic-Data service parameters   |    |
|        |         | Set-Acknowledgement-Data service parameters  |    |
|        |         | Parameter ID   |    |
|        |         | Block 0: Device ID   |    |
|        |         | Block 1: Parameter record ID   |    |
|        |         | Block 2: Application parameter   |    |
|        |         | TIME encoding  |    |
|        |         | Abort Info: Connection abort in the event of an error detected by the SCLM   |    |
|        |         | Abort Info: Abort of all connections in the event of an error detected by the  | 00 |
|        |         |  | 69 |
|        |         | Abort_Info: Abort of all connections in the event of an error detected by the  | 71 |
| Table  | 23 – S  | Set-Safety-Configuration service   | 72 |
|        |         | Error_Info   |    |
| Table  | 25 – C  |  | 77 |
|        |         | Calculation of tSRC  |    |
|        |         | Calculation of tPST  |    |

| Figure 1 – Relationships of IEC 61784-3 with other standards (machinery)                          | 9  |
|---|----|
| Figure 2 – Relationships of IEC 61784-3 with other standards (process)                            | 10 |
| Figure 3 – FSCP 6/7 communication preconditions   | 21 |
| Figure 4 – Example of a safety function   | 25 |
| Figure 5 – Decomposition of safety function into function blocks                                  | 26 |
| Figure 6 – Overview of the results of the decomposition process                                   | 28 |
| Figure 7 – Signal flow between the function blocks  | 28 |
| Figure 8 – Interfaces between the safety devices within the safety communication                  | 00 |
| system  |    |
| Figure 9 – Signal flow and safe states  |    |
| Figure 10 – Mapping of the Safe Transmission function block                                       |    |
| Figure 11 – Relationship between SCL and the other layers of IEC 61158 Type 8                     |    |
| Figure 12 – Use of the AR-US service to initiate and parameterize                                 |    |
| Figure 13 – Use of the AR-US service to transmit safety data                                      |    |
| Figure 14 – Use of the AR-US service to abort.  |    |
| Figure 15 – Use of the AR-US service to abort   |    |
| •   | 45 |
| Figure 17 – Integration of safety data and deterministic remedial measures in the summation frame | 46 |
| Figure 18 - Write_Parameter_Byte_Requessage.iteh.ai)  | 47 |
|   |    |
| Figure 19 – Read_Parameter_Byte_Req message   | 47 |
| Figure 21 – Set_Safety_Connection/IDI/Req/message3-6-2010   | 50 |
| Figure 22 – Set_Safety_Connection_ID_Con message of safety slaves                                 | 50 |
| Figure 23 – Parameter_Idle_Req  | 51 |
| Figure 24 – Parameter_Idle_Con  | 51 |
| Figure 25 – Parameter_Check_Con   | 51 |
| Figure 26 – Parameter_Loc_ID_Changed_Con  | 51 |
| Figure 27 – Transmit Safety Data Message  | 52 |
| Figure 28 – Sync_a message of the SCLM  | 53 |
| Figure 29 – Req_b message of the SCLM   | 53 |
| Figure 30 – Req_c message of the SCLM   | 53 |
| Figure 31 – Req_d message of the SCLM   | 54 |
| Figure 32 – Abort_Connection message  | 54 |
| Figure 33 – Safety-Slave_Error message  | 54 |
| Figure 34 – SCLM state machine  | 55 |
| Figure 35 – SCLS state machine  | 55 |
| Figure 36 – Initiate sequence   | 56 |
| Figure 37 – Send Application Parameter sequence   | 58 |
| Figure 38 – Send Application Parameter ID sequence  | 59 |
| Figure 39 – Parameterize device sequence  | 60 |
| Figure 40 – Simultaneous transmission of safety data to the safety slaves                         | 61 |
| Figure 41 – Use of the sequence number in the SCLM and SCLS                                       | 62 |

| Figure 42 – Startup and error-free operation                                       | 63 |
|--|----|
| Figure 43 – Resynchronization during operation                                     | 64 |
| Figure 44 – Invalid CRC 24 checksum detected by the SCLS                           | 65 |
| Figure 45 – Process data mode with diagnostic data transmission                    | 66 |
| Figure 46 – Process data mode with Acknowledgement-Data transmission               | 67 |
| Figure 47 – Error when initiating a connection                                     | 68 |
| Figure 48 – Error at an SCLS when aborting all connections                         | 69 |
| Figure 49 – Abort of all connections in the event of an error detected by the SCLM | 70 |
| Figure 50 - Overview of the shutdown time  | 75 |

# iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 61784-3-6:2010 https://standards.iteh.ai/catalog/standards/sist/5347993a-68e7-48e7-b406-77b71218e2b1/iec-61784-3-6-2010

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

## Part 3-6: Functional safety fieldbuses – Additional specifications for CPF 6

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

  77b71218e2b1/iec-61784-3-6-2010
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61784-3-6 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision. The main changes with respect to the previous edition are listed below:

updates in relation with changes in IEC 61784-3.

This bilingual version published in 2011-12, corresponds to the English version published in 2010-06.

The text of this standard is based on the following documents:

| FDIS          | Report on voting |
|---------------|------------------|
| 65C/591A/FDIS | 65C/603/RVD      |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784-3 series, published under the general title *Industrial* communication networks – Profiles – Functional safety fieldbuses, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

reconfirmed,

(standards.iteh.ai)

- withdrawn,
- replaced by a revised edition, or IEC 61784-3-6:2010
- amended. https://standards.iteh.ai/catalog/standards/sist/5347993a-68e7-48e7-b406-77b71218e2b1/iec-61784-3-6-2010

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.


#### 0 Introduction

#### 0.1 General

The IEC 61158 fieldbus standard together with its companion standards IEC 61784-1 and IEC 61784-2 defines a set of communication protocols that enable distributed control of automation applications. Fieldbus technology is now considered well accepted and well proven. Thus many fieldbus enhancements are emerging, addressing not yet standardized areas such as real time, safety-related and security-related applications.

This standard explains the relevant principles for functional safety communications with reference to IEC 61508 series and specifies several safety communication layers (profiles and corresponding protocols) based on the communication profiles and protocol layers of IEC 61784-1, IEC 61784-2 and the IEC 61158 series. It does not cover electrical safety and intrinsic safety aspects.


Figure 1 shows the relationships between this standard and relevant safety and fieldbus standards in a machinery environment.



NOTE Subclauses 6.7.6.4 (high complexity) and 6.7.8.1.6 (low complexity) of IEC 62061 specify the relationship between PL (Category) and SIL.

Figure 1 – Relationships of IEC 61784-3 with other standards (machinery)

Figure 2 shows the relationships between this standard and relevant safety and fieldbus standards in a process environment.



<sup>&</sup>lt;sup>a</sup> For specified electromagnetic environments; otherwise IEC 61326-3-1.

Figure 2 - Relationships of IEC 61784-3 with other standards (process)

Safety communication layers which are implemented as parts of safety-related systems according to IEC 61508 series provide the necessary confidence in the transportation of messages (information) between two or more participants on a fieldbus in a safety-related system, or sufficient confidence of safe behaviour in the event of fieldbus errors or failures.

Safety communication layers specified in this standard do this in such a way that a fieldbus can be used for applications requiring functional safety up to the Safety Integrity Level (SIL) specified by its corresponding functional safety communication profile.

The resulting SIL claim of a system depends on the implementation of the selected functional safety communication profile within this system — implementation of a functional safety communication profile in a standard device is not sufficient to qualify it as a safety device.

b EN ratified.

#### This standard describes:

- basic principles for implementing the requirements of IEC 61508 series for safetyrelated data communications, including possible transmission faults, remedial measures and considerations affecting data integrity;
- individual description of functional safety profiles for several communication profile families in IEC 61784-1 and IEC 61784-2;
- safety layer extensions to the communication service and protocols sections of the IEC 61158 series.

#### 0.2 Patent declaration

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning the functional safety communication profiles for family 6 as follows, where the [xx] notation indicates the holder of the patent right:

DE 103 25 263 A1 [PxC] Sicherstellung von maximalen Reaktionszeiten in komplexen oder verteilten sicheren und/oder nicht sicheren Systemen

DE 103 18 068 A1 [PxC] A Verfahren und Vorrichtung zum Paket-orientierten Übertragen sicherheitsrelevanter Daten

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holders of these patents rights have assured the IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC.

Information may be obtained from:

[PxC] Phoenix Contact GmbH & Co. KG
Intellectual Property Licenses & Standards
Flachsmarktstr. 8
D-32825 Blomberg,
GERMANY

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

## INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

## Part 3-6: Functional safety fieldbuses – Additional specifications for CPF 6

### 1 Scope

This part of the IEC 61784-3 series specifies a safety communication layer (services and protocol) based on CPF 6 of IEC 61784-1, IEC 61784-2 and IEC 61158 Type 8. It identifies the principles for functional safety communications defined in IEC 61784-3 that are relevant for this safety communication layer.

NOTE 1 It does not cover electrical safety and intrinsic safety aspects. Electrical safety relates to hazards such as electrical shock. Intrinsic safety relates to hazards associated with potentially explosive atmospheres.

This part¹ defines mechanisms for the transmission of safety-relevant messages among participants within a distributed network using fieldbus technology in accordance with the requirements of IEC 61508 series² for functional safety. These mechanisms may be used in various industrial applications such as process control, manufacturing automation and machinery.

Teh STANDARD PREVIEW

This part provides guidelines for both developers and assessors of compliant devices and systems.

NOTE 2 The resulting SIL claim of a system depends on the implementation of the selected functional safety communication profile within this system implementation of a functional safety communication profile according to this part in a standard device is not sufficient to qualify it as a safety device.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60204-1, Safety of machinery – Electrical equipment of machines – Part 1: General requirements

IEC 61131-3, Programmable controllers – Part 3: Programming languages

IEC 61158 (all parts), Industrial communication networks - Fieldbus specifications

IEC 61158-2, Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition

IEC 61158-3-8, Industrial communication networks – Fieldbus specifications – Part 3-8: Datalink layer service definition – Type 8 elements

IEC 61158-4-8, Industrial communication networks – Fieldbus specifications – Part 4-8: Datalink layer protocol specification – Type 8 elements

 $<sup>^{</sup>m 1}$  In the following pages of this standard, "this part" will be used for "this part of the IEC 61784-3 series".

<sup>&</sup>lt;sup>2</sup> In the following pages of this standard, "IEC 61508" will be used for "IEC 61508 series".

IEC 61158-5-8:2007, Industrial communication networks – Fieldbus specifications – Part 5-8: Application layer service definition – Type 8 elements

IEC 61158-6-8, Industrial communication networks — Fieldbus specifications — Part 6-8: Application layer protocol specification — Type 8 elements

IEC 61508 (all parts), Functional safety of electrical/electronic/programmable electronic safety-related systems

IEC 61511 (all parts), Functional safety – Safety instrumented systems for the process industry sector

IEC 61784-1, Industrial communication networks - Profiles - Part 1: Fieldbus profiles

IEC 61784-2, Industrial communication networks – Profiles – Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3

IEC 61784-3:2010<sup>3</sup>, Industrial communication networks – Profiles – Part 3: Functional safety fieldbuses – General rules and profile definitions

IEC 61784-5-6, Industrial communication networks – Profiles – Part 5: Installation of fieldbuses – Installation profiles for CPF 6

IEC 61918, Industrial communication networks Installation of communication networks in industrial premises (standards.iteh.ai)

IEC 62061, Safety of machinery – Functional safety of safety-related electrical, electronic and programmable electronic control systems: 61784-3-6:2010

https://standards.iteh.ai/catalog/standards/sist/5347993a-68e7-48e7-b406-

ISO 12100-1, Safety of machinery Basic concepts, general principles for design — Part 1: Basic terminology, methodology

ISO 13849-1, Safety of machinery – Safety-related parts of control systems – Part 1: General principles for design

## 3 Terms, definitions, symbols, abbreviated terms and conventions

#### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1.1 Common terms and definitions

#### 3.1.1.1

## availability

probability for an automated system that for a given period of time there are no unsatisfactory system conditions such as loss of production

#### 3.1.1.2

#### communication system

arrangement of hardware, software and propagation media to allow the transfer of *messages* (ISO/IEC 7498 application layer) from one application to another

<sup>3</sup> In preparation.