

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Test code for the determination
of airborne acoustical noise –
Part 2-6: Particular requirements for tumble dryers

Appareils électrodomestiques et analogues – Code d'essai pour la détermination
du bruit aérien –
Partie 2-6: Règles particulières pour les sèche-linge à tambour



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60704-2-6

Edition 3.0 2012-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Test code for the determination
of airborne acoustical noise –
Part 2-6: Particular requirements for tumble dryers

Appareils électrodomestiques et analogues – Code d'essai pour la détermination
du bruit aérien –
Partie 2-6: Règles particulières pour les sèche-linge à tambour

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

N

ICS 17.140.20; 97.060

ISBN 978-2-8322-0063-6

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope and object.....	6
1.1 Scope.....	6
1.2 Object	6
1.3 Measurement uncertainty	6
2 Normative references	7
3 Terms and definitions	7
4 Measurement methods and acoustical environments	8
4.2 Direct method.....	8
4.3 Comparison method	8
5 Instrumentation	8
6 Operation and location of appliances under test	8
6.1 Equipping and pre-conditioning of appliances	8
6.2 Supply of electric energy and of water or gas	9
6.3 Climatic conditions	9
6.4 Loading and operating of appliances during tests	9
6.5 Location and mounting of appliances	10
6.101 Standard test programme for noise measurements	10
6.102 Standard test load for noise measurements	11
7 Measurement of sound pressure levels.....	12
7.1 Microphone array, measurement surface and RSS location for essentially free-field conditions over reflecting plane(s)	12
7.4 Measurements.....	12
8 Calculation of sound pressure and sound power levels.....	13
9 Information to be recorded.....	13
9.6 Equipment and pre-conditioning of appliance under test.....	13
9.7 Electric supply, water supply, etc.	13
10 Information to be reported	13
Annexes	15
Annex A (normative) Standard test table	15
Figure 101 – Standard Exhaust.....	14
Table 101 – Standard deviations of sound power levels	7
Table 102 – Standard deviations for declaration and verification	7

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
TEST CODE FOR THE DETERMINATION
OF AIRBORNE ACOUSTICAL NOISE –****Part 2-6: Particular requirements for tumble dryers**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60704-2-6 has been prepared by subcommittee 59D: Home laundry appliances, of IEC technical committee 59: Performance of household electrical appliances.

This third edition cancels and replaces the second edition published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) it does not contain the description of an appropriate test enclosure which has been incorporated in Part 1;
- b) it clarifies that only appliances designed for front loading and specified by the manufacturer for building-in, under a counter or placing under a worktop between cabinets (under-counter types) shall be placed in a test enclosure.

The text of this standard is based on the following documents:

FDIS	Report on voting
59D/394/FDIS	59D/397/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2-6 is intended to be used in conjunction with the third edition (2010) of IEC 60704-1, *Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 1: General requirements*.

NOTE When "Part 1" is mentioned in this standard, it refers to IEC 60704-1.

This Part 2-6 supplements or modifies the corresponding clauses in IEC 60704-1, so as to establish the test code for tumble dryers. When a particular subclause of Part 1 is not mentioned in this Part 2-6, that subclause is applicable as far as reasonable. Where this standard states "addition", "modification" or "replacement", the relevant requirements, test specifications or explanatory matter in Part 1 should be adapted accordingly.

Subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1. Additional annexes are lettered AA, BB, etc.

Unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause.

<http://www.iec.ch>

A list of all the parts in the IEC 60704 series published under the general title *Household and similar electrical appliances – Test code for the determination of airborne acoustical noise*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The measuring conditions specified in this part of IEC 60704 provide for sufficient accuracy in determining the noise emitted and comparing the results of measurements taken by different laboratories, whilst simulating as far as possible the practical use of tumble dryers.

It is recommended to consider the determination of noise levels as part of a comprehensive testing procedure covering many aspects of properties and performance of household tumble dryers.

NOTE As stated in the introduction to IEC 60704-1, this test code concerns airborne noise only.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

IEC 60704-2-6:2012

<https://standards.iteh.ai/catalog/standards/sist/47727804-3ec6-49e2-b58f-ef2f408e5d96/iec-60704-2-6-2012>

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – TEST CODE FOR THE DETERMINATION OF AIRBORNE ACOUSTICAL NOISE –

Part 2-6: Particular requirements for tumble dryers

1 Scope and object

This clause of Part 1 is applicable except as follows.

1.1 Scope

1.1.1 General

Addition:

These particular requirements apply to single unit electric tumble dryers for household and similar use intended for placing on the floor against a wall, for building-in or placing under a counter, a kitchen worktop or under a sink, for wall-mounting or on a counter. For the purpose of this standard, washer-dryer combinations, when operated as a dryer, are considered as a tumble dryer.

NOTE 101 For washing function, see IEC 60704-2-4.

This standard is also applicable for gas-fired electric tumble dryers.

1.1.2 Types of noise

Replacement:

The methods specified in ISO 3743-1, ISO 3743-2 and ISO 3744 can be used for measuring noise emitted by tumble dryers.

1.1.3 Size of the source

Replacement:

The method specified in ISO 3744 is applicable to noise sources of any size. When applying ISO 3743-1 and ISO 3743-2, care should be taken that the maximum size of the appliance under test fulfils the requirements specified in 1.3 of ISO 3743-1 and ISO 3743-2.

1.2 Object

Addition:

Requirements for the declaration of noise emission values are not within the scope of this standard.

NOTE 101 For determining and verifying noise emission values declared in product specifications, see IEC 60704-3.

1.3 Measurement uncertainty

Replacement:

The estimated values of standard deviations of sound power levels, determined according to this standard, are:

Table 101 – Standard deviations of sound power levels

Standard deviation dB	
σ_r (repeatability)	σ_R (reproducibility)
0,4	0,8

Addition:

1.101 Standard deviation for declaration and verification

For the purpose of determining and verifying declared noise emission values according to IEC 60704-3, the values indicated in Table 102 apply:

Table 102 – Standard deviations for declaration and verification

Standard deviation dB		
σ_P (production)	σ_t (total)	σ_M (reference)
0,7 to 1,0	1,1 to 1,3	1,5

(standards.iteh.ai)

2 Normative references

[IEC 60704-2-6:2012](https://standards.iteh.ai/catalog/standards/sist/47727804-3ec6-49e2-b58f-e12f408e5d96/iec-60704-2-6-2012)

This clause of Part 1 is applicable except as follows:

Addition:

IEC 61121: —¹, *Tumble dryers for household use – Methods for measuring the performance*

IEC 60456:2010, *Clothes washing machines for household use – Methods for measuring the performance*

ISO 7235, *Acoustics – Laboratory measurement procedures for ducted silencers and air-terminal units – Insertion loss, flow noise and total pressure loss*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

Addition:

3.101

tumble dryer

appliance in which textile material is dried by tumbling in a rotating drum, through which heated air is passed

¹ To be published.

3.102

rated capacity

maximum mass in kg of dry textiles of a particular defined type, which the manufacturer declares can be treated in the tumble dryer on the programme selected. If the rated capacity is not declared, it shall be deduced from the free inside volume of the drum, according to the ratio 1 kg / 24 l

Note 1 to entry: The rated capacity should be the same as the one used for measuring the drying performance and energy consumption according to IEC 61121.

3.103

cotton test load

textile load consisting of towels only, as defined in Annex B of IEC 61121:—.

4 Measurement methods and acoustical environments

This clause of Part 1 is applicable except as follows:

4.2 Direct method

Addition:

NOTE 101 If pure tone components are present in the noise emitted by the source, the estimated standard deviation of the measured sound pressure levels in the special reverberation room may increase. In such cases additional microphone positions or source positions may be necessary, as specified in ISO 3743-2.

4.3 Comparison method

Addition:

NOTE 101 If pure tone components are present in the noise emitted by the source, the estimated standard deviation of the measured sound pressure levels in the hard-walled test room or in the special reverberation room may increase. In such cases additional microphone positions or source positions may be necessary as specified in ISO 3743-1 or ISO 3743-2.

5 Instrumentation

This clause of Part 1 is applicable.

6 Operation and location of appliances under test

This clause of Part 1 is applicable except as follows:

6.1 Equipping and pre-conditioning of appliances

6.1.1

Addition:

Prior to noise measurement, filters if any, shall be cleaned according to the manufacturer's instructions.

If, according to the manufacturer's instructions, the tumble dryer can be connected to an exhaust device, the standard exhaust as described in Figure 101 shall be connected. It consists of a pipe connected to a muffler. The pipe shall be rigid with smooth inner walls and shall have the widest diameter among those specified by the manufacturer. If not stated, a standard pipe with the best fitting diameter shall be used. The muffler shall have an insertion loss as specified in the table of Figure 101. It shall have a circular section with the same inner diameter as that of the pipe, a length as specified in Figure 101 and shall not have parts

protruding inside that may cause additional pressure drops. The pipe and the muffler shall also comply with all the specifications reported in Figure 101 and care shall be taken that they do not radiate noise. Horizontal, vertical or inclined mounting of the pipe and the muffler is possible. A hose which is integrated in the appliance shall substitute the first straight pipe and the bend of the standard exhaust. It is directly connected to the muffler.

An exhaust hose delivered by the manufacturer shall not be used.

For appliances with alternative outlets, the measurements shall be made with the appliance connected to the outlet producing the highest sound power level.

Care shall be taken that the noise of the exhaust air does not noticeably influence the noise of the appliance.

6.1.3

Replacement:

Prior to noise measurements, the tumble dryer shall have been operated for at least two complete cycles. However, any load at rated capacity may be used for this operation.

6.1.4

Replacement:

Care shall be taken to be in accordance with the climatic conditions indicated in 6.3 of Part 1.

6.2 Supply of electric energy and of water or gas

6.2.2 and 6.2.3

Not applicable

6.2.4

Addition

Gas-fired tumble dryers are operated at reference pressure with one of their reference gases according to their appliance category (see name plate of the appliance).

6.3 Climatic conditions

Addition

Care shall be taken to meet the climatic conditions as specified over the total duration of the standard test programme.

6.4 Loading and operating of appliances during tests

6.4.2

Replacement:

Tumble dryers are operated in the standard test programme according to 6.101, with a load according to 6.102.

6.4.3 Not applicable.

6.5 Location and mounting of appliances

6.5.2 Not applicable.

6.5.3

Modification:

$D = 25 \text{ cm} \pm 1 \text{ cm}$

Addition:

If the air outlet is located at the rear side of the appliance, a 90° bend of the same type as the standard exhaust system shall be used for connection of the appliance to the standard exhaust system.

NOTE 101 The outlet of the standard exhaust may terminate at an air evacuating system or outside the test room, in such a way that the influence on noise and pressure drop can be neglected. This is to minimise temperature and humidity variation.

6.5.5

Addition:

Appliances designed for front loading and specified by the manufacturer for building under a counter or for placing under a worktop between cabinets (under-counter types) shall be built-in according to the manufacturer's installation instructions in an appropriate test enclosure according to Annex B of Part 1.

[IEC 60704-2-6:2012](https://standards.iteh.ai/catalog/standards/sist/47727804-3ec6-49e2-b58f-ef2f408e5d96/iec-60704-2-6-2012)

<https://standards.iteh.ai/catalog/standards/sist/47727804-3ec6-49e2-b58f-ef2f408e5d96/iec-60704-2-6-2012>

Addition:

6.101 Standard test programme for noise measurements

For automatic tumble dryers the standard test programme for noise measurements is a “dry cotton” programme for achieving a final moisture content of the test load $\mu_f = 0 \% \pm 3 \%$ after completion of the programme according to the manufacturer's instruction.

For non-automatic tumble dryers, the dryer is operated for as long as required to achieve the final moisture content as given above.

NOTE 1 The time required is determined by monitoring the drying process. This can be done by either having the tumble dryer placed on a platform scale or by pre-testing.

NOTE 2 Examples of operations that may occur after completion of the programme are monitoring and anti-creasing operations.

The final moisture content of the test load is calculated as follows:

$$\mu_f = \left(\frac{W_f - W_0}{W_0} \right) \times 100 \%$$

where

W_f is the mass of the standard test load after completion of the standard test programme;

W_0 is the mass of the standard test load after conditioning, according to 6.102.2.