




Edition 1.0 2011-02

TECHNICAL REPORT





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IFC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Email: inmail@iec.ch Web: www.iec.ch

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

■ Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: www.iec.ch/online_news/justpub
Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: https://www.iec.ch/webstore/custserv
If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact os:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 1.0 2011-02

TECHNICAL REPORT



INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

J

ICS 01.080.40

ISBN 978-2-88912-371-1

CONTENTS

FOI	REWORD	.3
INT	RODUCTION	. 5
	Scope	
	Normative references	
	Terms and definitions	
	Pibliography	



INTERNATIONAL ELECTROTECHNICAL COMMISSION

GRAPHICAL SYMBOLS FOR USE ON EQUIPMENT – TERMINOLOGY

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication. 9-8ec5-49ac47ccea00/icc-tr-
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 62687, which is a technical report, has been prepared by subcommittee 3C: Graphical symbols for use on equipment, of IEC technical committee 3: Information structures, documentation and graphical symbols.

The text of this technical report is based on the following documents:


Enquiry draft	Report on voting
3C/1693/DTR	3C/1713/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.



INTRODUCTION

The publications cited in the Bibliography, published by IEC, ISO and ITU constitute the source for the glossary in this Technical report.

The terms are primarily collected from Clause 3, "Terms and definitions" of these publications but in some cases terms are also taken from other parts of these publications.



GRAPHICAL SYMBOLS FOR USE ON EQUIPMENT – TERMINOLOGY

1 Scope

This Technical Report contains a collection of terms (glossary) used in IEC, ISO and ITU publications in the field of graphical symbols for use on equipment including some related fields.

Some terms are annotated and/or modified for the purpose of clarification

2 Normative references

None.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

caution

signal word used to indicate a potentially hazardous situation which, if not avoided, may result in minor or moderate injury

[ISO 17724:2003, 6]

https://standards.iteh.al/ca

3.2 danger

signal word used to indicate an imminently hazardous situation which, if not avoided, may result in death or serious injury

[ISO 17724:2003, 18]

3.3

dynamic graphical symbol

graphical symbol for use on a monitor screen and a console display whose colour and/or appearance change in accordance with the internal status of the piece of equipment

3.4

glyph

recognizable abstract graphic symbol which is independent of any specific design

[ISO/IEC 9541-1:1991, 3.12]

3.5

glyph image

image of a glyph, as obtained from a glyph representation displayed on a presentation surface

[ISO/IEC 9541-1:1991, 3.15]

3.6

graphic symbol

visual representation of a graphic character or of a composite sequence

[ISO/IEC 10646-1:1993, 4.19]

3.7

graphic character

character, other than a control function, that has a visual representation normally handwritten, printed, or displayed

[ISO/IEC 10646-1:1993, 4.18]

3.8

graphical symbol

visually perceptible figure with a particular meaning used to transmit information independently of language

[IEC 80416-1:2008, 3.4]

[ISO 17724:2003, 31]

NOTE 1 The unique nature of graphical symbols is their language independence. Therefore, the use of letters and punctuation marks as graphical symbol elements should be avoided.

NOTE 2 Graphical symbols are usually abstract representations that stand for something but that require learning on the part of users to take on their meaning.

3.9

graphical symbol for use on equipment

graphical symbol for use on associated assemblies intended to achieve a defined final objective

[Derived from IEC 80416-1:2008]

3.10

icon

graphical symbol presented on a screen or display

NOTE 1 Icons can be static, interactive and change as the result of user input or dynamic and change as the result of equipment status.

[ISO 80416-4:2005, 3:3]

NOTE 2 Alternative definitions depending on domains are as follows:

- user interface [symbol / object] representing an object or a function of the computer system [ISO/IEC FCD 11581-10, 3.4 modified]
- symbol or combination of symbols in graphical user interfaces representing a function of the computer system
- object of manipulation of a function of the computer system through graphical user interfaces for computer applications
 - · Icons should be graphical representations that convey information with a minimum reliance on language.
 - Icons have dynamic nature depending on the function of the computer system.
 - Icons may be entirely abstract, like graphical symbols, or pictorial, like pictograms, or fall at some point between those extremes.

3.11

pictogram

simplified pictorial representations, used to guide people and tell them how to achieve a certain goal

[ITU-T E.121:2006, 3.1, modified]

- NOTE 1 Pictograms should be graphical representations that convey information with a minimum of reliance on language.
- NOTE 2 Pictograms are, as far as possible, self-explanatory, and require little or no learning on the part of users.
- NOTE 3 Pictorial representation can be two- or three-dimensional.

3.12

safety related graphical symbol

graphical symbol for use on equipment that conveys a message with a relation to personal and/or equipment safety and that is not qualified as a safety sign, e.g. because the related risk is comparatively low

NOTE A safety related graphical symbol may e.g. express a prohibition (Do not ...!) or a warning related to a specific hazard (Caution! ...), however it is not required to use the safety colours and shapes according to ISO 3864. It can be standardized in IEC 60417 or ISO 7000.

3.13

safety sign

sign which gives a general safety message, obtained by a combination of colour and geometric shape and which, by the addition of a graphical symbol, gives a particular safety message

[ISO 17724:2003, 68]

3.14

sign

configuration of visual elements including symbols, text and shapes intended to communicate a given meaning

[ISO 17724:2003, 71]

3.15

signal wordlards iteh

word that calls attention to a potentially or imminently hazardous situation

[ISO 17724:2003, 73]

3.16

symbol

visual (audible or tactile) sign, single letter, numeral, punctuation mark each of which has a fixed meaning

- NOTE 1 Symbols are usually graphical representations that convey information with little reliance on language.
- NOTE 2 Symbols are usually abstract representations that stand for something but that require learning on the part of users to take on their meaning.
- NOTE 3 Examples of symbols are graphical symbols, graphic symbols, character symbols, chemical symbols, mathematical symbols, musical symbols, sex symbols, status symbols, tactile symbols, audible symbols.

3.17

warning

signal word used to indicate a potentially hazardous situation which, if not avoided, could result in death or serious injury

[ISO 17724:2003, 84]