

INTERNATIONAL STANDARD



Explosive atmospheres –
Part 1: Equipment protection by flameproof enclosures "d"

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

IEC 60079-1:2014

<https://standards.itih.ai/catalog/standards/iec/9b9f9f97-ed37-40ec-a799-9000dab2f33e/iec-60079-1-2014>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

<https://standards.iteh.ai/catalog/standards/iec/9b9f9f97-ed37-40ec-a799-9000dab2f33e/iec-60079-1-2014>

<https://standards.iteh.ai/catalog/standards/iec/9b9f9f97-ed37-40ec-a799-9000dab2f33e/iec-60079-1-2014>



IEC 60079-1

Edition 7.0 2014-08
REDLINE VERSION

INTERNATIONAL STANDARD



Explosive atmospheres – iTeh Standards
Part 1: Equipment protection by flameproof enclosures "d"
(<https://standards.itih.ai>)
Document Preview

[IEC 60079-1:2014](#)

<https://standards.itih.ai/catalog/standards/iec/9b9f9f97-ed37-40ec-a799-9000dab2f33e/iec-60079-1-2014>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.260.20

ISBN 978-2-8322-1850-1

Warning! Make sure that you obtained this publication from an authorized distributor.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 60079-1
Edition 7.0 2014-06

EXPLOSIVE ATMOSPHERES –

Part 1: Equipment protection by flameproof enclosures "d"

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

The text of this interpretation sheet is based on the following documents:

DISH	Report on voting
31/1536/DISH	31/1542/RVDISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

[IEC 60079-1:2014](https://standards.iteh.ai/catalog/standards/iec/9b9b9b97-ed37-40ec-a799-9000dab2f33e/iec-60079-1-2014)

<https://standards.iteh.ai/catalog/standards/iec/9b9b9b97-ed37-40ec-a799-9000dab2f33e/iec-60079-1-2014>

IEC 60079-1:2014 Edition 7.0, Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"

Question 1:

The requirements given in 13.1 of IEC 60079-1:2014 (Edition 7) restrict threaded entries for flameproof enclosures to only metric and NPT. Does this restriction represent a major technical change between IEC 60079-1:2014 (Edition 7) and IEC 60079-1:2007 (Edition 6)?

Answer 1:

Yes, the restriction to only metric and NPT regarding threaded entries for flameproof enclosures does represent a major technical change between IEC 60079-1:2014 (Edition 7) and IEC 60079-1:2007 (Edition 6). The requirements given in Clause 13 of IEC 60079-1:2007 (Edition 6) had no such normative restriction, with reference to metric and NPT only as examples of threaded entries for flameproof enclosures.

While IEC 60079-1:2014 (Edition 7) only permits the use of metric and NPT threads for entry into flameproof enclosures, cable glands/conduit entry devices, thread adapters and blanking elements are permitted to use other thread forms (see Annex C of IEC 60079-1:2014 (Edition 7)).

NOTE 1 The intention of the restriction to only metric and NPT regarding threaded entries for flameproof enclosures is to minimize the mismatch of thread forms in enclosure entries.

NOTE 2 In the Foreword of IEC 60079-1:2014 (Edition 7), the table detailing the significance of the changes between IEC 60079-1:2014 (Edition 7) and IEC 60079-1:2007 (Edition 6) mistakenly did not identify this metric and NPT restriction as a major technical change. Unfortunately, the IEC Directives do not permit a corrigendum to be issued to correct errors in non-normative text such as the table detailing the significance of changes.

Question 2:

Where a thread adapter is fitted and assessed as a factory-assembled part of the flameproof enclosure, what are the permitted thread forms?

Answer 2:

A thread adapter may use thread forms other than metric and NPT, whether as an Ex Equipment thread adapter or as a thread adapter fitted and assessed as a factory-assembled part of the flameproof enclosure (see Annex C of IEC 60079-1:2014 (Edition 7)).

Question 3:

Can a blanking element be installed in a thread adapter which is fitted and assessed as a factory-assembled part of the flameproof enclosure?

Answer 3:

Yes, the requirements given in Clause 13 of IEC 60079-1:2014 (Edition 7) regarding thread adapters are for separately certified Ex equipment thread adapters, not those fitted and assessed as a factory-assembled part of the flameproof enclosure.

Question 4:

What is the required marking when a thread adapter is fitted and assessed as a factory-assembled part of the flameproof enclosure?

Answer 4:

Clause 13 of IEC 60079-1:2014 (Edition 7) requires identification of the specific thread type and size of threaded entries into flameproof enclosures. In the case where the thread adapter is fitted and assessed as a factory-assembled part of the flameproof enclosure, the requirement for identification applies to the thread form of the adapter for the field wiring connection.

CONTENTS

CONTENTS.....	2
FOREWORD.....	8
1 Scope.....	16
2 Normative references.....	16
3 Terms and definitions	17
4 Level of protection (equipment protection level, EPL)	20
4.1 General.....	20
4.2 Requirements for level of protection “da”	20
4.3 Requirements for level of protection “db”	20
4.4 Requirements for level of protection “dc”	20
4.4.1 General	20
4.4.2 Construction of “dc” devices	21
4.4.3 Tests for “dc” devices.....	21
5 Flameproof joints	21
5.1 General requirements.....	21
5.2 Non-threaded joints.....	22
5.2.1 Width of joints (<i>L</i>).....	22
5.2.2 Gap (<i>i</i>).....	23
5.2.3 Spigot joints.....	23
5.2.4 Holes in joint surfaces.....	24
5.2.5 Conical joints	26
5.2.6 Joints with partial cylindrical surfaces (not permitted for Group IIC).....	26
5.2.7 Flanged joints for acetylene atmospheres	27
5.2.8 Serrated joints	27
5.2.9 Multi-step joints.....	28
5.3 Threaded joints	30
5.4 Gaskets (including O-rings)	31
5.5 Equipment using capillaries	33
6 Sealed joints	33
6.1 Cemented joints	33
6.1.1 General	33
6.1.2 Mechanical strength	33
6.1.3 Width of cemented joints	34
6.2 Fused glass joints	34
6.2.1 General	34
6.2.2 Width of fused glass joints.....	34
7 Operating rods.....	35
8 Supplementary requirements for shafts and bearings.....	35
8.1 Joints of shafts.....	35
8.1.1 General	35
8.1.2 Cylindrical joints.....	35
8.1.3 Labyrinth joints	35
8.1.4 Joints with floating glands	35

8.2	Bearings	37
8.2.1	Sleeve bearings	37
8.2.2	Rolling-element bearings	37
9	Light-transmitting parts	37
10	Breathing and draining devices which form part of a flameproof enclosure	38
10.1	General	38
10.2	Openings for breathing or draining	38
10.3	Composition limits	38
10.4	Dimensions	38
10.5	Elements with measurable paths	38
10.6	Elements with non-measurable paths	38
10.7	Removable devices	39
10.7.1	General	39
10.7.2	Mounting arrangements of the elements	39
10.8	Mechanical strength	39
10.9	Breathing devices and draining devices when used as Ex components	39
10.9.1	General	39
10.9.2	Mounting arrangements of the elements and components	39
10.9.3	Type tests for breathing and draining devices used as Ex components	40
10.9.4	Ex component certificate	43
11	Fasteners and associated holes and blanking elements and openings	43
12	Materials and mechanical strength of enclosures Materials inside the enclosures	46
13	Entries for flameproof enclosures	47
13.1	General	47
13.2	Threaded holes	47
13.3	Non-threaded holes (for Group I only)	47
13.4	Cable glands	48
13.5	Conduit sealing devices	48
13.6	Plugs and sockets and cable couplers	49
13.7	Bushings	50
13.8	Blanking elements	50
14	Verification and tests	50
15	Type tests	51
15.1	General	51
15.2	Tests of ability of the enclosure to withstand pressure	52
15.2.1	General	52
15.2.2	Determination of explosion pressure (reference pressure)	52
15.2.3	Overpressure test	55
15.3	Test for non-transmission of an internal ignition	56
15.3.1	General	56
15.3.2	Electrical equipment of Groups I, IIA and IIB	58
15.3.3	Electrical equipment of Group IIC	59
15.4	Tests of flameproof enclosures with breathing and draining devices	61
15.4.1	General	61
15.4.2	Tests of ability of the enclosure to withstand pressure	61
15.4.3	Thermal tests	61
15.4.4	Test for non-transmission of an internal ignition	62

15.5	Tests for “dc” devices	63
15.5.1	General	63
15.5.2	Preparation of “dc” samples	63
15.5.3	Test conditions for “dc” devices	63
16	Routine tests	63
16.1	General.....	63
16.2	Enclosures not incorporating a welded construction	64
16.3	Enclosures incorporating a welded construction	65
16.4	Bushings not specific to one flameproof enclosure	65
16.5	Acceptance criteria	65
16.6	Batch testing.....	65
17	Switchgear for Group I.....	65
17.1	General.....	65
17.2	Means of isolation	66
17.2.1	General	66
17.3	Doors or covers.....	66
17.3.1	Quick-acting doors or covers	66
17.3.2	Doors or covers fixed by screws	66
17.3.3	Threaded doors or covers	66
18	Lampholders and lamp caps	67
18.1	General.....	67
18.2	Device preventing lamps working loose	67
18.3	Holder and caps for lamps with cylindrical caps	67
18.4	Holder for lamps with threaded caps	67
19	Non-metallic enclosures and non-metallic parts of enclosures.....	67
19.1	General.....	67
19.2	Resistance to tracking and creepage distances on internal surfaces of the enclosure walls	68
19.3	Supplementary Requirements for type tests	68
19.4	Test of erosion by flame	68
20	Marking	69
20.1	General.....	69
20.2	Caution and warning markings.....	69
20.3	Informative markings	70
21	Instructions.....	70
Annex A (normative) Additional requirements for crimped ribbon elements and multiple screen elements of breathing and draining devices		
		71
Annex B (normative) Additional requirements for elements, with non-measurable paths of breathing and draining devices		
		72
B.1	Sintered metal elements.....	72
B.2	Pressed metal wire elements	72
B.3	Metal foam elements	73
Annex C (normative) Additional requirements for flameproof entry devices.....		
		74
C.1	General.....	74
C.2	Constructional requirements	74
C.2.1	Sealing methods	74
C.2.2	Threads Flameproof joints	75

C.2.3	Constructional requirements for Ex blanking elements	76
C.2.4	Constructional requirements for Ex thread adapters	78
C.3	Type tests	78
C.3.1	Sealing test.....	78
C.3.2	Test of mechanical strength	79
C.3.3	Type tests for Ex blanking elements	80
C.3.4	Type tests for Ex thread adapters	81
Annex D (normative)	Empty flameproof enclosures as Ex components	83
D.1	General.....	83
D.2	Introductory remarks	83
D.3	Ex component enclosure requirements	83
D.4	Utilization of an Ex component enclosure certificate to prepare an equipment certificate	85
D.4.1	Procedure.....	85
D.4.2	Application of the schedule of limitations	85
Annex E (normative)	Cells and batteries used in flameproof “d” enclosures	86
E.1	Introductory remarks	86
E.2	Acceptable electrochemical systems.....	86
E.3	General requirements for cells (or batteries) inside flameproof enclosures.....	87
E.4	Arrangement of safety devices.....	87
E.4.1	Prevention of excessive temperature and cell damage	87
E.4.2	Prevention of cell polarity reversal or reverse charging by another cell in the same battery	88
E.4.3	Prevention of inadvertent charging of a battery by other voltage sources in the enclosure	89
E.5	Recharging of secondary cells inside flameproof enclosures	89
E.6	Rating of protection diodes and reliability of protection devices	90
Annex F (informative)	Mechanical properties for screws and nuts	91
Annex G (normative)	Additional requirements for flameproof enclosures with an internal source of release (containment system)	97
G.1	General.....	97
G.2	Release conditions	97
G.2.1	No release	97
G.2.2	Limited release of a gas or vapour.....	98
G.2.3	Limited release of a liquid	98
G.3	Design requirements for the containment system	98
G.3.1	General design requirements.....	98
G.3.2	Infallible containment system	98
G.3.3	Containment system with a limited release	99
G.4	Type tests for the containment system.....	99
G.4.1	Overpressure test	99
G.4.2	Leakage test for an infallible containment system	99
G.4.3	Leakage test for a containment system with a limited release.....	100
Annex H (normative)	Requirements for machines with flameproof “d” enclosures fed from converters	101
H.1	General.....	101
H.2	Construction requirements for bearings	101
H.3	Temperature requirements	101

Bibliography	102
Figure 1 – Example of construction for indirect checking of a flanged Group I flameproof joint.....	23
Figure 2 – Spigot joints	24
Figure 3 – Holes in surfaces of flanged joints, example 1	25
Figure 4 – Holes in surfaces of flanged joints, example 2.....	25
Figure 5 – Holes in surfaces of flanged joints, example 3.....	25
Figure 6 – Holes in surfaces of spigot joints, example 1	25
Figure 7 – Holes in surfaces of spigot joints, example 2.....	26
Figure 8 – Holes in surfaces of spigot joints, example 3.....	26
Figure 9 – Examples of joint constructions.....	27
Figure 10 – Illustration of the requirements concerning gaskets – Example 1	32
Figure 11 – Illustration of the requirements concerning gaskets – Example 2	32
Figure 12 – Illustration of the requirements concerning gaskets – Example 3	32
Figure 13 – Illustration of the requirements concerning gaskets – Example 4	32
Figure 14 – Illustration of the requirements concerning gaskets – Example 5	32
Figure 15 – Illustration of the requirements concerning gaskets – Example 6	32
Figure 16 – Illustration of the requirements concerning gaskets – Example 7	33
Figure 17 – Example of cylindrical joint for shaft of rotating electrical machine	36
Figure 18 – Example of labyrinth joint for shaft of rotating electrical machine	36
Figure 19 – Example of joint with floating gland for shaft of rotating electrical machine.....	36
Figure 20 – Joints of shaft glands of rotating electrical machines	37
Figure 21 – Component test rig for breathing and draining devices	41
Figure 22 – Example of possible documentation	48
Figure 23 – Example of a regular shaped waveform.....	54
Figure 24 – Example of an irregular shaped waveform.....	54
Figure C.1 – Examples of blanking elements for unused entries.....	77
Figure C.2 – Device for the sealing tests for cable glands.....	79
Figure C.3 – Examples of Ex thread adapters.....	82
Figure E.1 – Fitting of diode arrangement for three cells in series	88
Figure E.2 – Fitting of blocking diodes to meet E.4.3 (third example).....	89
Figure G.1 – Flameproof enclosure with containment system	97
Table 1 – Number of non-transmission tests for level of protection “da”	20
Table 2 – Minimum width of joint and maximum gap for enclosures of Groups I, IIA and IIB	29
Table 3 – Minimum width of joint and maximum gap for Group IIC enclosures	30
Table 4 – Cylindrical threaded joints.....	31
Table 5 – Taper threaded joints ^{a, c}	31
Table 6 – Conditions for the determination of maximum surface temperature	51
Table 7 – Test factors for reduced ambient conditions	53
Table 8 – Relative pressures for small equipment.....	55
Table 9 – Reduction in length of a threaded joint for non-transmission test.....	57

Table 10 – Test factors to increase pressure or test gap (i_E)	57
Table 11 – Minimum distance of obstructions from flameproof “d” flange openings	58
Table 12 – Gas/air mixtures	59
Table 13 – Static pressures.....	64
Table 14 – Text of caution or warning markings.....	69
Table 15 – Text of informative markings	70
Table C.1 – Tightening torque values, metric	81
Table C.2 – Tightening torque values, NPT	82
Table E.1 – Acceptable primary cells.....	86
Table E.2 – Acceptable secondary cells	87
Table F.1 – Mechanical properties for screws and nuts.....	91

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60079-1:2014](#)

<https://standards.iteh.ai/catalog/standards/iec/9b9f9f97-ed37-40ec-a799-9000dab2f33e/iec-60079-1-2014>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 1: Equipment protection by flameproof enclosures “d”

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60079-1 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

This seventh edition cancels and replaces the sixth edition, published in 2007, and constitutes a technical revision.

The significance of the changes between IEC 60079-1, Edition 7.0 (2014) and IEC 60079-1 Edition 6.0 (2007) (including Corrigendum 1 (2008)), is as listed below:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Normative references (Removal of the edition date from the reference for IEC 60079-0)	2	X		
Requirements for level of protection "da" (Catalytic sensors of portable combustible gas detectors)	4.2		X	
Requirements for level of protection "dc" (“Enclosed break” devices from IEC 60079-15)	4.4, 15.5	X		
Flameproof joints, General requirements (Documentation clarification and examples of corrosion inhibiting grease)	5.1	X		
Flameproof joints, General requirements (Specific Conditions of Use that joints are not intended to be repaired)	5.1		X	
Flameproof joints, General requirements (Electroplating more than 0,008 mm thick)	5.1		X	
Non-threaded joints, Gap (<i>i</i>) (Intentional gaps between surface for flanged joints)	5.2.2	X		
Serrated joints (Use and test requirements)	5.2.8	X		
Multi-step joints (Not less than 3 adjacent segments and two path changes)	5.2.9		X	
Minimum width of joint and maximum gap for enclosures of groups IIA and IIB (Maximum gaps for flanged, cylindrical or spigot joints of 9,5 mm minimum width and volume greater than 2 000 cm ³)	Table 2		X	
Minimum width of joint and maximum gap for enclosures of groups I, IIA, IIB and IIC (ISO 80000-1 for constructional value rounding)	Table 2, Table 3	X		
Cylindrical threaded joints (ISO 965-1 standard in respect of thread form or quality of fit)	Table 4	X		
Taper threaded joints (External and internal thread construction)	Table 5	X		
Cemented joints (Supplemental mechanical means of securement)	6.1.2			C1
Cemented joints (Evaluation criteria if there is leakage)	6.1.2		X	
Fused glass joints (Glass-to-metal joints)	6.2		X	

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Thermal tests of breathing and draining devices (Temperature class based on external surface temperature after the 10 min test period)	10.9.3.2	X		
Test of the ability of the breathing and draining device to withstand pressure (Relocated from before thermal tests to after the non-transmission test)	10.9.3.4	X		
Ex component certificate (Service temperature range for non-metallic enclosures per IEC 60079-0)	10.9.4	X		
Fasteners and openings (Relocation of blanking element content to 13.8 and C.2.3)	11	X		
Fasteners and openings, Property class or yield stress (Certificate specific condition of use)	11.3	X		
Fasteners and openings (Openings in the wall of the enclosure)	11.8	X		
Materials (Material limitation in acetylene atmospheres)	12.8			C2
Entries for flameproof enclosures, General (Metric and NPT threaded entries)	13.1	X		
Entries for flameproof enclosures, General (Group I non-threaded joints)	13.1		X	
Entries for flameproof enclosures, Non-threaded holes (Group I application)	13.3		X	
Entries for flameproof enclosures, Cable glands (Group I application)	13.4		X	
Cable glands, Conduit sealing devices (Documentation to facilitate mounting)	13.4,13.5	X		
Plugs and sockets and cable couplers (Load requirement for arc-quenching test)	13.6.4			C3
Bushings (Documentation to facilitate mounting)	13.7	X		
Blanking elements (Relocated from Clause 11)	13.8	X		
Verification and tests (Maximum surface temperature conditions)	Table 6	X		
Type tests (Sequence and number of samples for tests)	15	X		
Determination of explosion pressure, General (Devices that can cause turbulence)	15.2.2.2	X		
Determination of explosion pressure, General (Number of tests for Group IIC)	15.2.2.2	X		
Determination of explosion pressure, General (Pressure pilling for Group IIB)	15.2.2.4	X		