



# SLOVENSKI STANDARD

DSIST ETS 300 267-3:1998

01-Udf]-1998

---

8 ] [ ]HJbc`ca fYy`Y`n`]bHY[ f]fUb]a ]`glcf]hj Ua ]`f!G8 BŁ!`8 U`f]bg\_]`glcf]hj ].`h`Y`Z`b]`U`+  
\_<n`]b`j ]XYch`Y`Z`b]`U!`Dfch`c`X][ ]HJbY`bUfc b]y`Y`g][ bU]nUW`Y`y`h`r`%fB GG`%Ł!`" "  
XY. `N[ fUXVUdfYg\_i yU`bY[ U`b]nU]b`bUa Yb`dfYg\_i yUb`U`fHGG/ HDŁ!`GdYW]Z\_`UW]U  
nUi dcfUWb]\_U

Integrated Services Digital Network (ISDN); Telephony 7 kHz and videotelephony  
teleservices; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 3: Test  
Suite Structure and Test Purposes (TSS&TP) specification for the user

Ta slovenski standard je istoveten z: ETS 300 267-3 E1.% - +!\$)

---

**ICS:**

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	---

DSIST ETS 300 267-3:1998	en
--------------------------	----





**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 267-3**

May 1997

---

Source: ETSI TC-SPS

Reference: DE/SPS-05048-3

ICS: 33.020

**Key words:** ISDN, DSS1, teleservice, 7 kHz, video, telephony, testing, TSS&TP, user

**Integrated Services Digital Network (ISDN);  
Telephony 7 kHz and videotelephony teleservices;  
Digital Subscriber Signalling System No. one (DSS1) protocol;  
Part 3: Test Suite Structure and Test Purposes (TSS&TP)  
specification for the user**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.



## Contents

Foreword .....	7
Introduction .....	7
1 Scope .....	9
2 Normative references .....	9
3 Definitions and abbreviations .....	10
3.1 Definitions .....	10
3.2 Abbreviations .....	12
4 Test Suite Structure (TSS) .....	12
4.1 First test group level .....	12
4.2 Second test group level .....	12
4.3 Third test group level .....	12
4.4 Fourth test group level .....	12
4.5 Fifth test group level .....	13
4.6 Sixth test group level .....	14
5 Test purposes for generic requirements, telephony 7 kHz and videotelephony teleservices .....	14
5.1 Test purpose format .....	14
5.2 Calling user interface .....	15
5.2.1 Valid behaviour .....	15
5.2.1.1 Generic requirements .....	15
5.2.1.1.1 Fallback allowed .....	15
5.2.1.1.1.1 User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	15
5.2.1.1.1.2 User requirements at the coincident S and T reference point .....	16
5.2.1.1.2 Fallback not allowed .....	18
5.2.1.1.2.1 User requirements at the coincident S and T reference point .....	18
5.2.1.1.2.2 User requirements for interworking with private ISDNs .....	20
5.2.1.1.3 Connection management .....	20
5.2.1.1.3.1 User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	20
5.2.1.1.3.2 User requirements at the coincident S and T reference point .....	21
5.2.1.2 Telephony 7 kHz teleservice .....	21
5.2.1.2.1 Fallback allowed .....	21
5.2.1.2.1.1 User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	21
5.2.1.2.1.2 User requirements at the coincident S and T reference point .....	23
5.2.1.2.2 Fallback not allowed .....	26
5.2.1.2.2.1 User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	26
5.2.1.2.2.2 User requirements at the coincident S and T reference point .....	26

		5.2.1.2.3	Connection management.....	27
		5.2.1.2.3.1	User requirements at the coincident S and T reference point .....	27
	5.2.1.3	Videotelephony teleservice .....		28
		5.2.1.3.1	Fallback allowed.....	28
		5.2.1.3.1.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	28
		5.2.1.3.1.2	User requirements at the coincident S and T reference point .....	30
		5.2.1.3.2	Fallback not allowed.....	34
		5.2.1.3.2.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	34
		5.2.1.3.2.2	User requirements at the coincident S and T reference point .....	34
		5.2.1.3.3	Connection management.....	35
		5.2.1.3.3.1	User requirements at the coincident S and T reference point .....	35
		5.2.1.3.3.2	User requirements for interworking with private ISDNs.....	37
	5.2.2	Invalid behaviour.....		37
		5.2.2.1	Generic requirements .....	37
		5.2.2.1.1	Fallback allowed.....	37
		5.2.2.1.1.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	37
		5.2.2.1.1.2	User requirements at the coincident S and T reference point .....	38
		5.2.2.2	Telephony 7 kHz teleservice .....	40
		5.2.2.2.1	Fallback allowed.....	40
		5.2.2.2.1.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	40
		5.2.2.2.1.2	User requirements at the coincident S and T reference point .....	40
		5.2.2.3	Videotelephony teleservice .....	42
		5.2.2.3.1	Fallback allowed.....	42
		5.2.2.3.1.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	42
		5.2.2.3.1.2	User requirements at the coincident S and T reference point .....	43
	5.3	Called user interface .....		45
		5.3.1	Valid behaviour .....	45
		5.3.1.1	Generic requirements .....	45
		5.3.1.1.1	Fallback allowed.....	45
		5.3.1.1.1.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	45
		5.3.1.1.1.2	User requirements at the coincident S and T reference point .....	47
		5.3.1.1.1.3	User requirements for interworking with private ISDNs.....	47
		5.3.1.1.2	Fallback not allowed.....	48
		5.3.1.1.2.1	User requirements at the coincident S and T reference point .....	48
		5.3.1.1.2.2	User requirements for interworking with private ISDNs.....	48

5.3.1.2	Telephony 7 kHz teleservice.....	48
5.3.1.2.1	Fallback allowed .....	48
5.3.1.2.1.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	48
5.3.1.2.1.2	User requirements at the coincident S and T reference point.....	49
5.3.1.2.1.3	User requirements for interworking with private ISDNs .....	50
5.3.1.2.2	Fallback not allowed .....	50
5.3.1.2.2.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	50
5.3.1.2.2.2	User requirements at the coincident S and T reference point.....	50
5.3.1.2.3	Connection management.....	51
5.3.1.2.3.1	User requirements at the coincident S and T reference point.....	51
5.3.1.3	Videotelephony teleservice .....	51
5.3.1.3.1	Fallback allowed .....	51
5.3.1.3.1.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	51
5.3.1.3.1.2	User requirements at the coincident S and T reference point.....	52
5.3.1.3.1.3	User requirements for interworking with private ISDNs .....	53
5.3.1.3.2	Fallback not allowed .....	54
5.3.1.3.2.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	54
5.3.1.3.2.2	User requirements at the coincident S and T reference point.....	54
5.3.1.3.3	Connection management.....	55
5.3.1.3.3.1	User requirements at the coincident S and T reference point.....	55
5.3.2	Invalid behaviour .....	56
5.3.2.1	Generic requirements .....	56
5.3.2.1.1	Fallback allowed .....	56
5.3.2.1.1.1	User requirements at the coincident S and T reference point.....	56
5.3.3	Inopportune behaviour .....	57
5.3.3.1	Generic requirements.....	57
5.3.3.1.1	Connection management.....	57
5.3.3.1.1.1	User requirements at the coincident S and T reference point or for interworking with private ISDNs .....	57
6	Combined test purposes for telephony 7 kHz and videotelephony teleservices .....	58
6.1	Combined test purpose format .....	58
6.2	Calling user interface .....	59
6.2.1	Valid behaviour.....	59
6.2.1.1	Telephony 7 kHz teleservice.....	59
6.2.1.1.1	Fallback allowed .....	59
6.2.1.1.2	Fallback not allowed .....	62
6.2.1.1.3	Connection management.....	63
6.2.1.2	Videotelephony teleservice .....	63
6.2.1.2.1	Fallback allowed .....	63
6.2.1.2.2	Fallback not allowed .....	67
6.2.1.2.3	Connection management.....	68
6.2.2	Invalid behaviour .....	71
6.2.2.1	Telephony 7 kHz teleservice.....	71
6.2.2.1.1	Fallback allowed .....	71

	6.2.2.2	Videotelephony teleservice .....	72
	6.2.2.2.1	Fallback allowed.....	72
6.3	Called user interface .....		74
6.3.1	Valid behaviour .....		74
	6.3.1.1	Telephony 7 kHz teleservice .....	74
	6.3.1.1.1	Fallback allowed.....	74
	6.3.1.1.2	Fallback not allowed.....	75
	6.3.1.2	Videotelephony teleservice .....	76
	6.3.1.2.1	Fallback allowed.....	76
	6.3.1.2.2	Fallback not allowed.....	79
	6.3.1.2.3	Connection management.....	79
7	Compliance.....		79
Annex A (informative):	Cross reference: Generic, telephony 7 kHz and videotelephony teleservices test purposes .....		81
A.1	Generic test purposes to telephony 7 kHz and videotelephony teleservices test purposes .....		81
A.2	Telephony 7 kHz to videotelephony teleservices test purposes .....		83
History .....			85