



IEC 61158-4-3

Edition 2.0 2010-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Industrial communication networks – Fieldbus specifications –
Part 4-3: Data-link layer protocol specification – Type 3 elements

Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-3: Spécification du protocole de la couche de liaison de données –
Éléments de Type 3

<https://standards.iteh.ai> IEC 61158-4-3:2010



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électriques et électroniques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61158-4-3

Edition 2.0 2010-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Industrial communication networks – Fieldbus specifications –
Part 4-3: Data-link layer protocol specification – Type 3 elements

Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-3: Spécification du protocole de la couche de liaison de données –
Éléments de Type 3

<https://standards.iteh.ae/standards/ac/1a73b2ae-5422-473c-bfad-acde07f73dde/iec-61158-4-3-2010>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XH

ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-83220-127-5

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	6
INTRODUCTION	8
1 Scope	10
1.1 General	10
1.2 Specifications	10
1.3 Procedures	10
1.4 Applicability	10
1.5 Conformance	11
2 Normative references	11
3 Terms, definitions, symbols and abbreviations	11
3.1 Reference model terms and definitions	11
3.2 Service convention terms and definitions	13
3.3 Common terms and definitions	14
3.4 Additional Type 3 definitions	16
3.5 Common symbols and abbreviations	18
3.6 Type 3 symbols and abbreviations	19
4 Common DL-protocol elements	23
4.1 Frame check sequence	23
5 Overview of the DL-protocol	25
5.1 General	25
5.2 Overview of the medium access control and transmission protocol	26
5.3 Transmission modes and DL-entity	27
5.4 Service assumed from the PhL	32
5.5 Operational elements	35
5.6 Cycle and system reaction times	50
6 General structure and encoding of DLPDUs, and related elements of procedure	53
6.1 DLPDU granularity	53
6.2 Length octet (LE, LER)	54
6.3 Address octet	55
6.4 Control octet (FC)	57
6.5 DLPDU content error detection	61
6.6 DATA_UNIT	62
6.7 Error control procedures	62
7 DLPDU-specific structure, encoding and elements of procedure	63
7.1 DLPDUs of fixed length with no data field	63
7.2 DLPDUs of fixed length with data field	65
7.3 DLPDUs with variable data field length	67
7.4 Token DLPDU	68
7.5 ASP DLPDU	69
7.6 SYNCH DLPDU	69
7.7 Time Event (TE) DLPDU	69
7.8 Clock Value (CV) DLPDU	69
7.9 Transmission procedures	70
8 Other DLE elements of procedure	73
8.1 DL-entity initialization	73
8.2 States of the media access control of the DL-entity	73

8.3 Clock synchronization protocol	79
Annex A (normative) DL-Protocol state machines	84
Annex B (informative) Type 3 (synchronous): exemplary FCS implementations.....	160
Annex C (informative) Type 3: Exemplary token procedure and message transfer periods	162
Bibliography.....	170
 Figure 1 – Relationships of DLSAPs, DLSAP-addresses and group DL-addresses	15
Figure 2 – Logical token-passing ring	28
Figure 3 – PhL data service for asynchronous transmission	32
Figure 4 – Idle time TID1	38
Figure 5 – Idle time TID2 (SDN, CS).....	38
Figure 6 – Idle time TID2 (MSRD)	38
Figure 7 – Slot time TSL1	39
Figure 8 – Slot time TSL2	39
Figure 9 – Slot time TSL1	44
Figure 10 – Slot time TSL2	44
Figure 11 – Token transfer period	50
Figure 12 – Message transfer period.....	51
Figure 13 – UART character	54
Figure 14 – Octet structure	54
Figure 15 – Length octet coding	55
Figure 16 – Address octet coding.....	55
Figure 17 – DAE/SAE octet in the DLPDU	56
Figure 18 – Address extension octet	56
Figure 19 – FC octet coding for send/request DLPDUs	58
Figure 20 – FC octet coding for acknowledgement or response DLPDUs	58
Figure 21 – FCS octet coding.....	61
Figure 22 – Data field	62
Figure 23 – Ident user data	62
Figure 24 – DLPDUs of fixed length with no data field.....	64
Figure 25 – DLPDUs of fixed length with no data field.....	65
Figure 26 – DLPDUs of fixed length with data field	66
Figure 27 – DLPDUs of fixed length with data field	66
Figure 28 – DLPDUs with variable data field length.....	67
Figure 29 – DLPDUs with variable data field length.....	68
Figure 30 – Token DLPDU	68
Figure 31 – Token DLPDU	69
Figure 32 – Send/request DLPDU of fixed length with no data	70
Figure 33 – Token DLPDU and send/request DLPDU of fixed length with data	70
Figure 34 – Send/request DLPDU with variable data field length.....	71
Figure 35 – Send/request DLPDU of fixed length with no data	71
Figure 36 – Token DLPDU and send/request DLPDU of fixed length with data	72

Figure 37 – Send/request DLPDU with variable data field length.....	72
Figure 38 – DL-state-diagram	74
Figure 39 – Overview of clock synchronization.....	80
Figure 40 – Time master state machine	81
Figure 41 – Time receiver state machine	82
Figure 42 – Clock synchronization	83
Figure A.1 – Structuring of the protocol machines	85
Figure A.2 – Structure of the SRU Machine.....	142
Figure B.1 – Example of FCS generation for Type 3 (synchronous)	160
Figure B.2 – Example of FCS syndrome checking on reception for Type 3 (synchronous).....	160
Figure C.1 – Derivation of the token holding time (T_{TH}).....	163
Figure C.2 – No usage of token holding time (T_{TH}).....	164
Figure C.3 – Usage of token holding time (T_{TH}) for message transfer (equivalence between T_{TH} of each Master station).....	165
Figure C.4 – Usage of token holding time (T_{TH}) in different working load situations	167
Table 1 – FCS length, polynomials and constants by Type 3 synchronous	24
Table 2 – Characteristic features of the fieldbus data-link protocol.....	26
Table 3 – Transmission function code	59
Table 4 – FCB, FCV in responder	61
Table 5 – Operating parameters	73
Table A.1 – Assignment of state machines.....	86
Table A.2 – Data resource	87
Table A.3 – Primitives issued by DL-User to FLC	91
Table A.4 – Primitives issued by FLC to DL-User	91
Table A.5 – Primitives issued by DL-User to DLM	93
Table A.6 – Primitives issued by DLM to DL-User	94
Table A.7 – Parameters used with primitives exchanged between DL-User and FLC	94
Table A.8 – Parameters used with primitives exchanged between DL-User and DLM	95
Table A.9 – FLC/DLM state table	96
Table A.10 – FLC / DLM function table.....	108
Table A.11 – Primitives issued by DLM to MAC.....	115
Table A.12 – Primitives issued by MAC to DLM.....	115
Table A.13 – Parameters used with primitives exchanged between DLM and MAC	115
Table A.14 – Local MAC variables	116
Table A.15 – MAC state table	116
Table A.16 – MAC function table.....	137
Table A.17 – Primitives issued by DLM to SRC	144
Table A.18 – Primitives issued by SRC to DLM	144
Table A.19 – Primitives issued by MAC to SRC.....	144
Table A.20 – Primitives issued by SRC to MAC.....	145
Table A.21 – Parameters used with primitives exchanged between MAC and SRC	145
Table A.22 – FC structure	145

Table A.23 – Local variables of SRC.....	146
Table A.24 – SRC state table.....	147
Table A.25 – SRC functions	159



INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 4-3: Data-link layer protocol specification –
Type 3 elements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
<https://standards.iec.ch/standard/61158-4-3-2010>
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61158-4-3 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- Corrections in Table A.15 and Table A.16;
- Expired patent removed and added new patents.

This bilingual version (2012-07) corresponds to the monolingual English version, published in 2010-08.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/605/FDIS	65C/619/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version has not been voted upon.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

<https://standards.iteh.ai>

[IEC 61158-4-3:2010](https://standards.iteh.ai)

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementors and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in its profile parts. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning Type 3 elements and possibly other types given in the normative elements of this standard.

The following patent rights for Type 3 have been announced by [SI]:

<https://standards.iec.ch/standard/icc/1873b2ae-5422-473c-biad-acde07f73dde/iec-61158-4-3-2010>

Publication	Title
EP0604668-A1 (06.07.1994); EP0604668-B1 (18.02.1998)	Logical ring with monitoring of rotation time
EP0604669-A1 (06.07.1994); EP0604669-B1 (01.04.1998)	Bus system with monitoring of the activity state of participants

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holder of these patent rights has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of these patent rights is registered with IEC. Information may be obtained from:

[SI]: Siemens AG
CT IP L&T
Hr. Hans-Jörg Müller
Otto-Hahn-Ring 6
D-81739 Munich
Germany

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (http://www.iec.ch/tctools/patent_decl.htm) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.



INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-3: Data-link layer protocol specification – Type 3 elements

1 Scope

1.1 General

The data-link layer provides basic time-critical messaging communications between devices in an automation environment.

This protocol provides communication opportunities to a pre-selected “master” subset of data-link entities in a cyclic asynchronous manner, sequentially to each of those data-link entities. Other data-link entities communicate only as permitted and delegated by those master data-link entities.

For a given master, its communications with other data-link entities can be cyclic, or acyclic with prioritized access, or a combination of the two.

This protocol provides a means of sharing the available communication resources in a fair manner. There are provisions for time synchronization and for isochronous operation.

1.2 Specifications

This standard specifies

- a) procedures for the timely transfer of data and control information from one data-link user entity to a peer user entity, and among the data-link entities forming the distributed data-link service provider;
- b) the structure of the fieldbus DLPDUs used for the transfer of data and control information by the protocol of this standard, and their representation as physical interface data units.

1.3 Procedures

The procedures are defined in terms of

- a) the interactions between peer DL-entities (DLEs) through the exchange of fieldbus DLPDUs;
- b) the interactions between a DL-service (DLS) provider and a DLS-user in the same system through the exchange of DLS primitives;
- c) the interactions between a DLS-provider and a Ph-service provider in the same system through the exchange of Ph-service primitives.

1.4 Applicability

These procedures are applicable to instances of communication between systems which support time-critical communications services within the data-link layer of the OSI or fieldbus reference models, and which require the ability to interconnect in an open systems interconnection environment.

Profiles provide a simple multi-attribute means of summarizing an implementation's capabilities, and thus its applicability to various time-critical communications needs.

1.5 Conformance

This standard also specifies conformance requirements for systems implementing these procedures. This standard does not contain tests to demonstrate compliance with such requirements.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 61158-2:2010¹, *Digital data communications for measurement and control – Fieldbus for use in industrial control systems – Part 2: Physical layer specification and service definition*~~

~~IEC 61158-3-3:2007, *Industrial communication networks – Fieldbus specifications – Part 3-3: Data link service definition – Type 3 elements*~~

~~ISO/IEC 2022, *Information technology – Character code structure and extension techniques*~~

~~ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*~~

~~ISO/IEC 7498-3, *Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing*~~

~~ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*~~

~~ISO 1177, *Information processing – Character structure for start/stop and synchronous character oriented transmission*~~

<https://standards.iteh.ai/standards/iec/61158-4-3:2010>

3 Terms, definitions, symbols and abbreviations

For the purposes of this document, the following terms, definitions, symbols and abbreviations apply.

3.1 Reference model terms and definitions

This standard is based in part on the concepts developed in ISO/IEC 7498-1 and ISO/IEC 7498-3, and makes use of the following terms defined therein.

3.1.1 called-DL-address	[ISO/IEC 7498-3]
3.1.2 calling-DL-address	[ISO/IEC 7498-3]
3.1.3 centralized multi-end-point-connection	[ISO/IEC 7498-3]
3.1.4 correspondent (N)-entities	[ISO/IEC 7498-3]
correspondent DL-entities (N=2)	
correspondent Ph-entities (N=1)	
3.1.5 demultiplexing	[ISO/IEC 7498-3]

¹ To be published.

3.1.6 DL-address	[ISO/IEC 7498-3]
3.1.7 DL-address-mapping	[ISO/IEC 7498-3]
3.1.8 DL-connection	[ISO/IEC 7498-3]
3.1.9 DL-connection-end-point	[ISO/IEC 7498-3]
3.1.10 DL-connection-end-point-identifier	[ISO/IEC 7498-3]
3.1.11 DL-connection-mode transmission	[ISO/IEC 7498-3]
3.1.12 DL-connectionless-mode transmission	[ISO/IEC 7498-3]
3.1.13 DL-data-sink	[ISO/IEC 7498-3]
3.1.14 DL-data-source	[ISO/IEC 7498-3]
3.1.15 DL-duplex-transmission	[ISO/IEC 7498-3]
3.1.16 DL-facility	[ISO/IEC 7498-3]
3.1.17 DL-local-view	[ISO/IEC 7498-3]
3.1.18 DL-name	[ISO/IEC 7498-3]
3.1.19 DL-protocol	[ISO/IEC 7498-3]
3.1.20 DL-protocol-connection-identifier	[ISO/IEC 7498-3]
3.1.21 DL-protocol-control-information	[ISO/IEC 7498-3]
3.1.22 DL-protocol-data-unit	[ISO/IEC 7498-3]
3.1.23 DL-protocol-version-identifier	[ISO/IEC 7498-3]
3.1.24 DL-relay	[ISO/IEC 7498-3]
3.1.25 DL-service-connection-identifier	[ISO/IEC 7498-3]
3.1.26 DL-service-data-unit	[ISO/IEC 7498-3]
3.1.27 DL-simplex-transmission	[ISO/IEC 7498-3]
3.1.28 DL-subsystem	[ISO/IEC 7498-3]
3.1.29 DL-user-data	[ISO/IEC 7498-3]
3.1.30 flow control	[ISO/IEC 7498-3]
3.1.31 layer-management	[ISO/IEC 7498-3]
3.1.32 multiplexing	[ISO/IEC 7498-3]
3.1.33 naming-(addressing)-authority	[ISO/IEC 7498-3]
3.1.34 naming-(addressing)-domain	[ISO/IEC 7498-3]
3.1.35 naming-(addressing)-subdomain	[ISO/IEC 7498-3]
3.1.36 (N)-entity	[ISO/IEC 7498-3]
DL-entity	
Ph-entity	