

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 6-3: Application layer protocol specification – Type 3 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-3: Spécification de protocole de la couche application – Eléments de
Type 3**

IEC 61158-6-3:2010

<https://standards.iteh.ai/catalog/standards/iec/586f1285-ed5d-422b-9c69-e0a5b738d908/iec-61158-6-3-2010>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 6-3: Application layer protocol specification – Type 3 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-3: Spécification de protocole de la couche application – Eléments de
Type 3**

IEC 61158-6-3:2010

<https://standards.iteh.ai/catalog/standards/iec/566f1285-ed5d-422b-9c69-e0a5b738d908/iec-61158-6-3-2010>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XH**
CODE PRIX

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-83220-128-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	12
1.1 General.....	12
1.2 Specifications.....	13
1.3 Conformance.....	13
2 Normative references.....	13
3 Terms, definitions, abbreviations, symbols and conventions.....	14
3.1 Referenced terms and definitions.....	14
3.2 Additional definitions.....	15
3.3 Abbreviations and symbols.....	18
3.4 Conventions.....	19
3.5 Conventions used in state machines.....	21
4 FAL syntax description.....	24
4.1 APDU abstract syntax.....	24
4.2 Data types.....	28
5 Transfer syntax.....	30
5.1 Coding of basic data types.....	30
5.2 Coding section related to data exchange PDUs.....	33
5.3 Coding section related to slave diagnosis PDUs.....	33
5.4 Coding section related to parameterisation PDU.....	44
5.5 Coding section related to configuration PDUs.....	50
5.6 Coding section related to global control PDUs.....	54
5.7 Coding section related to clock-value-PDUs.....	55
5.8 Coding section related to function identification and errors.....	56
5.9 Coding section related to master diagnosis PDU.....	60
5.10 Coding section related to upload/download/act para PDUs.....	62
5.11 Coding section related to the bus parameter set.....	64
5.12 Coding section related to the slave parameter set.....	66
5.13 Coding section related to statistic counters.....	70
5.14 Coding section related to set slave address PDU.....	70
5.15 Coding section related to initiate/abort PDUs.....	70
5.16 Coding section related to read/write/data transport PDUs.....	74
5.17 Coding section related to load region and function invocation PDUs.....	74
5.18 Examples of diagnosis-RES-PDUs.....	77
5.19 Example of Chk_Cfg-REQ-PDU.....	79
5.20 Examples of Chk_Cfg-REQ-PDUs with DPV1 data types.....	80
5.21 Example structure of the Data_Unit for Data_Exchange.....	81
6 FAL protocol state machines.....	83
6.1 Overall structure.....	83
6.2 Assignment of state machines to devices.....	84
6.3 Overview DP-slave.....	85
6.4 Overview DP-master (class 1).....	87
6.5 Overview DP-master (class 2).....	88
6.6 Cyclic communication between DP-master (class 1) and DP-slave.....	89
6.7 Acyclic communication between DP-master (class 2) and DP-master (class 1).....	90

6.8	Acyclic communication between DP-master (class 1) and DP-slave	92
6.9	Application relationship monitoring	94
7	AP-context state machine	100
8	FAL service protocol machines (FSPMs)	100
8.1	FSPMS	100
8.2	FSPMM1	136
8.3	FSPMM2	172
9	Application relationship protocol machines (ARPMs)	190
9.1	MSCY1S	190
9.2	MSAC1S	221
9.3	SSCY1S	234
9.4	MSRM2S	237
9.5	MSAC2S	243
9.6	MSCS1S	260
9.7	MSCY1M	262
9.8	MSAL1M	282
9.9	MSAC1M	291
9.10	MMAC1	304
9.11	MSCS1M	311
9.12	MSAC2M	316
9.13	MMAC2	331
10	DLL mapping protocol machines (DMPMs)	338
10.1	DMPMS	338
10.2	DMPMM1	351
10.3	DMPMM2	367
11	Parameters for a DP-slave	375
	Bibliography	376
	Figure 1 – Common structure of specific fields	20
	Figure 2 – Coding of the data type BinaryDate	31
	Figure 3 – Encoding of TimeOfDay value	31
	Figure 4 – Encoding of Time Difference value	32
	Figure 5 – Encoding of Network Time value	32
	Figure 6 – Encoding of Network Time Difference value	33
	Figure 7 – Example Modul_Status_Array	38
	Figure 8 – Example of Ext_Diag_Data in case of DPV1 diagnosis format with alarm and status PDU	78
	Figure 9 – Example of Ext_Diag_Data in case of the basic diagnosis format	79
	Figure 10 – Example of a special identifier format	79
	Figure 11 – Example of a special identifier format with data types	80
	Figure 12 – Example of a special identifier format with data types	80
	Figure 13 – Example of a empty slot with data types	81
	Figure 14 – Example for multi-variable device with AI and DO function blocks	81
	Figure 15 – Identifiers (ID)	82
	Figure 16 – Identifier list	82
	Figure 17 – Structure of the Data_Unit for the request- and response-DLPDU	82

Figure 18 – Structuring of the protocol machines and adjacent layers in a DP-slave.....	86
Figure 19 – Structuring of the protocol machines and adjacent layers in a DP-master (class 1).....	87
Figure 20 – Structuring of the protocol machines and adjacent layers in a DP-master (class 2).....	88
Figure 21 – Sequence of the communication between DP-master and DP-slave.....	90
Figure 22 – Sequence of communication between DP-master (class 2) and DP-master (class 1).....	92
Figure 23 – Sequence of acyclic communication between DP-master (class 1) and DP-slave.....	94
Figure 24 – Example for connection establishment on MS2.....	97
Figure 25 – Idle at master-side on MS2	98
Figure 26 – Idle at slave-side on MS2.....	99
Figure 27 – Example for connection establishment on MS2(server-side).....	239
Figure 28 – Structure of RM entries in the RM_Registry.....	240
Table 1 – State machine description elements.....	21
Table 2 – Description of state machine elements.....	22
Table 3 – Conventions used in state machines.....	22
Table 4 – APDU syntax.....	24
Table 5 – Substitutions.....	27
Table 6 – Alarm_Type range.....	36
Table 7 – Status_Type value range.....	36
Table 8 – Alarm_Specifier.....	37
Table 9 – Range of Modul_Status_Entry (1-4).....	39
Table 10 – Error type.....	41
Table 11 – Specification of the bits Lock_Req and Unlock_Req.....	44
Table 12 – Range of Length_of_Manufacturer_Specific_Data if used in Chk_Cfg-REQ-PDU ..	51
Table 13 – Range of Length_of_Manufacturer_Specific_Data if used in Get_Cfg-RES-PDU ...	51
Table 14 – Values (codes) for data types.....	53
Table 15 – Specification of the bits for Un-/Sync and Un-/Freeze.....	54
Table 16 – Coding of the Function_Code/ Function_Num.....	57
Table 17 – Coding of the Error_Code / Function_Num.....	58
Table 18 – Values of Error_Decode.....	58
Table 19 – Coding of Error_Code_1 at DPV1.....	59
Table 20 – Values of MDiag_Identifier.....	60
Table 21 – Values for Area_Code_UpDownload.....	62
Table 22 – Values for Area_CodeActBrct.....	63
Table 23 – Values for Area_CodeAct.....	63
Table 24 – Values for Data_rate.....	64
Table 25 – Values for Slave_Type.....	67
Table 26 – Values for Alarm_Mode.....	68
Table 27 – Values for Subnet.....	73
Table 28 – Values of reason code if instance is DLL.....	73

Table 29 – Values of reason code if instance is MS2	73
Table 30 – Values of Extended_Function_Num	74
Table 31 – Values of FI_State	76
Table 32 – Assignment of state machines	85
Table 33 – Primitives issued by AP-Context to FSPMS	100
Table 34 – Primitives issued by FSPMS to AP-Context	102
Table 35 – FSPMS state table	110
Table 36 – Functions used by the FSPMS	135
Table 37 – Primitives issued by AP-Context to FSPMM1	137
Table 38 – Primitives issued by FSPMM1 to AP-Context	139
Table 39 – FSPMM1 state table	146
Table 40 – Functions used by the FSPMM1	172
Table 41 – Primitives issued by AP-Context to FSPMM2	173
Table 42 – Primitives issued by FSPMM2 to AP-Context	175
Table 43 – FSPMM2 state table	178
Table 44 – Functions used by the FSPMM2	189
Table 45 – Primitives issued by FSPMS to MSCY1S	190
Table 46 – Primitives issued by MSCY1S to FSPMS	191
Table 47 – Rules for DPV1_Status_1, DPV1_Status_2 and DPV1_Status_3 check	193
Table 48 – MSCY1S state table	198
Table 49 – Functions used by the MSCY1S	219
Table 50 – Primitives issued by FSPMS to MSAC1S	221
Table 51 – Primitives issued by MSAC1S to FSPMS	222
Table 52 – Primitives issued by MSCY1S to MSAC1S	222
Table 53 – Primitives issued by MSAC1S to MSCY1S	222
Table 54 – Parameter used with primitives exchanged between MSAC1S and MSCY1S	222
Table 55 – MSAC1S state table	224
Table 56 – Functions used by the MSAC1S	234
Table 57 – Primitives issued by FSPMS to SSCY1S	234
Table 58 – Primitives issued by SSCY1S to FSPMS	234
Table 59 – SSCY1S state table	236
Table 60 – Functions used by the SSCY1S	237
Table 61 – Primitives issued by FSPMS to MSRM2S	238
Table 62 – Primitives issued by MSRM2S to FSPMS	238
Table 63 – MSRM2S state table	241
Table 64 – Primitives issued by FSPMS to MSAC2S	244
Table 65 – Primitives issued by MSAC2S to FSPMS	245
Table 66 – Primitives issued by MSRM2S to MSAC2S	245
Table 67 – Primitives issued by MSAC2S to MSRM2S	246
Table 68 – Parameter used with primitives exchanged with MSAC2S	246
Table 69 – MSAC2S state table	249
Table 70 – Primitives issued by MSCS1S to FSPMS	260
Table 71 – MSCS1S state table	262

Table 72 – Primitives issued by FSPMM1 to MSCY1M	263
Table 73 – Primitives issued by MSCY1M to FSPMM1	264
Table 74 – Parameters used with primitives exchanged between FSPMM1 and MSCY1M ...	264
Table 75 – MSCY1M state table	267
Table 76 – Primitives issued by FSPMM1 to MSAL1M.....	282
Table 77 – Primitives issued by MSAL1M to FSPMM1.....	282
Table 78 – Primitives issued by MSCY1M to MSAL1M	282
Table 79 – Primitives issued by MSAL1M to MSCY1M	283
Table 80 – Parameter used with primitives exchanged between MSAL1M and MSCY1M	283
Table 81 – Possible values in the Alarm_State_Table	284
Table 82 – MSAL1M state table.....	287
Table 83 – Primitives issued by FSPMM1 to MSAC1M	292
Table 84 – Primitives issued by MSAC1M to FSPMM1	292
Table 85 – Primitives issued by MSAL1M to MSAC1M	293
Table 86 – Primitives issued by MSAC1M to MSAL1M	293
Table 87 – Parameter used with primitives exchanged between MSAL1M and MSCY1M	293
Table 88 – MSAC1M state table	299
Table 89 – Primitives issued by FSPMM1 to MMAC1.....	305
Table 90 – Primitives issued by MMAC1 to FSPMM1	305
Table 91 – MMAC1 state table.....	307
Table 92 – Primitives issued by FSPMM1 to MSCS1M.....	312
Table 93 – Primitives issued by MSCS1M to FSPMM1	312
Table 94 – MSCS1M state table	314
Table 95 – Primitives issued by FSPMM2 to MSAC2M	316
Table 96 – Primitives issued by MSAC2M to FSPMM2	317
Table 97 – Parameters used with primitives exchanged with MSAC2M.....	317
Table 98 – MSAC2M state table	321
Table 99 – Primitives issued by FSPMM2 to MMAC2	331
Table 100 – Primitives issued by MMAC2 to FSPMM2	332
Table 101 – Parameters used with primitives exchanged with MMAC2	332
Table 102 – MMAC2 state table.....	333
Table 103 – Primitives issued by FSPMS to DMPMS	338
Table 104 – Primitives issued by DMPMS to FSPMS	338
Table 105 – Primitives issued by MSCY1S to DMPMS	339
Table 106 – Primitives issued by DMPMS to MSCY1S	339
Table 107 – Primitives issued by DMPMS to SSCY1S.....	340
Table 108 – Primitives issued by MSAC1S, MSRM2S, MSAC2S to DMPMS	340
Table 109 – Primitives issued by DMPMS to MSAC1S, MSRM2S, MSAC2S	340
Table 110 – Primitives issued by DMPMS to MSCS1S	341
Table 111 – Primitives issued by DMPMS to DL.....	341
Table 112 – Primitives issued by DL to DMPMS.....	342
Table 113 – Parameters used with primitives exchanged with DMPMS.....	343
Table 114 – DMPMS state table	344

Table 115 – Functions used by the DMPMS.....	350
Table 116 – Primitives issued by FSPMM1 to DMPMM1.....	351
Table 117 – Primitives issued by DMPMM1 to FSPMM1.....	352
Table 118 – Primitives issued by MSCY1M to DMPMM1	352
Table 119 – Primitives issued by DMPMM1 to MSCY1M	353
Table 120 – Primitives issued by MSAL1M, MSAC1M to DMPMM1	353
Table 121 – Primitives issued by DMPMM1 to MSAL1M, MSAC1M	353
Table 122 – Primitives issued by MMAC1 to DMPMM1	354
Table 123 – Primitives issued by DMPMM1 to MMAC1	354
Table 124 – Primitives issued by MSCS1M to DMPMM1	354
Table 125 – Primitives issued by DMPMM1 to MSCS1M	355
Table 126 – Primitives issued by DMPMM1 to DL	355
Table 127 – Primitives issued by DL to DMPMM1	356
Table 128 – Parameters used with primitives exchanged with DMPMM1	357
Table 129 – Possible values of status.....	358
Table 130 – DMPMM1 state table.....	359
Table 131 – Functions used by the DMPMM1	367
Table 132 – Primitives issued by FSPMM2 to DMPMM2.....	368
Table 133 – Primitives issued by DMPMM2 to FSPMM2.....	368
Table 134 – Primitives issued by MSAC2M to DMPMM2	369
Table 135 – Primitives issued by DMPMM2 to MSAC2M	369
Table 136 – Primitives issued by MMAC2 to DMPMM2	369
Table 137 – Primitives issued by DMPMM2 to MMAC2	369
Table 138 – Primitives issued by DMPMM2 to DL	370
Table 139 – Primitives issued by DL to DMPMM2	370
Table 140 – Parameters used with primitives exchanged with DMPMM2	371
Table 141 – DMPMM2 state Table.....	371
Table 142 – Functions used by DMPMM2	375
Table 143 – Bus parameter/reaction times for a DP-slave.....	375

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 6-3: Application layer protocol specification –
Type 3 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

NOTE 1 Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the profile parts. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

International Standard IEC 61158-6-3 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- corrections, in Table 10 and Table 48;
- clarification in 6.9.1.2;
- expired patents deleted and new patents disclosed.

This bilingual version published in 2012-07 corresponds to the English version published in 2010-08.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/607/FDIS	65C/621/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE 2 The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

(<https://standards.iteh.ai>)
Document Preview

IEC 61158-6-3:2010

<https://standards.iteh.ai/catalog/standards/iec/586f1285-ed5d-422b-9c69-e0a5b738d908/iec-61158-6-3-2010>

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning Type 3 elements and possibly other types given in the normative elements of this standard.

The following patent rights for Type 3 have been announced by [SI]:

Publication	Title
EP0604668-A1 (06.07.1994); EP0604668-B1 (18.02.1998)	Logical ring with monitoring of rotation time
EP0604669-A1 (06.07.1994); EP0604669-B1 (01.04.1998)	Bus system with monitoring of the activity state of participants

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holder of these patent rights has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of these patent rights is registered with IEC. Information may be obtained from:

[SI]: Siemens AG
CT IP L&T
Hr. Hans-Jörg Müller
Otto-Hahn-Ring 6
D-81739 Munich
Germany

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (http://www.iec.ch/tctools/patent_decl.htm) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

Withdrawing

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai/catalog/standards/iec/586f1285-ed5d-422b-9c69-e0a5b738d908/iec-61158-6-3-2010>

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-3: Application layer protocol specification – Type 3 elements

1 Scope

1.1 General

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 3 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible behavior provided by the Type 3 fieldbus application layer in terms of

- a) the abstract syntax defining the application layer protocol data units conveyed between communicating application entities,
- b) the transfer syntax defining the application layer protocol data units conveyed between communicating application entities,
- c) the application context state machine defining the application service behavior visible between communicating application entities; and
- d) the application relationship state machines defining the communication behavior visible between communicating application entities; and.

The purpose of this standard is to define the protocol provided to

- a) define the wire-representation of the service primitives specified in IEC 61158-5-3, and
- b) define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 3 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI Application Layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can