



SLOVENSKI STANDARD

SIST EN 300 019-2-4 V2.2.2:2006

01-februar-2006

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-4: Specification of environmental tests; Stationary use at non-weatherprotected locations

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-4: Specification of environmental tests; Stationary use at non-weatherprotected locations

(standards.iteh.ai)

SIST EN 300 019-2-4 V2.2.2:2006

<https://standards.iteh.ai/catalog/standards/sist/744dc861-cc01-404e-9869-66af84d8eca2/sist-en-300-019-2-4-v2-2-2-2006>

Ta slovenski standard je istoveten z: EN 300 019-2-4 Version 2.2.2

ICS:

19.040	Preskušanje v zvezi z okoljem	Environmental testing
33.050.01	Telekomunikacijska terminalska oprema na splošno	Telecommunication terminal equipment in general

SIST EN 300 019-2-4 V2.2.2:2006 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 019-2-4 V2.2.2:2006

<https://standards.iteh.ai/catalog/standards/sist/744dc861-ce01-404e-9869-66af84d8eca2/sist-en-300-019-2-4-v2-2-2-2006>

ETSI EN 300 019-2-4 V2.2.2 (2003-04)

European Standard (Telecommunications series)

**Environmental Engineering (EE);
Environmental conditions and environmental tests
for telecommunications equipment;
Part 2-4: Specification of environmental tests;
Stationary use at non-weatherprotected locations**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 019-2-4 V2.2.2:2006](https://standards.iteh.ai/catalog/standards/sist/744dc861-ce01-404e-9869-66af84d8eca2/sist-en-300-019-2-4-v2-2-2-2006)

<https://standards.iteh.ai/catalog/standards/sist/744dc861-ce01-404e-9869-66af84d8eca2/sist-en-300-019-2-4-v2-2-2-2006>



Reference

REN/EE-01032-2-4[2]

Keywords

environment, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 019-2-4 V2.2.2:2006

<https://standards.iteh.ai/catalog/standards/sist/744dc861-cc01-404e-9869-66af84d8eca2/etsi-en-300-019-2-4-v2-2-2-2006>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:

editor@etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2003.
All rights reserved.

DECT™, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	4
Foreword.....	4
1 Scope	5
2 References	5
3 Environmental test specifications.....	5
3.1 Specification T 4.1: Non-weatherprotected locations, climatic tests.....	6
3.2 Specification T 4.1E: Non-weatherprotected locations - extended, climatic tests.....	8
3.3 Specification T 4.2L: Non-weatherprotected locations – extremely cold, climatic tests.....	10
3.4 Specification T 4.2H: Non-weatherprotected locations – extremely warm dry, climatic tests.....	12
3.5 Specification T 4.1, 4.1E, 4.2L and 4.2H: Non-weatherprotected locations - mechanical tests.....	14
4 Earthquake test specification.....	15
4.1 Vibration response investigation	15
4.2 Test conditioning.....	15
5 Notes to tables	17
5.1 General note	17
5.2 Notes to tables 1 to 6.....	18
Annex A (informative): Bibliography.....	20
History	21

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 019-2-4 V2.2.2:2006](https://standards.iteh.ai/catalog/standards/sist/744dc861-ce01-404e-9869-66af84d8eca2/sist-en-300-019-2-4-v2-2-2-2006)

<https://standards.iteh.ai/catalog/standards/sist/744dc861-ce01-404e-9869-66af84d8eca2/sist-en-300-019-2-4-v2-2-2-2006>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

All published ETSI deliverables shall include information which directs the reader to the above source of information.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 2, sub-part 4 of a multi-part deliverable covering the classification of environmental conditions and environmental tests for telecommunications equipment, as identified below:

Part 1: "Classification of environmental conditions"; (see note 1)

Part 2: "Specification of environmental tests"; (see note 2)

Sub-part 0: "Introduction";

Sub-part 1: "Storage";

Sub-part 2: "Transportation";

Sub-part 3: "Stationary use at weatherprotected locations";

Sub-part 4: "Stationary use at non-weatherprotected locations";

Sub-part 5: "Ground vehicle installations";

Sub-part 6: "Ship environments";

Sub-part 7: "Portable and non-stationary use";

Sub-part 8: "Stationary use at underground locations".

NOTE 1: Specifies different standardized environmental classes covering climatic and biological conditions, chemically and mechanically active substances and mechanical conditions during storage, transportation and in use.

NOTE 2: Specifies the recommended test severities and test methods for the different environmental classes.

National transposition dates

Date of latest announcement of this EN (doa):	31 July 2003
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 2004
Date of withdrawal of any conflicting National Standard (dow):	31 January 2004

1 Scope

The present document specifies test methods and severities for verification of the required resistibility of equipment according to the relevant environmental class.

The tests defined in Part 2-4 of this multi-part standard apply to stationary use of equipment at non-weatherprotected locations covering the environmental conditions stated in EN 300 019-1-4 [1].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] ETSI EN 300 019-1-4: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-4: Classification of environmental conditions; Stationary use at non-weatherprotected locations".
- [2] IEC 60068-2: "Environmental testing - Part 2: Tests".
- [3] ETSI EN 300 019-2-0: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-0: Specification of environmental tests; Introduction".
- [4] IEC 60721-3-4: "Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 4: Stationary use at non-weatherprotected locations".
- [5] ANSI T1.329-2000: "Network Equipment Earthquake Resistance Standard".
- [6] ETSI ETR 035: "Equipment Engineering (EE); Environmental engineering Guidance and terminology".

3 Environmental test specifications

The detailed descriptions of the environmental conditions are given in clauses 4 and 5 of EN 300 019-1-4 [1].

EN 300 019-2-0 [3] forms a general overview of Part 2 of the present document.

The equipment under test is assumed to be in its operational state throughout the test conditions described in the present document unless otherwise stated. The required performance before, during and after the test need to be specified in the product specification. Input and load conditions of the equipment shall be chosen to obtain full utilization of the equipment under test. The heat dissipation shall be maximized, except for the steady state, low temperature test, where it shall be minimized.

3.1 Specification T 4.1: Non-weatherprotected locations, climatic tests

This specification applies to most of Europe as described in EN 300 019-1-4 [1] (see tables 1).

Table 1: Test specification T 4.1: Stationary use at non-weatherprotected locations-climatic tests

Environmental parameter			Environmental Class 4.1	Environmental test specification T 4.1: Stationary use, Non-weatherprotected locations					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes	
Air temperature	Low	(°C)	-33	-33 or -45	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1	
	High	(°C)	+40	+40 or +55	16 h	IEC 60068-2-2 [2]	Bb/Bd: Dry heat	2	
	Change	(°C) (°C/min)	0,5	-10/+40 0,5	2 cycles t ₁ = 3 h	IEC 60068-2-14 [2]	Nb: Change of temperature	3	
Humidity	Relative	low	(%)	15	none			8	
		high	(%) (°C)	100	93 +30	10 d	IEC 60068-2-56 [2]	Cb: Damp heat steady state	4
		condensation	(%) (°C)	yes	90-100 +30	2 cycles	IEC 60068-2-30 [2]	Db: Damp heat, cyclic Variant 1	5
	Absolute	low	(g/m ³)	0,26	none				
high		(g/m ³)	25					6	
Air	Pressure	low	(kPa)	70	none			7	
		high	(kPa)	106	none			7	
	Speed	(m/s)	50	none				8	
Water	Rain	intensity	6 mm/min	0,01 m ³ /min 90 kPa	3 min/m ² or 15 min	IEC 60068-2-18 [2]	Rb: Impacting water Method 2.2	9	
		low temperature	(°C)	+5	none				
	Other sources	splashing water						10	
	Icing & frosting		yes	none				8	
Radiation	Solar	(W/m ²)	1 120					11	
	Heat	(W/m ²)	negligible						

Environmental parameter			Environmental Class 4.1	Environmental test specification T 4.1: Stationary use, Non-weatherprotected locations					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes	
Chemically active substances	Sulphur	SO ₂ (mg/m ³)	0,3/1,0	none				12	
		H ₂ S (mg/m ³)	0,1/0,5	none				12	
	Chlorine	salt mist		sea and road salt	none				12
		Cl (mg/m ³)		0,1/0,3	none				12
		HCl (mg/m ³)		0,1/0,5	none				12
	Nitrogen	NO _x (mg/m ³)		0,5/1,0	none				12
		NH ₃ (mg/m ³)		1,0/3,0	none				12
		Hydrogen fluoride HF	(mg/m ³)	0,01/0,03	none				12
	Ozone O ₃	(mg/m ³)	0,05/0,1	none				12	
Mechanically active substances	Dust	sedimentation (mg/(m ² h))	20					13	
		suspension (mg/m ³)	5					13	
	Sand	(mg/m ³)	300					13	
Flora and fauna	Micro organisms		mould, fungus, etc.	none				14	
	Rodents, insects		rodents, etc.	none				14	

NOTE 1: none = verification is required only in special cases.

NOTE 2: n = number of note, see clause 5.

https://standards.iteh.ai/catalog/standards/sist/744dc861-ce01-404e-9869-66af84d8eca2/sist-en-300-019-2-4-v2-2-2-2006

SIST EN 300 019-2-4 V2.2.2:2006

STANDARD PREVIEW
(standards.iteh.ai)

3.2 Specification T 4.1E: Non-weatherprotected locations - extended, climatic tests

This specification covers most of Europe as described in EN 300 019-1-4 [1] (see tables 2).

Table 2: Test specification T 4.1E: Stationary use at non-weatherprotected locations, extended - climatic tests

Environmental parameter			Environmental Class 4.1E	Environmental test specification T 4.1E: Stationary use Non-weatherprotected locations - extended				
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes
Air temperature	Low	(°C)	-45	-45 or -55	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1
	High	(°C)	+45	+45 or +60	16 h	IEC 60068-2-2 [2]	Bb/Bd: Dry heat	2
	Change	(°C) (°C/min)	0,5	-10/+45 0,5	2 cycles t1 = 3 h	IEC 60068-2-14 [2]	Nb: Change of temperature	3
Humidity	Relative	low (%)	8	none				8
		high (%)	100	93	10 d	IEC 60068-2-56 [2]	Cb: Damp heat steady state	4
		condensation (°C)	yes	+30	2 cycles	IEC 60068-2-30 [2]	Db: Damp heat cyclic Variant 1	5
	Absolute	low (g/m ³)	0,03	90-100 +30				
high (g/m ³)		30						
Air	Pressure	low (kPa)	70	none				7
		high (kPa)	106	none				7
	Speed	(m/s)	50	none				8
Water	Rain	intensity	15 mm/min	0,01 m ³ /min 90 kPa	6 min/m ² or 30 min	IEC 60068-2-18 [2]	Rb 1.2	9
		low temperature (°C)	+5	none				
	Other sources Icing & frosting		splashing water yes	none				10 8
Radiation	Solar	(W/m ²)	1120					11
	Heat	(W/m ²)	negligible					

https://standards.iteh.ai/catalog/standards/sist/744de861-ce01-404e-9869-66af84d8ec/sist-en-300-019-2-4-v2-2-2-2006

iteh STANDARDS PREVIEW
(standards.iteh.ai)

Environmental parameter			Environmental Class 4.1E	Environmental test specification T 4.1E: Stationary use Non-weatherprotected locations - extended					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes	
Chemically active substances	Sulphur	SO ₂ (mg/m ³)	0,3/1,0	none				12	
		H ₂ S (mg/m ³)	0,1/0,5	none				12	
	Chlorine	salt mist	sea and road salt	none					12
		Cl (mg/m ³)	0,1/0,3	none					12
		HCl (mg/m ³)	0,1/0,5	none					12
	Nitrogen	NO _x (mg/m ³)	0,5/1,0	none					12
		NH ₃ (mg/m ³)	1,0/3,0	none					12
	Hydrogen fluoride HF (mg/m ³)	0,01/0,03	none					12	
	Ozone O ₃ (mg/m ³)	0,05/0,1	none					12	
Mechanically active substances	Dust	sedimentation (mg/(m ² h))	20					13	
		suspension (mg/m ³)	5					13	
	Sand (mg/m ³)	300						13	
Flora and fauna	Micro organisms	mould, fungus, etc.	none					14	
	Rodents, insects	rodents, etc.	none					14	

NOTE 1: none = verification is required only in special cases.

NOTE 2: n = number of note, see clause 5.

<https://standards.iteh.ai/catalog/standards/sist/744de861-ce01-404e-9869-6af84d8eca2/sist-en-300-019-2-4-v2-2-2-2006>
SIST EN 300 019-2-4 V2.2.2:2006

STANDARD PREVIEW
(standards.iteh.ai)