

Edition 3.0 2011-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances – Safety –
Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-95: Règles particulières pour les motorisations de portes de garage à ouverture verticale, pour usage résidentiel



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.


If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IFC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Web: www.iec.ch



The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online news/justpub/

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivarent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

■ Customer Service Sentre: www.iec.ch/webstore/custserv

If you wish to give us you feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CE

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'èlectricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: <u>www.iec.ch/webstore/custserv/custserv_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:


Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 3.0 2011-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances – Safety –
Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-95: Règles particulières pour les motorisations de portes de garage à ouverture verticale, pour usage résidentiel



INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX

Т

ICS 13.120; 29.120.01; 91.090

ISBN 978-2-88912-638-5

CONTENTS

_	REWORD	_
IN٦	FRODUCTION	
1	Scope	
2	Normative references	
3	Terms and definitions	
4	General requirement	
5	General conditions for the tests	
6	Classification	9
7		9
8		11
9	Starting of motor-operated appliances	····11
10	Power input and current Heating	11
11	Heating	11
12	Void	12
13	Leakage current and electric strength at operating temperature	12
14	Transient overvoltages	12
15	Moisture resistance	12
16	Leakage current and electric strength	12
17	Overload protection of transformers and associated circuits	
18	Endurance	
19	Abnormal operation	
20	Stability and mechanical hazards	13
21	Mechanical strength	.naas :17 5-2(
22	Construction	17
23	Internal wiring	
24	Components	
25	Supply connection and external flexible cords	
26	Terminals for external conductors	
27	Provision for earthing	
28	Screws and connections	
29	Clearances, creepage distances and solid insulation	
30	Resistance to heat and fire	
31	Resistance to rusting	
32	Radiation, toxicity and similar hazards	
	nexes	
Bibliography		
טוט	nography	20
Fic	ure 101 – Examples of types of garage doors	21
_	ure 101 – Example of hictogram warning against child entranment	21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with canditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 2002 including its Amendment 1 (2004) and its Amendment 2 (2008). It constitutes a technical revision.

The principal changes in this edition as compared with the second edition of IEC 60335-2-95 are as follows (minor changes are not listed).

- Some notes have been converted to normative text (11.7, 20.2, 20.101).
- A requirement to fit an entrapment protection device has been added (22.109).

The text of this standard is based on the following documents:

CDV	Report on voting
61/4103/CDV	61/4201/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for drives for vertically moving garage doors for residential use.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- · amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

6.1: Class 0I appliances are allowed (Japan).

- 7.1: Additional markings are required (USA).
- 7.12.1: Additional warnings and instructions are required (USA).
- 11.7: The test conditions are different (USA).
- 19.9: A running overload test is carried out (USA).
- 20.101: The test is not carried out (USA).

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ITELEMENT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **drives** for garage doors for residential use that open and close in a vertical direction, the **rated voltage** of the **drives** being not more than 250 V for single-phase appliances and 480 V for other appliances. It also covers the hazards associated with the movement of these electrically griven garage doors.

NOTE 101 Examples of garage doors are shown in Figure 101.

NOTE 102 The drive may be supplied with a garage door.

NOTE 103 This standard also applies to entrapment protection devices for use with drives. It does not cover hazards related to the mechanisms of the door itself.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account playing with the appliance by young children, but recognizes that children may be in the vicinity of the garage door.

NOTE 104 Attention is drawn to the fact that in many countries additional requirements are specified by the national authorities responsible for the protection of labour and similar authorities.

NOTE 105 This standard does not apply to drives

- for rolling shutters, awnings, blinds and similar equipment (IEC 60335-2-97);
- for garage doors for use by more than one household (IEC 60335-2-103);
- for commercial and industrial purposes;
- intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-52, Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the drive under the following conditions

Drives supplied without a door are operated with their rated load.

Drives supplied with a door are operated with the door installed in accordance with the instructions.

3.101

drive

motor and other components that control the movement of the door

NOTE Examples of components are gears, controls, brakes and entrapment protection systems.

3.102

entrapment protection system

part of the **drive** that protects against trapping which could result in the human body being squeezed or crushed by the door

NOTE 1 Trapping in the garage is covered by the manual release of 20.109.

NOTE 2 An **entrapment protection system** may be incorporated in the motor assembly or may be installed separately. It may consist of one or more devices such as pressure sensitive edges, passive infrared, active light sensing devices or a **biased-off switch**.

3.103

automatic drive

drive that operates the door in at least one direction without intentional activation by the user

3.104

biased-off switch

switch that automatically returns to the off position when its actuating member is released

standards.iteh.ai/&

3.105

rated load

force or torque assigned to the drive by the manufacturer

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

When a test has to be carried out with a door, the door specified for installation with the **drive** that gives the most unfavourable conditions for the test is used. An artificial load may be used to simulate the door for some of the tests. The **drive** is adjusted in accordance with the instructions.

5.5 Addition:

Wicket doors are kept closed during the tests.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 *Modification:*

Drives shall be class I, class II or class III.

6.2 Addition:

Drives intended to be exposed to outdoor conditions shall be at least IPX4

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Modification:

Drives shall be marked with the rated power input.

Addition:

Drives supplied without a door shall be marked with the rated load in N or in Nm.

7.12 Addition:

The instructions shall state the substance of the following:

WARNING: Important safety instructions. It is important for the safety of persons to follow all instructions. Save these instructions.

The instructions shall include the substance of the following: 9ab-7e8758e095d2/iec-60335-2-95-2011

- do not allow children to play with door controls. Keep remote controls away from children;
- watch the moving door and keep people away until the door is completely opened or closed (not necessary for automatic drives);
- take care when operating the manual release since an open door may fall rapidly due to weak or broken springs, or being out of balance;
- frequently examine the installation, in particular check cables, springs and mountings for signs of wear, damage or imbalance. Do not use if repair or adjustment is needed since a fault in the installation or an incorrectly balanced door may cause injury;
- each month check that the drive reverses when the door contacts a 40 mm high object placed on the floor. Adjust if necessary and recheck since an incorrect adjustment may present a hazard;
- details on how to use the manual release;
- information concerning the adjustment of the door and drive (when applicable);
- disconnect the supply when cleaning or carrying out other maintenance.

Instructions for automatic drives shall state the substance of the following:

WARNING: Automatic door — The door may operate unexpectedly, therefore do not allow anything to stay in the path of the door.

7.12.1 Addition:

The installation instructions shall state the substance of the following:

WARNING: Important safety instructions. Follow all instructions since incorrect installation can lead to severe injury.

The installation instructions shall include details for the installation of the **drive** and its associated components.

For **drives** supplied without a door, the installation instructions shall indicate the type, size and mass of doors for which the **drive** is intended to be used.

The installation instructions shall include the substance of the following:

- before installing the drive, remove all unnecessary ropes or chains and disable any equipment, such as locks, not needed for powered operation;
- before installing the drive, check that the door is in good mechanical condition, correctly balanced and opens and closes properly;
- install the actuating member for the manual release at a height less than 1,8 m;
- install any fixed control at a height of at least 1,5 m and within sight of the door but away from moving parts;

NOTE 101 It is not required to specify a minimum height for key-operated switches.

- permanently fix the labels warning against entrapment in a prominent place or near any fixed controls;
- permanently fix the label concerning the manual release adjacent to its actuating member;
- after installation, ensure that the mechanism is properly adjusted and that the drive reverses when the door contacts a 40 mm high object placed on the floor.
- necessary information for the safe handling of a drive weighing more than 20 kg. This
 information shall describe how to use the handling means, such as hooks and ropes;
- https://- the drive must not be used with a door incorporating a wicket door (unless the drive cannot be operated with the wicket door open);
 - after installation, ensure that parts of the door do not extend over public footpaths or roads.
 - **7.101 Drives** shall be supplied with a label suitable for permanent fixing. For **automatic drives**, the label shall state the substance of the following:

WARNING: Automatic drive – Keep away from the area of the door since it may operate unexpectedly.

For other **drives**, the label shall include a warning sign having a height of at least 60 mm. The label shall also include the substance of the following:

WARNING: Keep children away when the door is moving.

NOTE An example of a suitable warning sign is shown in Figure 102.

Compliance is checked by inspection and measurement.

7.102 Drives that use contact sensing as an **entrapment protection system** shall be supplied with a label that states the substance of the following:

WARNING: Risk of entrapment – Regularly check and, if necessary, adjust to ensure that, when the door contacts a 40 mm high object placed on the floor, the door reverses or the object can be freed.

Compliance is checked by inspection.

7.103 Drives shall be supplied with a label suitable for permanent fixing that describes how to use the manual release.

Compliance is checked by inspection.

- **7.104** If the **drive** is intended to be installed by the user, the packaging shall indicate the type of door, including its size and mass, that the **drive** is intended to operate and, if applicable, that the **drive**
- is intended to be installed at least 2,5 m above the floor or other access level;
- can be used with doors having openings greater than 50 mm in diameter;
- is intended for automatic operation.

Compliance is checked by inspection.

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows:

8.2 Modification:

Basic insulation and parts separated from live parts by basic insulation may be touched during adjustment, if a tool is needed to gain access to the adjustment means.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable except as follows.

10.1 Modification:

Instead of determining the mean value, the maximum value of power input is determined, the effect of inrush currents being ignored.

10.2 Modification:

Instead of determining the mean value, the maximum value of the current is determined, inrush currents being ignored.

11 Heating

This clause of Part 1 is applicable except as follows.

11.7 Replacement:

Drives for continuous operation are operated for consecutive cycles until steady conditions are established.

Automatic drives are operated without rest periods for 3 cycles based on the maximum size of door the **drive** is intended to operate or 4 min, whichever is longer.

Other drives are operated as follows:

- drives supplied without a door are operated without rest periods for a minimum of 2 min unless the rated operating time is longer;
- drives supplied with a door are operated without rest periods for 3 cycles.

12 Void

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows:

15.1.1 Addition:

Parts of **drives** intended to be exposed to outdoor conditions are subjected to the tests specified for IPX4 appliances.

15.1.2 Addition(.

IPX4 tubular **drives** are installed in a tube that is open at both ends and has the largest diameter specified in the instructions. The tube has a length twice that of the motor and is mounted on a support as in normal use. The support is rotated at a speed of 1 r/min.

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.1 Addition: