

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Electronic paper displays –
Part 1-1: Terminology

STANDARD PREVIEW
(standards.iteh.ai)

Afficheurs de papier électronique –
Partie 1-1: Terminologie

<https://standards.iteh.ai/catalog/standards/sist/530998aa-428a-423b-9d95-5743d4cca867/iec-62679-1-1-2014>
IEC 62679-1-1:2014



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 62679-1-1

Edition 1.0 2014-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Electronic paper displays –
Part 1-1: Terminology

STANDARD PREVIEW
(standards.iteh.ai)

Afficheurs de papier électronique –
Partie 1-1: Terminologie

[IEC 62679-1-1:2014](#)

[http://standards.iteh.ai/catalog/standards/sist/530998aa-428a-423b-9d95-5743d4cca867/iec-62679-1-1-2014](#)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 31.120; 31.260

ISBN 978-2-8322-1570-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
3.1 Physical concepts	5
3.2 General terms	6
3.3 Terms related to ratings and characteristics	7
4 Abbreviations	8
5 Technical aspects.....	8
5.1 Order of precedence	8
5.2 Symbols and units.....	9
Bibliography.....	11
Figure 1 – Block diagram for explanation of supply voltages	10
Figure 2 –Timing chart for explanation of response times	10
Table 1 – Letter symbols and unit of energy for rewriting	9

ITeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 62679-1-1:2014](https://standards.iteh.ai/catalog/standards/sist/530998aa-428a-423b-9d95-5743d4cca867/iec-62679-1-1-2014)

<https://standards.iteh.ai/catalog/standards/sist/530998aa-428a-423b-9d95-5743d4cca867/iec-62679-1-1-2014>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRONIC PAPER DISPLAYS –**Part 1-1: Terminology****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
<https://standards.iteh.ai/catalog/standards/si/530998-c428-422b-9d95-39a14609700c/iec-62679-1-1-2014>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62679-1-1 has been prepared by IEC technical committee 110: Electronic display devices.

The text of this standard is based on the following documents:

FDIS	Report on voting
110/554/FDIS	110/573/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62679 series, published under the general title *Electronic paper displays* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 62679-1-1:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/530998aa-428a-423b-9d95-5743d4cca867/iec-62679-1-1-2014>

ELECTRONIC PAPER DISPLAYS –

Part 1-1: Terminology

1 Scope

This part of IEC 62679 gives the preferred terms, their definitions, as well as the symbols for electronic paper displays (EPDs).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at www.electropedia.org)

IEC 60027 (all parts); *Letter symbols to be used in electrical technology*

IEC 60617, *Graphical symbols for diagrams*

IEC 60747-1, *Semiconductor devices – Part 1: General*

ISO 80000-1, *Quantities and units – Part 1: General*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050, as well as the following apply.

3.1 Physical concepts

3.1.1

electronic paper display

EPD

electronic display that shows information by diffuse reflection and holds the image with low power consumption

3.1.2

electrophoretic display

electronic paper display which forms an image by rearranging charged pigment particles using an applied electric field

3.1.3

cholesteric liquid crystal display

liquid crystal phase that exhibits planar nematic ordering in which the directors form a helix that has its axis perpendicular to the plane

[SOURCE: IEC 61747-1:1998, 3.1.3]

3.1.4**powder migration display**

electrophoretic display that shows information by the motion of static charged pigment particles in a gas using an applied electric field

3.1.5**bi-stable nematic LCD**

electronic display making use of light polarization modulation by bi-stable nematic liquid crystal under the influence of an electric field

3.1.6**electrochromic display**

electronic reflective type display that shows information by reversibly changing the colour of suitable materials by chemical oxidation or reduction of the materials at the electrode level

3.1.7**electrodeposition display**

electronic reflective type display that shows information by migration of ionized molecules by the exchange of carrier on the electrode

3.1.8**twisting ball display**

electronic paper display that modulates the reflected light by rotating dielectric or magnetic balls with coloured hemispheres under the influence of an electric field

3.1.9**electro wetting display**

electronic display that modulates the reflected light by electrical hydrophobic effect of oil in water under the influence of an electric field

3.1.10**electrofluidic display**

electronic display that modulates the reflected light by moving small volumes of aqueous pigment dispersion in and out of microfluidic cavities under the influence of a spatially modulated voltage

3.1.11**interferometric modulator display**

electronic display that modulates the reflected light by microscopic interferometric cavities, each acting as a wavelength-selective mirror that can be switched on or off individually

3.2 General terms**3.2.1****ambient contrast ratio**

contrast ratio of a display with both hemispherical diffuse and directional illumination incident onto its surface used to simulate real lighting environments

3.2.2**daylight display colour**

colour of a display with both hemispherical diffuse and directional illumination incident onto its surface at a defined geometry, spectra, and illumination levels that simulate a realistic daylight lighting environment

3.2.3**colour gamut volume**

single number corresponding to the largest possible range of display colours (including all possible mixtures of the primaries, white W and black K), described as a volume in a three-dimensional colour space such as CIELAB

iTeh STANDARD PREVIEW

(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/530998aa-428a-423b-9d95-5743d4eca867/iec-62679-1-1-2014>

3.2.4**daylight colour gamut volume**

colour gamut volume of a display with both hemispherical diffuse and directional illumination incident onto its surface at a defined geometry, spectra, and illumination level that simulate the environment

3.2.5**image retention**

property of a picture element in which the visual information is retained after the power has been removed

3.2.6**electronic paper display module**

device that consists of an electronic paper display panel and a driver (optionally a controller)

3.2.7**electronic paper display panel**

electronic paper display device without a driver

3.2.8**electronic paper display controller**

controller that supplies control signals to an electronic paper display module

3.3 Terms related to ratings and characteristics**3.3.1****electro-optical characteristics** (standards.iteh.ai)

characteristics derived from the variation of an optical property (reflected optical signal) as a function of an electrical driving signal (voltage or current vs. time, commonly referred to as waveform)

<https://standards.iteh.ai/catalog/standards/sist/530998aa-428a-423b-9d95-5743d4cca867/iec-62679-1-1-2014>

3.3.2**fall time**

time interval needed to change the reflected optical signal of the device from 90 % to 10 % of the total variation range after switching the module or panel driving signal from the state corresponding to the maximum reflected signal level (100 %) to the minimum reflected signal level (0 %)

SEE: Figure 2.

Note 1 to entry: 0 % is the minimum reference of the reflected optical signal and 100 % is the maximum reference of the reflected optical signal.

3.3.3**electronic paper display driving voltage**

voltage that drives an electronic paper display panel

SEE: Figure 1.

3.3.4**module response time**

time from the start of the module driving signal until the panel reaches 90% or 10% of the reflected optical signal

SEE: Figure 2.

Note 1 to entry: 0 % is the minimum reference of the reflected optical signal and 100 % is the maximum reference of the reflected optical signal.

3.3.5**module response time (falling)**

time interval needed to change the reflected optical signal of the device from 100 % to 10 % of the total variation range after switching the module driving signal from the state corresponding to the maximum reflected signal level (100 %) to the minimum reflected signal level (0 %)

Note 1 to entry: 0 % is the minimum reference of reflected optical signal and 100 % is the maximum reference of reflected optical signal. The module fall time is both the sum of the delay and fall times (see Figure 2).

3.3.6**module response time (rising)**

time interval needed to change the reflected optical signal of the device from 0 % to 90 % of the total variation range after switching the module driving signal from the state corresponding to the minimum reflected signal level (0 %) to the maximum reflected signal level (100 %)

Note 1 to entry: 0 % is the minimum reference of reflected optical signal and 100 % is the maximum reference of reflected optical signal (see Figure 2).

3.3.7**rewriting electrical energy**

energy required to rewrite an image on the electronic paper displays

3.3.8**image retention duration**

period during which an electronic paper display keeps the image after the power is removed

4 Abbreviations

CCT	Correlated colour temperature IEC 62679-1-1:2014
CIE	International Commission on Illumination https://standards.iteh.ai/catalog/standards/sist/530998aa-428a-423b-9d95-5743d4cca867/iec-62679-1-1-2014
CIELAB	CIE 1976 (L*a*b*) colour space
DUT	Device under test
EPD	Electronic paper display
ILU	Integrated lighting unit (e.g. an edge-lit front guide plate)
ISO	International Organization for Standardization
LED	Light emitting diode
LMD	Light measuring device
RGB	Red, green, blue
sRGB	Standard RGB colour space as defined in IEC 61966-2-1

5 Technical aspects**5.1 Order of precedence**

Where there are conflicting requirements, documents shall rank in the following order of authority:

- a) the detail specification;
- b) the blank detail specification;
- c) the family specification, if any;
- d) the sectional specification;
- e) the generic specification;
- f) the basic specification;

- g) any other international (e.g. IEC) documents to which reference is made;
- h) a national document.

The same order of precedence shall apply to equivalent national documents.

5.2 Symbols and units

Units, graphical and letter symbols shall be taken from the following standards:

IEC 60027 (all parts); Letter symbols to be used in electrical technology

IEC 60617; Graphical symbols for diagrams

IEC 60747-1; Semiconductor devices – Part 1: General

ISO 80000-1, *Quantities and units – Part 1: General*

Any other units, symbols or terminology peculiar to one of the devices covered by this standard shall be taken from the relevant IEC or ISO standards or derived in accordance with the principles of the standards listed above.

It is recommended to use letter symbols as listed in Table 1 below.

Table 1 – Letter symbols and unit of energy for rewriting

No	Name of quantity	Symbol	Unit	Remarks
001	Panel response time (falling)	T_{p1}	ms	Refer to Figure 2
002	Panel response time (rising)	T_{p2}	ms	Refer to Figure 2
003	Module response time (rising)	T_2	ms	Refer to Figure 2
004	Rise time	t_2	ms	Refer to Figure 2
005	Module response time (falling)	T_1	ms	Refer to Figure 2
006	Fall time	t_1	ms	Refer to Figure 2
007	Rewriting electric energy of logic circuit	W_1	J	
008	Rewriting electric energy of electronic paper display driving circuit	W_2	J	
009	Total rewriting electric energy in the display module	W_0	J	
010 011	Voltage for EPD drive	E_1 E_2	V	Refer to Figure 1