INTERNATIONAL STANDARD



First edition 1993-10-01

Agricultural wheeled tractors and implements — Three-point hitch couplers —

iTeh Spart 2DARD PREVIEW (A-frande.coupleh.ai)

<u>ISO 11001-2:1993</u>

https://standards.iTracteurs/agricoles/arroues et instruments/b0_ Coupleurs rapides trois points/9724022d/iso-11001-2-1993

Partie 2: Coupleur par cadre en A



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting VIEW a vote.

International Standard ISO 11001-2 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Sub-Committee SC 4, *Tractors*.

https://standards.iteh.ai/catalog/standards/sist/4dd8c8fc-6dde-4d98-90b0-ISO 11001 consists of the following parts, understheogeneral title *Agricaltural wheeled tractors and implements* — *Three-point hitch couplers*:

- Part 1: U-frame coupler
- Part 2: A-frame coupler
- Part 3: Link coupler
- Part 4: Bar coupler

© ISO 1993

Printed in Switzerland

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

Case Postale 56 • CH-1211 Genève 20 • Switzerland

Agricultural wheeled tractors and implements — Three-point hitch couplers —

Part 2: A-frame coupler

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 Scope

ISO 11001-2:1923 Normative references

This part of ISO 11001 specifies the essential dimensions for the attachment of three-point hitch im-

plements to agricultural wheeled tractors equipped with a three-point free link hitch according to ISO 730-1 or ISO 8759-2, and an A-frame hitch coupler.

NOTE 1 In general the dimensions associated with the tractor and the implement for use with hitch couplers are the same as those for the three-point linkage specified in ISO 730-1 or ISO 8759-2, and those for the clearance zone specified in ISO 2332¹).

The three-point hitch coupler systems constitute a special method of implement mounting. The hitch couplers are an additional component located between the three-point linkage and the implement, making it possible to hitch and unhitch from the operator's seat. Due to the special construction and function of hitch couplers, it may be necessary to vary the length of the links indicated in the referenced standards.

This part of ISO 11001 applies to category 2 of agricultural wheeled tractors as defined in ISO 730-1. The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 11001. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 11001 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 730-1:1990, Agricultural wheeled tractors — Rear-mounted three-point linkage — Part 1: Categories 1, 2 and 3.

ISO 8759-2:1985, Agricultural wheeled tractors — Front-mounted linkage and power take-off — Part 2: Front linkage.

¹⁾ ISO 2332:1983, Agricultural tractors and machinery — Connections — Clearance zone for the three-point linkage of implements.

Principle of frame coupler system 3

A frame coupler system is a one-phase implement coupler where the three-point linkage of the tractor (see ISO 730-1 or ISO 8759-2) is fitted with an Aframe and the implement has the frame incorporated into the mast. Hitching and unhitching can be carried out from the tractor operator's seat (see figure 1).

Figure 1 — Principle of A-frame coupler

4 Dimensions

Dimensions shall comply with figures 2 and 3.

5 Requirements associated with implement

5.1 Clearance zones

Clearance zones shall comply with figure 3.


The necessary clearance zones and the height positions of the mast for executing hitching and unhitching are indicated by a dash-point line.

5.2 Locking device

A positive latch shall be provided to prevent unintentional separation of the implement.


iTeh STANDARD PREVIEW (standards.iteh.ai)


Dimensions in millimetres



*) For information only.







*) See detail X. **) Adjustable lip to maintain dimension 136 mm. ***) Path of locking device.



iTeh STANDARD PREVIEW (standards.iteh.ai)

This page intentionally left blank ISO 11001-2:1993

https://standards.iteh.ai/catalog/standards/sist/4dd8c8fc-6dde-4d98-90b0-8e5597a4022d/iso-11001-2-1993

iTeh STANDARD PREVIEW (standards.iteh.ai) This page intentionally left blank

<u>ISO 11001-2:1993</u>

https://standards.iteh.ai/catalog/standards/sist/4dd8c8fc-6dde-4d98-90b0-8e5597a4022d/iso-11001-2-1993

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 11001-2:1993</u> https://standards.iteh.ai/catalog/standards/sist/4dd8c8fc-6dde-4d98-90b0-8e5597a4022d/iso-11001-2-1993

UDC 631.372:621.838.2

Descriptors: agricultural machinery, tractors, agricultural tractors, couplings, rigid couplings, specifications, dimensions.

Price based on 3 pages