

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Low-voltage fuses –
Part 2: Supplementary requirements for fuses for use by authorized persons
(fuses mainly for industrial application) – Examples of standardized systems of
fuses A to K**

**Fusibles basse tension –
Partie 2: Exigences supplémentaires pour les fusibles destinés à être utilisés par
des personnes habilitées (fusibles pour usages essentiellement industriels) –
Exemples de systèmes de fusibles normalisés A à K**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Low-voltage fuses –
Part 2: Supplementary requirements for fuses for use by authorized persons
(fuses mainly for industrial application) – Examples of standardized systems of
fuses A to K

Fusibles basse tension –
Partie 2: Exigences supplémentaires pour les fusibles destinés à être utilisés par
des personnes habilitées (fusibles pour usages essentiellement industriels) –
Exemples de systèmes de fusibles normalisés A à K

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.50

ISBN 978-2-8322-3536-2

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

REDLINE VERSION

VERSION REDLINE



**Low-voltage fuses –
Part 2: Supplementary requirements for fuses for use by authorized persons
(fuses mainly for industrial application) – Examples of standardized systems of
fuses A to K**

**Fusibles basse tension –
Partie 2: Exigences supplémentaires pour les fusibles destinés à être utilisés par
des personnes habilitées (fusibles pour usages essentiellement industriels) –
Exemples de systèmes de fusibles normalisés A à K**

CONTENTS

FOREWORD.....	16
INTRODUCTION.....	18
1 General scope.....	19
1.1 Scope.....	19
1.2 Normative references	19
Fuse system A – Fuses with fuse-links with blade contacts (NH fuse system).....	21
1 General.....	21
1.1 Scope.....	21
2 Terms and definitions	21
3 Conditions for operation in service	22
4 Classification.....	22
5 Characteristics of fuses	22
5.2 Rated voltage	22
5.3.1 Rated current of the fuse-link	22
5.3.2 Rated current of the fuse-holder	22
5.5 Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	22
5.6 Limits of time-current characteristics	22
5.6.1 Time-current characteristics, time-current zones and overload curves	22
5.6.2 Conventional times and currents	22
5.6.3 Gates	23
5.7.2 Rated breaking capacity.....	23
6 Markings	23
6.1 Markings of fuse-holders.....	23
6.2 Markings of fuse-links.....	24
7 Standard conditions for construction	24
7.1 Mechanical design.....	24
7.1.2 Connections, including terminals	24
7.1.3 Fuse-contacts	25
7.1.6 Construction of fuse-bases.....	25
7.1.7 Construction of a fuse-link.....	25
7.2 Insulating properties and suitability for insulation.....	26
7.7 I^2t characteristics	26
7.8 Overcurrent discrimination of fuse-links.....	27
7.9 Protection against electric shock.....	27
8 Tests.....	28
8.1.4 Arrangement of the fuse and dimensions	28
8.1.6 Testing of fuse-holders.....	28
8.2.4 Acceptability of test results.....	29
8.2.5 Resistance to tracking.....	29
8.3 Verification of temperature rise and power dissipation	29
8.3.1 Arrangement of the fuse.....	29
8.3.2 Measurement of the temperature rise	29
8.5.5 Test method.....	30

8.5.8	Acceptability of test results.....	31
8.7.4	Verification of overcurrent discrimination	31
8.9	Verification of resistance to heat	32
8.9.1	Fuse-base	33
8.9.2	Fuse-links with gripping-lugs of moulded material or of metal fixed in moulded material	33
8.10	Verification of non-deterioration of contacts.....	34
8.10.1	Arrangement of the fuse	34
8.10.2	Test method.....	36
8.10.3	Acceptability of test results.....	37
8.11	Mechanical and miscellaneous tests	39
FIGURES	42
Annex AA (informative)	Special test for cable overload protection	62
AA.1	Arrangement of the fuse	62
AA.2	Test method and acceptability of test results	62
Fuse system B – Fuses with striker fuse-links with blade contacts (NH fuse system).....		
1	General.....	63
1.1	Scope.....	63
2	Terms and definitions	63
3	Conditions for operation (in service)	63
4	Classification.....	63
5	Characteristics of fuses	63
5.2	Rated voltage	63
5.3.1	Rated current of the fuse-link	64
5.3.2	Rated current of the fuse-holder	64
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	64
5.6	Limits of time-current characteristics	64
5.7.2	Rated breaking capacity	64
6	Markings	64
7	Standard conditions for construction	64
7.1	Mechanical design.....	64
7.1.2	Connections, including terminals	64
7.1.3	Fuse-contacts	64
7.1.7	Construction of a fuse-link.....	65
7.2	Insulating properties and suitability for insulation.....	65
7.7	I^2t characteristics	65
7.8	Overcurrent discrimination of "gG" fuse-links.....	65
7.9	Protection against electric shock.....	65
8	Tests.....	65
8.1.6	Testing of fuse-holders.....	65
8.3	Verification of temperature rise and power dissipation	65
8.7.4	Verification of overcurrent discrimination	66
8.9	Verification of resistance to heat	66
8.9.1	Fuse-base	66

FIGURES 68

Fuse system C – Fuse-rails (NH fuse system) 75

1 General 75
 1.1 Scope 75
 2 Terms and definitions 75
 3 Conditions for operation in service 75
 4 Classification 75
 5 Characteristics of fuses 75
 5.2 Rated voltage 75
 5.3.2 Rated current 75
 5.5.1 Rated acceptable power dissipation 75
 6 Markings 76
 7 Standard conditions for construction 76
 7.1 Mechanical design 76
 7.1.2 Connections, including terminals 76
 7.2 Insulating properties 76
 8 Tests 76
 8.1.6 Testing of fuse-holders 76
 8.3 Verification of temperature rise and power dissipation 77
 8.3.1 Arrangement of the fuse 77
 8.9 Verification of resistance to heat 78
 8.9.1 Fuse-base 78
 8.10 Verification of non-deterioration of contacts 78
 8.10.1 Arrangement of the fuse 78

FIGURES 80

Fuse system D – Fuse-bases for busbar mounting (40 mm system) (NH fuse system) 85

1 General 85
 1.1 Scope 85
 2 Terms and definitions 85
 3 Conditions for operation in service 85
 4 Classification 85
 5 Characteristics of fuses 85
 5.2 Rated voltage 85
 5.3.2 Rated current 86
 5.5.2 Rated acceptable power dissipation of tandem fuse-bases 86
 6 Markings 86
 7 Standard conditions for construction 86
 7.1 Mechanical design 86
 7.1.2 Connections, including terminals 86
 7.1.5 Construction of a fuse-base for busbar mounting 87
 7.2 Insulating properties and suitability for insulation 87
 8 Tests 87

8.3	Verification of temperature rise and power dissipation	87
8.3.1	Arrangement of the fuse	87
8.9.1	Fuse-base	88
8.10	Verification of non-deterioration of contacts	88
8.10.1	Arrangement of the fuse	88
8.10.2	Test method	89
8.11	Mechanical and miscellaneous tests	89
FIGURES	90

**Fuse system E – Fuses with fuse-links for bolted connections
 (BS bolted fuse system)** **97**

1	General	97
1.1	Scope	97
2	Terms and definitions	97
3	Conditions for operation in service	97
4	Classification	97
5	Characteristics of fuses	97
5.3.1	Rated current of the fuse-link	97
5.3.2	Rated current of the fuse-holder	97
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	98
5.6	Limits of time-current characteristics	98
5.6.1	Time-current characteristics, time-current zones and overload curves	98
5.6.2	Conventional times and currents	98
5.6.3	Gates	98
5.7.2	Rated breaking capacity	98
6	Markings	98
6.1	Markings of fuse-holders	99
6.2	Markings of fuse-links	99
7	Standard conditions for construction	99
7.1	Mechanical design	99
7.1.2	Connections including terminals	99
7.2	Insulating properties and suitability for insulation	99
7.9	Protection against electric shock	99
8	Tests	99
8.3	Verification of temperature rise and power dissipation	99
8.3.1	Arrangement of the fuse	99
8.3.3	Measurement of the power dissipation of the fuse-link	99
8.4	Verification of operation	100
8.4.1	Arrangement of the fuse	100
8.5	Verification of breaking capacity	100
8.5.1	Arrangement of the fuse	100
8.5.8	Acceptability of test results	100
8.9	Verification of resistance to heat	100
8.10	Verification of non-deterioration of contacts	100
8.10.1	Arrangement of the fuse	100
8.10.2	Test method	100

8.10.3 Acceptability of the results	101
8.11 Mechanical and miscellaneous tests	101
FIGURES	102

**Fuse system F – Fuses with fuse-links having cylindrical contact caps
(NF cylindrical fuse system)** 111

1 General	111
1.1 Scope	111
2 Terms and definitions	111
3 Conditions for operation in service	111
4 Classification	111
5 Characteristics of fuses	111
5.2 Rated voltage	111
5.3.1 Rated current of the fuse-link	112
5.3.2 Rated current of the fuse-holder	112
5.5 Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	112
5.6 Limits of time-current characteristics	113
5.6.1 Time-current characteristics, time-current zones and overload curves	113
5.6.2 Conventional times and currents	113
5.6.3 Gates	114
5.7.2 Rated breaking capacity	114
6 Markings	114
6.1 Markings of fuse-holders	114
6.2 Markings of fuse-links	115
7 Standard conditions for construction	115
7.1 Mechanical design	115
7.1.2 Connections including terminals	115
7.2 Insulating properties and suitability for insulation	115
7.7 I^2t characteristics	116
7.8 Overcurrent discrimination of "gG" fuse-links	116
7.9 Protection against electric shock	116
8 Tests	116
8.1.6 Testing of fuse-holders	117
8.3.1 Arrangement of the fuse	117
8.7.4 Verification of overcurrent discrimination	119
8.9 Verification of resistance to heat	120
8.10 Verification of non-deterioration of contacts	120
8.10.1 Arrangement of the fuse	120
8.10.2 Test method	120
8.10.3 Acceptability of test results	121

FIGURES	122
----------------------	-----

**Fuse system G – Fuses with fuse-links with offset blade contacts
(BS clip-in fuse system)** 126

1 General	126
1.1 Scope	126

2	Terms and definitions	126
3	Conditions for operation in service	126
4	Classification	126
5	Characteristics of fuses	126
5.2	Rated voltage	127
5.3.1	Rated current of the fuse-link	127
5.3.2	Rated current of the fuse-holder	127
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	127
5.6.1	Time-current characteristics, time-current zones	127
5.6.2	Conventional times and currents	127
5.6.3	Gates	127
5.7.2	Rated breaking capacity	128
6	Markings	128
6.1	Markings of fuse-holders	128
6.2	Markings of fuse-links	128
7	Standard conditions for construction	128
7.1	Mechanical design	128
7.1.2	Connections including terminals	128
7.2	Insulating properties and suitability for insulation	129
7.7	I^2t characteristics	129
7.9	Protection against electric shock	129
8	Tests	129
8.3.3	Measurement of the power dissipation of the fuse-link	129
8.4.1	Arrangement of the fuse	130
8.5.1	Arrangement of the fuse	130
8.7.4	Verification of overcurrent discrimination	130
8.9	Verification of resistance to heat	130
8.10	Verification of non-deterioration of contacts	130
8.10.1	Arrangement of the fuse	130
8.10.2	Test method	131
8.10.3	Acceptability of test results	131
8.11	Mechanical and miscellaneous tests	131
	FIGURES	132
	Fuse system H – Fuses with fuse-links having "gD" and "gN" characteristics (class J, class T, and class L time delay and non time delay fuse types)	137
1	General	137
1.1	Scope	137
2	Terms and definitions	137
3	Conditions for operation in service	137
4	Classification	137
5	Characteristics of fuses	137
5.2	Rated voltage	137
5.3.1	Rated current of the fuse-link	138
5.3.2	Rated current of the fuse-holder	138

5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	138
5.6	Limits of the time-current characteristics	138
5.6.1	Time-current characteristics, time-current zones	138
5.6.2	Conventional times and currents	138
5.6.3	Gates	138
5.7.2	Rated breaking capacity	139
6	Markings	139
6.1	Markings of fuse-holders	139
6.2	Markings of fuse-links	139
7	Standard conditions for construction	139
7.1	Mechanical design	139
7.2	Insulating properties and suitability for insulation	139
7.5	Breaking capacity	139
7.6	Cut-off current characteristics	140
7.7	I^2t characteristics	140
7.8	Overcurrent discrimination	141
7.9	Protection against electric shock	141
8	Tests	141
8.3	Verification of temperature rise and power dissipation	141
8.3.1	Arrangement of the fuse	141
8.4	Verification of operation	142
8.4.1	Arrangement of the fuse	142
8.5.4	Recovery voltage	143
8.6	Verification of cut-off current characteristics	143
8.7	Verification of I^2t characteristics and overcurrent discrimination	144
8.9	Verification of resistance to heat	144
8.10	Verification of non-deterioration of contacts	144
8.10.1	Arrangement of the fuse	144
8.10.2	Test method	145
8.10.3	Acceptability of test results	145
8.11	Mechanical and miscellaneous tests	145
8.11.2	Miscellaneous tests	145
FIGURES	146

Fuse system I – gU fuse-links with wedge tightening contacts	159
1	General	159
1.1	Scope	159
2	Terms and definitions	159
3	Conditions for operation in service	160
3.9	Discrimination of fuse-links	160
4	Classification	160
5	Characteristics of fuses	160
5.2	Rated voltage	160
5.3.1	Rated current of the fuse-link	160
5.5	Rated power dissipation of a fuse-link	160
5.6.1	Time-current characteristics, time-current zones	160

5.6.2	Conventional times and currents	161
5.6.3	Gates	161
5.7.2	Rated breaking capacity	161
5.8	Cut-off current and I^2t characteristics	161
6	Markings	161
6.1	Markings of fuse-holders.....	161
6.2	Markings of fuse-links	161
7	Standard conditions for construction	161
7.1	Mechanical design	161
7.2	Insulating properties and suitability for insulation.....	161
7.5	Breaking capacity	161
7.7	I^2t characteristics	162
7.8	Overcurrent discrimination of the fuse-links	162
8	Tests	162
8.1.1	Kind of tests.....	162
8.3.1	Arrangement of the fuse	162
8.3.3	Measurement of the power dissipation of the fuse-link	163
8.4.1	Arrangement of the fuse	163
8.5.1	Arrangement of the fuse	163
8.5.2	Characteristics of the test circuit	163
8.5.5	Test method.....	163
8.5.8	Acceptability of test results.....	163
8.7.3	Verification of compliance for fuse-links at 0,01 s.....	164
8.9	Verification of resistance to heat	164
8.11	Mechanical and miscellaneous tests	164
FIGURES	165

IEC 60269-2:2013

<https://standards.iteh.ai/catalog/standards/iec/7667c665-69f9-4d84-a043-f0793f08b05a/iec-60269-2-2013>

Fuse system J – Fuses with fuse-links having "gD class CC" and "gN class CC" characteristics (class CC time delay and non-time delay fuse types)	173
1	General	173
1.1	Scope.....	173
2	Terms and definitions	173
3	Conditions for operation in service	173
4	Classification.....	173
5	Characteristics of fuses	173
5.2	Rated voltage	173
5.3.1	Rated current of the fuse-link	174
5.3.2	Rated current of the fuse-holder	174
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	174
5.6	Limits of the time-current characteristics	174
5.6.1	Time-current characteristics, time-current zones	174
5.6.2	Conventional times and currents	174
5.6.3	Gates	174
5.7.2	Rated breaking capacity	174
6	Markings	175
6.1	Markings of fuse-holders.....	175

6.2	Markings of fuse-links	175
7	Standard conditions for construction	175
7.1	Mechanical design	175
7.2	Insulating properties and suitability for insulation	175
7.5	Breaking capacity	175
7.6	Cut-off current characteristics	175
7.7	I^2t characteristics	175
7.8	Overcurrent discrimination	176
7.9	Protection against electric shock	176
8	Tests	176
8.3	Verification of temperature rise and power dissipation	176
8.3.1	Arrangement of the fuse	176
8.4	Verification of operation	177
8.4.1	Arrangement of the fuse	177
8.5.4	Recovery voltage	177
8.6	Verification of cut-off current characteristics	177
8.7	Verification of I^2t characteristics and overcurrent discrimination	178
8.9	Verification of resistance to heat	179
8.10	Verification of non-deterioration of contacts	179
8.10.1	Arrangement of the fuse	179
8.10.2	Test method	179
8.10.3	Acceptability of test results	179
8.11	Mechanical and miscellaneous tests	179
8.11.2	Miscellaneous tests	180
FIGURES	181

Fuse system K – gK fuse-links with blade contacts for bolted connections – High current fuse-link ratings from 1 250 A up to 4 800A (Master fuse-links)

1	General	191
1.1	Scope	191
2	Terms and definitions	191
3	Conditions for operation in service	191
3.9	Discrimination of fuse-links	191
4	Classification	191
5	Characteristics of fuses	191
5.2	Rated voltage	192
5.3.1	Rated current of the fuse-link	192
5.3.2	Rated current of the fuse-holder	192
5.5	Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder	192
5.6	Limits of the time-current characteristics	192
5.6.1	Time-current characteristics, time-current zones	192
5.6.2	Conventional times and currents	193
5.6.3	Gates	193
5.7.2	Rated breaking capacity	193
6	Markings	193
6.2	Markings of fuse-links	194