



Edition 1.2 2019-01 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



LED modules for general lighting – Performance requirements

Modules de LED pour éclairage général - Exigences de performance

Document Preview

IEC 62717:2014





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



Edition 1.2 2019-01 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



LED modules for general lighting – Performance requirements

Modules de LED pour éclairage général - Exigences de performance

Document Preview

IEC 62717:2014

https://standards.iteh.ai/catalog/standards/iec/1311508b-45f5-447a-a239-1b4451341591/iec-62717-2014

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.140.99 ISBN 978-2-8322-6485-0

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62717:2014



Edition 1.2 2019-01 CONSOLIDATED VERSION

REDLINE VERSION

VERSION REDLINE



LED modules for general lighting - Performance requirements

Modules de LED pour éclairage général - Exigences de performance

Document Preview

IEC 62717:2014



CONTENTS

FOREWORD	5
INTRODUCTION	
1 Scope	9
1.2 General	9
1.3 Statement	10
2 Normative references	10
3 Terms and definitions	11
4 Marking	15
4.1 Mandatory marking	
4.2 Additional marking	
5 Dimensions	
6 Test conditions	17
6.1 General test conditions	
6.2 Creation of module families to reduce test effort	
6.2.1 General	
6.2.2 Variations within a family	
6.2.3 Compliance testing of family members	19
7 Electrical LED module input	20
7.1 LED module power	20
7.1 LED module power	20
8 Light output	20
8.1 Luminous flux	20
8.2 Luminous intensity distribution, peak intensity and beam angle	
8.2.1 General	20
8.2.2 Measurement	20
8.2.3 Luminous intensity distribution	21
8.2.4 Peak intensity value	21
8.2.5 Beam angle value	21
8.3 Luminous efficacy	21
9 Chromaticity coordinates, correlated colour temperature (CCT) and colour rendering	
9.1 Chromaticity coordinates	21
9.2 Correlated colour temperature (CCT)	22
9.3 Colour rendering index (CRI)	22
10 LED module life	23
10.1 General	23
10.2 Lumen maintenance	23
10.3 Endurance tests	24
10.3.1 General	24
10.3.2 Temperature cycling test	25
10.3.3 Supply switching test	26
10.3.4 Accelerated operation life test	26
11 Verification	27
12 Information for luminaire design	27
Annex A (normative) Method of measuring LED module characteristics	28

A.1 G	eneral	28
A.2 E	ectrical characteristics	30
A.2.1	Test voltage, current or power	
A.2.2	Ageing	
A.3 P	hotometric characteristics	30
A.3.1	General	30
A.3. <mark>4</mark> 2	Test voltage, current or power	30
A.3. 2 3	Luminous flux	30
A.3. <mark>3</mark> 4	Luminous intensity distribution	30
A.3.5	Colour characteristics	31
A.3.4	Peak intensity	
A.3.5	Beam angle	
A.3.6	Colour rending	
A.3.7	Chromaticity coordinate values	
Annex B (in	ormative) Information for luminaire design	32
	emperature stability	
	inning procedure of white colour LEDs	
	gress protection	
	formative) Explanation of recommended LED product lifetime metrics	
•	eneral	
	fe time specification for gradual light output degradation	
_	fetime specification for abrupt light output degradation	
	ombined gradual and abrupt light output degradation	
	verview of LED lifetime metrics and related lighting product groups	
	xample of lifetime metric values	
	ormative) Explanation of the photometric code	
	rmative) Measurement of displacement factor	
	itch ai/catalog/standards/iec/1311508b-45f5-447a-a239-1b4451341591/iec	
	hase shift angle definition	
E.3 M	easurements requirements	42
E.3.1	Measurement circuit and supply source	
E.3.2	Requirements for measurement equipment	42
E.3.3	Test conditions	42
Annex F (in	ormative) Explanation of displacement factor	43
F.1 G	eneral	43
F.2 R	ecommended values for displacement factor	44
Annex G (in	formative) Examples of LED dies and LED packages	45
G.1 L	ED die	45
	ED package	
	formative) Test equipment for temperature measurement	
•	eneral	
	et-up and procedure	
	prmative) Use of ANSI/IES LM-80-15 for luminous flux maintenance and	
	chromaticity coordinates data	
	eneral	
	riteria for the use of ANSI/IES LM-80-15	
I.2.1	LED package data used for LED modules	
1.2.1	LED package data used for LED modules	
1//	LEG 00000E WOU ANSWES IVESUS 13 0313	Δ×

I.2.3 Boundary conditions	18
I.3 Compliance criteria	
I.3.1 Chromaticity coordinates	
I.3.2 Luminous flux maintenance factor	
Bibliography	
Figure 1 – Types of LED modules	9
Figure 2 – Luminous flux depreciation over test time	24
Figure C.1 – Lumen Light output over life of a LED-based luminaire comprised of a single LED module	33
Figure C.2 – Life time specification for gradual light output degradation	34
Figure C.3 – Reliability curve R _{abrupt} for abrupt light output degradation	
Figure C.4 – Reliability curve $R_{\mbox{gradual}}$ for gradual light output degradation	37
Figure C.5 – Combined R _{gradual} and R _{abrupt} degradation	37
Figure C.6 – Overview of LED lifetime metrics	38
Figure E.1 – Definition of the fundamental current phase shift angle ϕ_1 (I_1 leads U_{mains} , $\phi_1 > 0$)	41
Figure E.2 – Definition of the fundamental current phase shift angle ϕ_1 (I_1 lags	
$U_{\text{mains}}, \varphi_1 < 0) \dots$	42
Figure G.1 – Schematic drawings of LED dies	
Figure G.2 – Schematic drawings of LED packages	46
Table 1 – Mandatory marking and location of marking ¹	16
Table 2 – LED module life time median useful life information	
Table 3 – Optional marking and location of marking	17
Table 4 – Allowed variations within a family	7.1.719014
Table 5 – Tolerance (categories) on rated chromaticity coordinate values	22
Table 6 – Lumen maintenance code at an operational time as stated in 6.1	23
Table 7 – Sample sizes	27
Table C.1 – Examples of lifetime metric values for lumen luminous flux maintenance factor ratings	39
Table C.2 – Examples of lifetime metric values for abrupt failure	39
Table C.3 – Examples of lifetime metric values of <i>x</i> for median LED lamp life (combined failures)	
Table C.4 – Examples of lifetime metric values	
Table C.5 – Examples of metric values for LED module useful life $L_{\rm X}B_{\rm V}$	
Table F 1 – Recommended values for displacement factor	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LED MODULES FOR GENERAL LIGHTING – PERFORMANCE REQUIREMENTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 62717 edition 1.2 contains the first edition (2014-12) [documents 34A/1796/FDIS and 34A/1817/RVD], its amendment 1 (2015-09) [documents 34A/1853/FDIS and 34A/1870/RVD] and its amendment 2 (2019-01) [documents 34A/2121/FDIS and 34A/2127/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62717 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This edition includes the following significant technical changes with respect to IEC PAS 62717.

- all terms and definitions are aligned with IEC 62504 and relevant documents of CIE. For example, general terms like "rated value" are shifted to IEC 62504.
- a statement on the applicability on a population is included.
- the normative references are completed and cleaned from standards that are not in use.
- with regard to EMC, references to harmonic currents are given.
- the change, which has an effect on most parts of the standard, is the split of failure mechanisms into abrupt failures and luminous flux depreciation. Consequently, new terms and definitions, new requirements for lumen maintenance and a complete new structure and contents of Annex C are introduced.
- transition from $t_{\rm pmax}$ to $t_{\rm prated}$ is made, with the background that there is not one $t_{\rm pmax}$, but a choice of $t_{\rm p}$ (rated) values, in combination with lifetime.
- places where to mark (product, packaging, data sheets) are changed, and as a consequence of the split of failure mechanisms, new parameters are listed. Further, changes in the endurance test (ramping speed of temperature) are reflected in marking.
- the concept of displacement factor instead of power factor is introduced. This led to new definitions, requirements and Annexes E and F.
- the requirements on luminous efficacy are changed.
- the requirements, associated with the family concept are reviewed.
- statistics, based on confidence intervals are removed. This concerns requirements and limits for LED module power and luminous flux and deletion of Annex E.
- new requirements for lumen maintenance are introduced.
- as part of the endurance test, the maximum light decrease after accelerated operation life test is now fixed.
- with regard to the discussion on type test and sample size, the number of pieces in a test sample is drastically reduced, see Table 7.
- Annex A on measuring methods is completely restructured and reviewed, for example for ambient temperature and for shortening of stabilisation time when conducting subsequent light output measurements.
- for electrical characteristics, the ageing time may be chosen as 500 h.
- for photometric data file formats, reference is given to IEC 62722-1.
- mistakes in the photometric code (Annex D) are corrected.
- Annex G on optimised test duration is removed; instead, an INF sheet shall be published.
- from the luminaire standard, a new Annex H on "Test equipment for temperature measurement" is taken over.
- finally, the Bibliography is updated.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements: roman type.
- test specifications: italic type.
- notes: smaller roman type.

The committee has decided that the contents of the base publication and it amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

(https://standards.iteh.ai)
Document Preview

IEC 62717:2014

INTRODUCTION

The first edition of a performance standard (precursor: IEC PAS 62717) for LED modules for general lighting applications acknowledges the need for relevant tests for this new source of electrical light, sometimes called "solid state lighting". The publication is closely related to simultaneously developed performance standard publication (which also started with a Publicly Available Specification) for luminaires in general (IEC 62722-1) and for LED-luminaires (IEC 62722-2-1). Changes in the LED module standard will have an impact on the luminaire standards and vice versa, due to the behaviour of LED. Therefore, in the development of the present standard, a close collaboration between experts of both products has taken place.

The provisions in the standard represent the technical knowledge of experts from the fields of the semiconductor (LED chip) industry and of those of the traditional electrical light sources.

Three types of LED-modules are covered: with integral controlgear, with means of control on board, but with separate controlgear ("semi-ballasted"), and with complete separate controlgear.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62717:2014

LED MODULES FOR GENERAL LIGHTING – PERFORMANCE REQUIREMENTS

1 Scope


1.2 General

This International Standard specifies the performance requirements for LED modules, together with the test methods and conditions, required to show compliance with this standard. The following types of LED modules are distinguished and schematically shown in Figure 1:

Type 1: integrated LED modules for use on d.c. supplies up to 250 V or on a.c. supplies up to 1 000 V at 50 Hz or 60 Hz.

Type 2: LED modules operating with part of separate controlgear connected to the mains voltage, and having further control means inside ("semi-integrated") for operation under constant voltage, constant current or constant power.

Type 3: LED modules where the complete controlgear is separate from the module (non-integrated) for operation under constant voltage, constant current or constant power.



The power supply of the controlgear for semi-ballasted LED modules (Type 2) is an electronic device capable of controlling currents, voltage or power within design limits.

The control unit of the controlgear for semi-ballasted LED modules (Type 2) is an electronic device to control the electrical energy to the LEDs.

A LED module with separate controlgear can be either a non-ballasted LED module or a semi-ballasted LED module.

Figure 1 – Types of LED modules

The requirements of this standard relate only to type testing.

Recommendations for whole product testing or batch testing are under consideration.

- 10 -

This standard covers LED modules, based on inorganic LED technology that produces white light.

Life time of LED modules is in most cases much longer than the practical test times. Consequently, verification of manufacturer's life time claims cannot be made in a sufficiently confident way, because projecting test data further in time is not standardised. For that reason the acceptance or rejection of a manufacturers life time claim, past an operational time as stated in 6.1, is out of the scope of this standard.

Instead of life time validation this standard has opted for lumen maintenance codes at a defined finite test time. Therefore, the code number does not imply a prediction of achievable life time. The categories, represented by the code, are lumen-depreciation character categories showing behaviour in agreement with manufacturer's information which is provided before the test is started.

In order to validate a life time claim, an extrapolation of test data is needed. A general method of projecting measurement data beyond limited test time is under consideration.

The pass/fail criterion of the life time test as defined in this standard is different from the life time metrics claimed by manufacturers. For explanation of recommended life time metrics, see Annex C.

NOTE When modules are operated in a luminaire, the claimed performance data can deviate from the values established via this standard due to e.g. luminaire components that impact the performance of the LED module.

The separate electronic controlgear for LED modules as mentioned in Type 2 and Type 3 is not part of the testing against the requirements of this standard.

Protection for water and dust ingress, see B.3.

1.3 Statement

It may be expected that integrated LED modules which comply with this standard will start and operate satisfactorily at voltages between 92 % and 106 % of rated supply voltage. LED modules with separate controlgear are expected to start and operate satisfactorily in combination with the specified controlgear complying with IEC 61347-2-13 and IEC 62384. All LED modules are expected to start and operate satisfactorily when operated under the conditions specified by the LED module manufacturer and in a luminaire complying with IEC 60598-1.

The requirements for individuals apply for 95 % of the population.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845:1987, International Electrotechnical Vocabulary - Chapter 845: Lighting

IEC 60068-2-14, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60068-3-5:2001, Environmental testing – Part 3-5: Supporting documentation and guidance – Confirmation of the performance of temperature chambers

IEC 60081, Double-capped fluorescent lamps – Performance specifications