

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

**Electromagnetic compatibility (EMC) –**  
**Part 6-3: Generic standards – Emission standard for residential, commercial and**  
**light-industrial environments**

**Compatibilité électromagnétique (CEM) –**  
**Partie 6-3: Normes génériques – Norme sur l'émission pour les environnements**  
**résidentiels, commerciaux et de l'industrie légère**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

## About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

## About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00

## A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

## A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tél.: +41 22 919 02 11  
Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

**Electromagnetic compatibility (EMC) –**  
**Part 6-3: Generic standards – Emission standard for residential, commercial and**  
**light-industrial environments**

**Compatibilité électromagnétique (CEM) –**  
**Partie 6-3: Normes génériques – Norme sur l'émission pour les environnements**  
**résidentiels, commerciaux et de l'industrie légère**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.100.10

ISBN 978-2-88912-336-0

## ELECTROMAGNETIC COMPATIBILITY (EMC) –

### Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments

#### INTERPRETATION SHEET

This interpretation sheet has been prepared by CISPR subcommittee H: Limits for the protection of radio services, of IEC technical committee CISPR: International special committee on radio interference.

The text of this interpretation sheet is based on the following documents:

FDIS	Report on voting
CISPR/H/217/FDIS	CISPR/H/222/RVD

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

iteh STANDARD PREVIEW  
(standards.iteh.ai)

#### Interpretation

[IEC 61000-6-3:2006+AMD1:2010 CSV](https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-cd43755d70ce/iec-61000-6-3-amd1-2010-csv)

[https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-](https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-cd43755d70ce/iec-61000-6-3-amd1-2010-csv)

The requirement in Clause 8 “Measurement uncertainty” of IEC 61000-6-3 Amend. 1 ed. 2.0:

#### 8 Measurement uncertainty

*The measurement instrumentation uncertainty shall be determined according to CISPR 16-4-2, where applicable.*

NOTE For a given test method, the actual value of  $U_{lab}$  has only to be recorded in the test report if the value is greater than  $U_{CISPR}$ .

*shall be interpreted as follows:*

The measurement instrumentation uncertainty shall be calculated and compared with the budgets defined in CISPR 16-4-2. For each applicable test method, whose instrumentation uncertainty budgets are higher than those defined in CISPR 16-4-2, compliance with the limits has to be determined according to CISPR 16-4-2 methodology. This requirement is only applicable for tests where an uncertainty budget is defined in CISPR 16-4-2.

The additional note was further clarification that there is no need to state in the test report the laboratory uncertainty budget  $U_{lab}$  if this is less than or equal to the  $U_{CISPR}$  defined in CISPR 16-4-2. However, it has to be mentioned in the test report that the instrumentation measurement uncertainty is determined according to CISPR 16-4-2.

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope and object.....	6
2 Normative references .....	7
3 Terms, definitions <b>and abbreviations</b> .....	8
4 Conditions during testing .....	10
5 Product documentation .....	10
6 Applicability .....	10
7 Emission requirements .....	11
8 <del>Application of limits in tests for conformity of equipment in series production</del> Measurement uncertainty .....	11
9 <del>Measurement uncertainty</del> Application of limits in tests for conformity of equipment in series production .....	12
10 Compliance with this standard .....	12
11 Emission test requirements .....	16
<b>iTeh STANDARD PREVIEW</b> <b>(standards.iteh.ai)</b>	
Bibliography.....	21
Figure 1 – <del>Examples of ports</del> Ports covered by Tables 1 to 4 .....	8
<a href="https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-cd457575d27e/iec-61000-6-3-2006amd1-2010-csv">https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-cd457575d27e/iec-61000-6-3-2006amd1-2010-csv</a> <b>IEC 61000-6-3:2006+AMD1:2010 CSV</b>	
Table 1 – Emission – Enclosure port .....	16
Table 2 – Emission – Low voltage AC mains port .....	18
Table 3 – Emission – DC power port .....	19
Table 4 – Emission – Telecommunications/network port .....	20

INTERNATIONAL ELECTROTECHNICAL COMMISSION  
INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

**ELECTROMAGNETIC COMPATIBILITY (EMC) –**

**Part 6-3: Generic standards –  
Emission standard for residential,  
commercial and light-industrial environments**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This consolidated version of IEC 61000-6-3 consists of the second edition (2006) [documents CISPR/H/121/FDIS and CISPR/H/124/RVD] and its amendment 1 (2010) [documents CISPR/H/206/FDIS and CISPR/H/210/RVD]. It bears the edition number 2.1.**

**The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience. A vertical line in the margin shows where the base publication has been modified by amendment 1. Additions and deletions are displayed in red, with deletions being struck through.**

International Standard IEC 61000-6-3 has been prepared by CISPR subcommittee H: Limits for the protection of radio services.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.**

## **iTeh STANDARD PREVIEW** **(standards.iteh.ai)**

[IEC 61000-6-3:2006+AMD1:2010 CSV](https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-cd457575d27e/iec-61000-6-3-2006amd1-2010-csv)

<https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-cd457575d27e/iec-61000-6-3-2006amd1-2010-csv>

## INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

### **Part 1: General**

General considerations (introduction, fundamental principles)

Definitions, terminology

### **Part 2: Environment**

Description of the environment

Classification of the environment

Compatibility levels

### **Part 3: Limits**

Emission limits

Immunity limits (insofar as they do not fall under the responsibility of the product committees)

### **Part 4: Testing and measurement techniques**

Measurement techniques

Testing techniques

### **Part 5: Installation and mitigation guidelines**

Installation guidelines

Mitigation methods and devices

[IEC 61000-6-3:2006+AMD1:2010 CSV](https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-cd457575d27e/iec-61000-6-3-2006amd1-2010-csv)

<https://standards.iteh.ai/catalog/standards/sist/9b814e78-47ee-455b-8054-cd457575d27e/iec-61000-6-3-2006amd1-2010-csv>

### **Part 6: Generic standards**

### **Part 9: Miscellaneous**

Each part is further subdivided into several parts published either as International Standards or technical reports/specifications, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: 61000-6-1).



## ELECTROMAGNETIC COMPATIBILITY (EMC) –

### Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments

#### 1 Scope and object

This part of IEC 61000 for EMC emission requirements applies to electrical and electronic apparatus intended for use in residential, commercial and light-industrial environments.

Emission requirements in the frequency range 0 Hz to 400 GHz are covered. No measurement needs to be performed at frequencies where no requirement is specified.

This generic EMC emission standard is applicable if no relevant dedicated product or product-family EMC emission standard exists.

This standard applies to apparatus intended to be directly connected to a low-voltage public mains network or connected to a dedicated DC source, which is intended to interface between the apparatus and the low-voltage public mains network. This standard applies also to apparatus which is battery operated or is powered by a non-public, but non-industrial, low-voltage power distribution system, if this apparatus is intended to be used in the locations described below.

The environments encompassed by this standard are residential, commercial and light-industrial locations, both indoor and outdoor. The following list, although not comprehensive, gives an indication of locations that are included:

- residential properties, for example houses, apartments;
- retail outlets, for example shops, supermarkets;
- business premises, for example offices, banks;
- areas of public entertainment, for example cinemas, public bars, dance halls;
- outdoor locations, for example petrol stations, car parks, amusement and sports centres;
- light-industrial locations, for example workshops, laboratories, service centres.

Locations that are characterised by being supplied directly at low voltage from the public mains network are considered to be residential, commercial or light-industrial.

The object of this standard is to define the emission test requirements for apparatus defined in the scope in relation to continuous and transient, conducted and radiated disturbances.

The emission requirements have been selected so as to ensure that disturbances generated by apparatus operating normally in residential, commercial and light-industrial locations do not exceed a level which could prevent other apparatus from operating as intended. Fault conditions of apparatus are not taken into account. Not all disturbance phenomena have been included for testing purposes in this standard but only those considered as relevant for the equipment covered by this standard. These requirements represent essential electromagnetic compatibility emission requirements.

Requirements are specified for each port considered.

NOTE 1 Safety considerations are not covered by this standard.

NOTE 2 In special cases, situations will arise where the levels specified in this standard will not offer adequate protection; for example where a sensitive receiver is used in close proximity to an apparatus. In these instances, special mitigation measures may have to be employed.

NOTE 3 As the requirements in this standard are more stringent than the requirements in IEC 61000-6-4, equipment fulfilling the requirements of this standard will also comply with the requirements of IEC 61000-6-4.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, *International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility*

IEC 61000-3-2:2005, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current  $\leq 16$  A per phase)*

Amendment 1:2008

Amendment 2:2009

IEC 61000-3-3:2008, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current  $\leq 16$  A per phase and not subject to conditional connection*

IEC 61000-3-11:2000, *Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current  $\leq 75$  A and subject to conditional connection*

IEC 61000-3-12:2004, *Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current  $> 16$  A and  $\leq 75$  A per phase*

IEC 61000-4-20:2010, *Electromagnetic compatibility (EMC) – Part 4-20: Testing and measurement techniques – Emission and immunity testing in transverse electromagnetic (TEM) waveguide*

CISPR 14-1:2005, *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission*  
Amendment 1:2008

CISPR 16-1-1:2010, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

CISPR 16-1-2:2003, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Ancillary equipment – Conducted disturbances*

Amendment 1:2004

Amendment 2:2006

CISPR 16-1-4:2007, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Ancillary equipment – Radiated disturbances*

Amendment 1:2007

CISPR 16-2-1:2008, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements*

CISPR 16-2-3:2006, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements*

CISPR 16-4-2:2003, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-2: Uncertainties, statistics and limit modelling – Uncertainty in EMC measurements*

CISPR 22:2008, *Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement*

### 3 Terms, definitions and abbreviations

~~For the purposes of this document, the following terms and definitions apply.~~

~~NOTE Definitions related to EMC and to relevant phenomena are given in IEC 60050-161 and in other IEC and CISPR publications~~


#### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-161, as well as the following apply.


##### 3.1.1

##### port

particular interface of the specified apparatus with the external electromagnetic environment (see Figure 1)



**Figure 1 – Examples of ports**



**Figure 1 – Ports covered by Tables 1 to 4**

**3.2 3.1.2****enclosure port**

physical boundary of the apparatus which electromagnetic fields may radiate through or impinge on

**3.3 3.1.3****cable port**

port at which a conductor or a cable is connected to the apparatus

NOTE Examples are signal, control and power ports.

**3.4 3.1.4****telecommunications/network port**

point of connection for voice, data and signalling transfers intended to interconnect widely dispersed systems via such means as direct connection to multi-user telecommunications networks (e.g. public switched telecommunications networks (PSTN) integrated services digital networks (ISDN), x-type digital subscriber lines (xDSL), etc.), local area networks (e.g. Ethernet, Token Ring, etc.) and similar networks)

NOTE A port generally intended for interconnection of components of an ITE system under test (e.g. RS-232, RS-485, field buses in the scope of IEC 61158, IEEE Standard 1284 (parallel printer), Universal Serial Bus (USB), IEEE Standard 1394 ("Fire Wire"), etc.) and used in accordance with its functional specifications (e.g. for the maximum length of cable connected to it), is not considered to be a telecommunications port.

**3.5 3.1.5****power port**

port at which a conductor or cable carrying the primary electrical power needed for the operation (functioning) of an apparatus or associated apparatus is connected to the apparatus

**3.6 3.1.6****public mains network**

electricity lines to which all categories of consumers have access and which are operated by a supply or distribution undertaking for the purpose of supplying electrical energy

**3.7 3.1.7****low voltage****LV**

low tension

voltage having a value below a conventionally adopted limit

[IEV 601-01-26, modified]

NOTE For the distribution of AC electric power, the upper limit is generally accepted to be 1 000 V.

**3.8 3.1.8****d.c. power network**

local electricity supply network in the infrastructure of a certain site or building intended for flexible use by one or more different types of equipment and guaranteeing continuous power supply independently from the conditions of the public mains network

NOTE Connection to a remote local battery is not regarded as a DC power network, if such a link comprises only power supply for a single piece of equipment.

**3.1.9****low voltage AC mains port**

port used to connect to the low voltage AC mains supply network to power the equipment

NOTE Equipment with a DC power port is considered low voltage AC mains powered if it is powered from an AC/DC power converter.

**3.1.10****highest internal frequency**

highest fundamental frequency generated or used within the EUT, or the highest frequency at which it operates

### 3.2 Abbreviations

AC	Alternating Current
DC	Direct Current
EUT	Equipment Under Test
FAR	Fully Anechoic Room
ISN	Impedance Stabilization Network
OATS	Open Area Test Site
SAC	Semi Anechoic Chamber
TEM	Transverse Electromagnetic Mode

## 4 Conditions during testing

The equipment under test (EUT) shall be tested in the operating mode producing the largest emission in the frequency band being investigated, e.g. based on limited pre-tests and consistent with normal applications. The configuration of the test sample shall be varied to achieve maximum emission consistent with typical applications and installation practice.

If the apparatus is part of a system, or can be connected to auxiliary apparatus, the apparatus shall be tested while connected to the minimum representative configuration of auxiliary apparatus necessary to exercise the ports in a similar manner to that described in CISPR 22.

In cases where a manufacturer's specification requires external filtering and/or shielding devices or measures that are clearly specified in the user's manual, the measurement requirements of this standard shall be applied with the specified devices or measures in place.

The configuration and mode of operation during the measurements shall be precisely noted in the test report. If the apparatus has a large number of similar ports or ports with many similar connections, a sufficient number shall be selected to simulate actual operating conditions and to ensure that all the different types of termination are covered.

The measurements shall be carried out at one single set of parameters within the operating ranges of temperature, humidity and atmospheric pressure specified for the product and at the rated supply voltage, unless otherwise indicated in the basic standard.

Where applicable, additional information on EUT configuration can be found in the CISPR 16-2 series and CISPR 22.

## 5 Product documentation

The purchaser/user shall be informed if special measures have to be taken to achieve compliance, e.g. the use of shielded or special cables.

## 6 Applicability

The application of measurements for emission(s) depends on the particular apparatus, its configuration, its ports, its technology and its operating conditions.

Measurements shall be applied to the relevant ports of the apparatus according to Tables 1 to 4. Measurements shall only be carried out where the relevant ports exist.

It may be determined from consideration of the electrical characteristics and usage of a particular apparatus that some of the measurements are inappropriate and therefore unnecessary. In such a case it is required that the decision and justification not to measure shall be recorded in the test report.