

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Power cables with extruded insulation and their accessories for rated voltages from 1 kV ($U_m = 1,2$ kV) up to 30 kV ($U_m = 36$ kV) –
Part 2: Cables for rated voltages from 6 kV ($U_m = 7,2$ kV) up to 30 kV ($U_m = 36$ kV)

IEC 60502-2:2014

<https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-31906a26283c/iec-60502-2-2014>

Câbles d'énergie à isolant extrudé et leurs accessoires pour des tensions assignées de 1 kV ($U_m = 1,2$ kV) à 30 kV ($U_m = 36$ kV) –
Partie 2: Câbles de tensions assignées de 6 kV ($U_m = 7,2$ kV) à 30 kV ($U_m = 36$ kV)



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Power cables with extruded insulation and their accessories for rated voltages from 1 kV ($U_m = 1,2$ kV) up to 30 kV ($U_m = 36$ kV) –
Part 2: Cables for rated voltages from 6 kV ($U_m = 7,2$ kV) up to 30 kV ($U_m = 36$ kV)**

[IEC 60502-2:2014](https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-471160490652/iec-60502-2-2014)

<https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-471160490652/iec-60502-2-2014>

**Câbles d'énergie à isolant extrudé et leurs accessoires pour des tensions assignées de 1 kV ($U_m = 1,2$ kV) à 30 kV ($U_m = 36$ kV) –
Partie 2: Câbles de tensions assignées de 6 kV ($U_m = 7,2$ kV) à 30 kV ($U_m = 36$ kV)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.060.20

ISBN 978-2-8322-1409-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	10
1 Scope.....	12
2 Normative references.....	12
3 Terms and definitions	14
3.1 Definitions of dimensional values (thicknesses, cross-sections, etc.)	14
3.2 Definitions concerning the tests.....	14
4 Voltage designations and materials.....	15
4.1 Rated voltages.....	15
4.2 Insulating compounds.....	16
4.3 Sheathing compounds.....	17
5 Conductors.....	17
6 Insulation.....	17
6.1 Material.....	17
6.2 Insulation thickness.....	17
7 Screening.....	19
7.1 General.....	19
7.2 Conductor screen.....	19
7.3 Insulation screen.....	19
8 Assembly of three-core cables, inner coverings and fillers.....	19
8.1 General.....	19
8.2 Inner coverings and fillers	19
8.2.1 Construction.....	19
8.2.2 Material.....	20
8.2.3 Thickness of extruded inner covering	20
8.2.4 Thickness of lapped inner covering	20
8.3 Cables having a collective metal layer (see Clause 9).....	20
8.4 Cables having a metal layer over each individual core (see Clause 10).....	20
9 Metal layers for single-core and three-core cables.....	21
10 Metal screen.....	21
10.1 Construction.....	21
10.2 Requirements.....	21
10.3 Metal screens not associated with semi-conducting layers	21
11 Concentric conductor.....	21
11.1 Construction.....	21
11.2 Requirements.....	21
11.3 Application	22
12 Metal sheath.....	22
12.1 Lead sheath.....	22
12.2 Other metal sheaths.....	22
13 Metal armour	22
13.1 Types of metal armour	22
13.2 Materials.....	22
13.3 Application of armour	23
13.3.1 Single-core cables	23
13.3.2 Three-core cables.....	23

13.3.3	Separation sheath.....	23
13.3.4	Lapped bedding under armour for lead sheathed cables	23
13.4	Dimensions of the armour wires and armour tapes.....	24
13.5	Correlation between cable diameters and armour dimensions	24
13.6	Round or flat wire armour	24
13.7	Double tape armour.....	25
14	Oversheath.....	25
14.1	General.....	25
14.2	Material.....	25
14.3	Thickness	25
15	Test conditions	26
15.1	Ambient temperature.....	26
15.2	Frequency and waveform of power frequency test voltages	26
15.3	Waveform of impulse test voltages	26
15.4	Determination of the cable conductor temperature	26
16	Routine tests	26
16.1	General.....	26
16.2	Electrical resistance of conductors	26
16.3	Partial discharge test.....	27
16.4	Voltage test.....	27
16.4.1	General	27
16.4.2	Test procedure for single-core cables	27
16.4.3	Test procedure for three-core cables.....	27
16.4.4	Test voltage.....	27
16.4.5	Requirement	28
16.5	Electrical test on oversheath of the cable.....	28
17	Sample tests.....	28
17.1	General.....	28
17.2	Frequency of sample tests.....	28
17.2.1	Conductor examination and check of dimensions	28
17.2.2	Electrical and physical tests	28
17.3	Repetition of tests	29
17.4	Conductor examination.....	29
17.5	Measurement of thickness of insulation and of non-metal sheaths (including extruded separation sheaths, but excluding inner extruded coverings).....	29
17.5.1	General	29
17.5.2	Requirements for the insulation.....	29
17.5.3	Requirements for the non-metal sheaths	30
17.6	Measurement of thickness of lead sheath	30
17.6.1	General	30
17.6.2	Strip method	30
17.6.3	Ring method	30
17.7	Measurement of armour wires and tapes	30
17.7.1	Measurement on wires	30
17.7.2	Measurement on tapes.....	31
17.7.3	Requirements	31
17.8	Measurement of external diameter	31
17.9	Voltage test for 4 h.....	31

17.9.1	Sampling	31
17.9.2	Procedure	31
17.9.3	Test voltages	31
17.9.4	Requirements	31
17.10	Hot set test for EPR, HEPR and XLPE insulations and elastomeric sheaths	31
17.10.1	Procedure	31
17.10.2	Requirements	32
18	Type tests, electrical	32
18.1	General	32
18.2	Cables having conductor screens and insulation screens	32
18.2.1	General	32
18.2.2	Sequence of tests	32
18.2.3	Special provisions	32
18.2.4	Bending test	33
18.2.5	Partial discharge test	33
18.2.6	Tan δ measurement for cables of rated voltage 6/10 (12) kV and above	33
18.2.7	Heating cycle test	34
18.2.8	Impulse test followed by a voltage test	34
18.2.9	Voltage test for 4 h	34
18.2.10	Resistivity of semi-conducting screens	35
18.3	Cables of rated voltage 3,6/6 (7,2) kV having unscreened insulation	35
18.3.1	General	35
18.3.2	Insulation resistance measurement at ambient temperature	35
18.3.3	Insulation resistance measurement at maximum conductor temperature	36
18.3.4	Voltage test for 4 h	36
18.3.5	Impulse test	37
19	Type tests, non-electrical	37
19.1	General	37
19.2	Measurement of thickness of insulation	37
19.2.1	Sampling	37
19.2.2	Procedure	37
19.2.3	Requirements	37
19.3	Measurement of thickness of non-metal sheaths (including extruded separation sheaths, but excluding inner coverings)	37
19.3.1	Sampling	37
19.3.2	Procedure	37
19.3.3	Requirements	38
19.4	Measurement of thickness of lead sheath	38
19.4.1	Sampling	38
19.4.2	Procedure	38
19.4.3	Requirements	38
19.5	Tests for determining the mechanical properties of insulation before and after ageing	38
19.5.1	Sampling	38
19.5.2	Ageing treatments	38
19.5.3	Conditioning and mechanical tests	38
19.5.4	Requirements	38

19.6	Tests for determining the mechanical properties of non-metal sheaths before and after ageing	38
19.6.1	Sampling	38
19.6.2	Ageing treatments	38
19.6.3	Conditioning and mechanical tests	38
19.6.4	Requirements	39
19.7	Additional ageing test on pieces of completed cables	39
19.7.1	General	39
19.7.2	Sampling	39
19.7.3	Ageing treatment	39
19.7.4	Mechanical tests	39
19.7.5	Requirements	39
19.8	Loss of mass test on PVC sheaths of type ST ₂	39
19.8.1	Procedure	39
19.8.2	Requirements	39
19.9	Pressure test at high temperature on insulations and non-metal sheaths	39
19.9.1	Procedure	39
19.9.2	Requirements	39
19.10	Test on PVC insulation and sheaths at low temperatures	40
19.10.1	Procedure	40
19.10.2	Requirements	40
19.11	Test for resistance of PVC insulation and sheaths to cracking (heat shock test)	40
19.11.1	Procedure	40
19.11.2	Requirements	40
19.12	Ozone resistance test for EPR and HEPR insulations	40
19.12.1	Procedure	40
19.12.2	Requirements	40
19.13	Hot set test for EPR, HEPR and XLPE insulations and elastomeric sheaths	40
19.14	Oil immersion test for elastomeric sheaths	40
19.14.1	Procedure	40
19.14.2	Requirements	40
19.15	Water absorption test on insulation	40
19.15.1	Procedure	40
19.15.2	Requirements	40
19.16	Flame spread test on single cables	41
19.17	Measurement of carbon black content of black PE oversheaths	41
19.17.1	Procedure	41
19.17.2	Requirements	41
19.18	Shrinkage test for XLPE insulation	41
19.18.1	Procedure	41
19.18.2	Requirements	41
19.19	Thermal stability test for PVC insulation	41
19.19.1	Procedure	41
19.19.2	Requirements	41
19.20	Determination of hardness of HEPR insulation	41
19.20.1	Procedure	41
19.20.2	Requirements	41
19.21	Determination of the elastic modulus of HEPR insulation	41

19.21.1	Procedure	41
19.21.2	Requirements	42
19.22	Shrinkage test for PE oversheaths.....	42
19.22.1	Procedure	42
19.22.2	Requirements	42
19.23	Strippability test for insulation screen	42
19.23.1	General	42
19.23.2	Procedure	42
19.23.3	Requirements	42
19.24	Water penetration test.....	43
20	Electrical tests after installation.....	43
20.1	General.....	43
20.2	DC voltage test of the oversheath.....	43
20.3	Insulation test.....	43
20.3.1	AC testing.....	43
20.3.2	DC testing.....	44
Annex A (normative)	Fictitious calculation method for determination of dimensions of protective coverings.....	50
A.1	General.....	50
A.2	Method.....	50
A.2.1	Conductors.....	50
A.2.2	Cores.....	51
A.2.3	Diameter over laid-up cores	51
A.2.4	Inner coverings	51
A.2.5	Concentric conductors and metal screens	52
A.2.6	Lead sheath.....	53
A.2.7	Separation sheath.....	53
A.2.8	Lapped bedding	53
A.2.9	Additional bedding for tape-armoured cables (provided over the inner covering)	53
A.2.10	Armour	54
Annex B (informative)	Tabulated continuous current ratings for cables having extruded insulation and a rated voltage from 3,6/6 kV up to 18/30 kV.....	55
B.1	General.....	55
B.2	Cable constructions.....	55
B.3	Temperatures.....	55
B.4	Soil thermal resistivity	56
B.5	Methods of installation.....	56
B.5.1	General	56
B.5.2	Single-core cables in air.....	56
B.5.3	Single-core cables buried direct	56
B.5.4	Single-core cables in earthenware ducts	57
B.5.5	Three-core cables.....	57
B.6	Screen bonding	58
B.7	Cable loading.....	58
B.8	Rating factors for grouped circuits	58
B.9	Correction factors.....	58
Annex C (normative)	Rounding of numbers.....	74
C.1	Rounding of numbers for the purpose of the fictitious calculation method.....	74

C.2	Rounding of numbers for other purposes	74
Annex D (normative)	Method of measuring resistivity of semi-conducting screens	75
Annex E (normative)	Determination of hardness of HEPR insulations	78
E.1	Test piece	78
E.2	Test procedure	78
E.2.1	General	78
E.2.2	Surfaces of large radius of curvature	78
E.2.3	Surfaces of small radius of curvature	78
E.2.4	Conditioning and test temperature	78
E.2.5	Number of measurements	79
Annex F (normative)	Water penetration test	80
F.1	Test piece	80
F.2	Test	80
F.3	Requirements	81
Annex G (informative)	Determination of the cable conductor temperature	82
G.1	Purpose	82
G.2	Calibration of the temperature of the main test loop	82
G.2.1	General	82
G.2.2	Installation of cable and temperature sensors	82
G.2.3	Calibration method	84
G.3	Heating for the test	85
G.3.1	Method 1 – Test using a reference cable	85
G.3.2	Method 2 – Test using conductor temperature calculations and measurement of the surface temperature	85
Bibliography https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-9fbbb79baad9/iec-60502-2-2014	87
Figure B.1	– Single-core cables in air	56
Figure B.2	– Single-core cables buried direct	57
Figure B.3	– Single-core cables in earthenware ducts	57
Figure B.4	– Three-core cables	58
Figure D.1	– Preparation of samples for measurement of resistivity of conductor and insulation screens	77
Figure E.1	– Test on surfaces of large radius of curvature	79
Figure E.2	– Test on surfaces of small radius of curvature	79
Figure F.1	– Schematic diagram of apparatus for water penetration test	81
Figure G.1	– Typical test set-up for the reference loop and the main test loop	83
Figure G.2	– Example of an arrangement of the temperature sensors on the conductor of the reference loop	84
Table 1	– Recommended rated voltages U_0	16
Table 2	– Insulating compounds	16
Table 3	– Maximum conductor temperatures for different types of insulating compound	16
Table 4	– Maximum conductor temperatures for different types of sheathing compound	17
Table 5	– Nominal thickness of PVC/B insulation	18
Table 6	– Nominal thickness of cross-linked polyethylene (XLPE) insulation	18

Table 7 – Nominal thickness of ethylene propylene rubber (EPR) and hard ethylene propylene rubber (HEPR) insulation.....	18
Table 8 – Thickness of extruded inner covering.....	20
Table 9 – Nominal diameter of round armour wires.....	24
Table 10 – Nominal thickness of armour tapes.....	24
Table 11 – Routine test voltages.....	28
Table 12 – Number of samples for sample tests.....	29
Table 13 – Sample test voltages.....	31
Table 14 – Impulse voltages.....	34
Table 15 – Electrical type test requirements for insulating compounds.....	44
Table 16 – Non-electrical type tests (see Tables 17 to 23).....	44
Table 17 – Test requirements for mechanical characteristics of insulating compounds (before and after ageing).....	45
Table 18 – Test requirements for particular characteristics for PVC insulating compound.....	46
Table 19 – Test requirements for particular characteristics of various crosslinked insulating compounds.....	47
Table 20 – Test requirements for mechanical characteristics of sheathing compounds (before and after ageing).....	47
Table 21 – Test requirements for particular characteristics for PVC sheathing compounds.....	48
Table 22 – Test requirements for particular characteristics of PE (thermoplastic polyethylene) sheathing compounds.....	48
Table 23 – Test requirements for particular characteristics of elastomeric sheathing compound.....	49
Table A.1 – Fictitious diameter of conductor.....	51
Table A.2 – Increase of diameter for concentric conductors and metal screens.....	52
Table A.3 – Increase of diameter for additional bedding.....	53
Table B.1 – Nominal screen cross-sectional areas.....	55
Table B.2 – Current ratings for single-core cables with XLPE insulation – Rated voltage 3,6/6 kV to 18/30 kV * – Copper conductor.....	59
Table B.3 – Current ratings for single-core cables with XLPE insulation – Rated voltage 3,6/6 kV to 18/30 kV * – Aluminium conductor.....	60
Table B.4 – Current ratings for single-core cables with EPR insulation – Rated voltage 3,6/6 kV to 18/30 kV * – Copper conductor.....	61
Table B.5 – Current ratings for single-core cables with EPR insulation – Rated voltage 3,6/6 kV to 18/30 kV * – Aluminium conductor.....	62
Table B.6 – Current rating for three-core XLPE insulated cables – Rated voltage 3,6/6 kV to 18/30 kV * – Copper conductor, armoured and unarmoured.....	63
Table B.7 – Current rating for three-core XLPE insulated cables – Rated voltage 3,6/6 kV to 18/30 kV * – Aluminium conductor, armoured and unarmoured.....	64
Table B.8 – Current rating for three-core EPR insulated cables – Rated voltage 3,6/6 kV to 18/30 kV * – Copper conductor, armoured and unarmoured.....	65
Table B.9 – Current rating for three-core EPR insulated cables – Rated voltage 3,6/6 kV to 18/30 kV * – Aluminium conductor, armoured and unarmoured.....	66
Table B.10 – Correction factors for ambient air temperatures other than 30 °C.....	66
Table B.11 – Correction factors for ambient ground temperatures other than 20 °C.....	67

IEC STANDARD PREVIEW

(standards.iteh.ai)

IEC 60502-2:2014

[https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-](https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-9fbb79baad9/iec-60502-2-2014)

9fbb79baad9/iec-60502-2-2014

Table B.12 – Correction factors for depths of laying other than 0,8 m for direct buried cables	67
Table B.13 – Correction factors for depths of laying other than 0,8 m for cables in ducts	67
Table B.14 – Correction factors for soil thermal resistivities other than 1,5 K·m/W for direct buried single-core cables	68
Table B.15 – Correction factors for soil thermal resistivities other than 1,5 K·m/W single-core cables in buried ducts	68
Table B.16 – Correction factors for soil thermal resistivities other than 1,5 K·m/W for direct buried three-core cables	69
Table B.17 – Correction factors for soil thermal resistivities other than 1,5 K·m/W for three-core cables in ducts	69
Table B.18 – Correction factors for groups of three-core cables in horizontal formation laid direct in the ground	70
Table B.19 – Correction factors for groups of three-phase circuits of single-core cables laid direct in the ground	70
Table B.20 – Correction factors for groups of three-core cables in single way ducts in horizontal formation	71
Table B.21 – Correction factors for groups of three-phase circuits of single-core cables in single-way ducts	71
Table B.22 – Reduction factors for groups of more than one multi-core cable in air – To be applied to the current-carrying capacity for one multi-core cable in free air	72
Table B.23 – Reduction factors for groups of more than one circuit of single-core cables (Note 2) – To be applied to the current-carrying capacity for one circuit of single-core cables in free air	73

[IEC 60502-2:2014](https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-9fbbb79baad9/iec-60502-2-2014)

<https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-9fbbb79baad9/iec-60502-2-2014>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**POWER CABLES WITH EXTRUDED INSULATION
AND THEIR ACCESSORIES FOR RATED VOLTAGES
FROM 1 kV ($U_m = 1,2$ kV) UP TO 30 kV ($U_m = 36$ kV) –****Part 2: Cables for rated voltages from 6 kV
($U_m = 7,2$ kV) up to 30 kV ($U_m = 36$ kV)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60502-2 has been prepared by IEC technical committee 20: Electric cables.

This third edition cancels and replaces the second edition, published in 2005, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a simplified calculation procedure for the thickness of the lead sheath and the oversheath;
- b) a new subclause for the determination of the cable conductor temperature;
- c) a modified procedure for the routine voltage test;

- d) a new subclause for a routine electrical test on oversheath;
- e) modified requirements for the non-metal sheaths including semi-conductive layer;
- f) modified tolerances for the bending test cylinder;
- g) the inclusion of a 0,1Hz test after installation.

In addition, the modified structure of the IEC 60811 series has been adopted for this third edition.

The following editorial changes have been made within the English version:

- 'metallic' has been replaced by 'metal';
- 'thermosetting' has been replaced by 'crosslinked'.

The text of this standard is based on the following documents:

FDIS	Report on voting
20/1469A/FDIS	20/1472/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60502 series, published under the general title *Power cables with extruded insulation and their accessories for rated voltages from 1kV ($U_m = 1,2$ kV) up to 30 kV ($U_m = 36$ kV)*, can be found on the IEC website.

[IEC 60502-2:2014](https://standards.iteh.ai/catalog/standards/sist/822b961a-7509-42d8-907a-9fbb79aaad9/iec-60502-2-2014)

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**POWER CABLES WITH EXTRUDED INSULATION
AND THEIR ACCESSORIES FOR RATED VOLTAGES
FROM 1 kV ($U_m = 1,2$ kV) UP TO 30 kV ($U_m = 36$ kV) –**

**Part 2: Cables for rated voltages from 6 kV
($U_m = 7,2$ kV) up to 30 kV ($U_m = 36$ kV)**

1 Scope

This part of IEC 60502 specifies the construction, dimensions and test requirements of power cables with extruded solid insulation from 6 kV up to 30 kV for fixed installations such as distribution networks or industrial installations.

When determining applications, it is recommended that the possible risk of radial water ingress is considered. Cable designs with barriers claimed to prevent longitudinal water penetration and an associated test are included in this part of IEC 60502.

Cables for special installation and service conditions are not included, for example cables for overhead networks, the mining industry, nuclear power plants (in and around the containment area) nor for submarine use or shipboard application.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60060-3, *High-voltage test techniques – Part 3: Definitions and requirements for on-site testing*

IEC 60183, *Guide to the selection of high-voltage cables*

IEC 60228, *Conductors of insulated cables*

IEC 60229:2007, *Tests on cable oversheaths which have a special protective function and are applied by extrusion*

IEC 60230, *Impulse tests on cables and their accessories*

IEC 60287-3-1, *Electric cables – Calculation of the current rating – Part 3: Sections on operating conditions – Section 1: Reference operating conditions and selection of cable type*

IEC 60332-1-2, *Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame*

IEC 60811 (all parts), *Electric and optical fibre cables – Test methods for non-metallic materials*

IEC 60811-201, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 201: General tests – Measurement of insulation thickness*

IEC 60811-202, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath*

IEC 60811-203, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions*

IEC 60811-401, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven*

IEC 60811-402, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 402: Miscellaneous tests – Water absorption tests*

IEC 60811-403, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 403: Miscellaneous tests – Ozone resistance test on cross-linked compounds*

IEC 60811-404, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 404: Miscellaneous tests – Mineral oil immersion tests for sheaths*

IEC 60811-405, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 405: Miscellaneous tests – Thermal stability test for PVC insulations and PVC sheaths*

IEC 60811-409, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 409: Miscellaneous tests – Loss of mass test for thermoplastic insulations and sheaths*

IEC 60811-501, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds*

IEC 60811-502, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 502: Mechanical tests – Shrinkage test for insulations*

IEC 60811-503, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 503: Mechanical tests – Shrinkage test for sheaths*

IEC 60811-504, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 504: Mechanical tests – Bending tests at low temperature for insulation and sheaths*

IEC 60811-505, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 505: Mechanical tests – Elongation at low temperature for insulations and sheaths*

IEC 60811-506, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 506: Mechanical tests – Impact test at low temperature for insulations and sheaths*

IEC 60811-507, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 507: Mechanical tests – Hot set test for cross-linked materials*

IEC 60811-508, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 508: Mechanical tests – Pressure test at high temperature for insulation and sheaths*

IEC 60811-509, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 509: Mechanical tests – Test for resistance of insulations and sheaths to cracking (heat shock test)*

IEC 60811-605, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 605: Physical tests – Measurement of carbon black and/or mineral filler in polyethylene compounds*

IEC 60811-606, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 606: Physical tests – Methods for determining the density*

IEC 60853 (all parts), *Calculation of the cyclic and emergency current rating of cables*