

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Lamp controlgear – **STANDARD PREVIEW**
Part 2-13: Particular requirements for d.c. or a.c. supplied electronic controlgear
for LED modules
(standards.iteh.ai)

Appareillage de lampes – [IEC 61347-2-13:2014](https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-1c9119e40132)
Partie 2-13: Exigences particulières pour les appareillages électroniques
alimentés en courant continu ou alternatif pour les modules de LED



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61347-2-13

Edition 2.0 2014-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Lamp controlgear – **STANDARD PREVIEW**
Part 2-13: Particular requirements for d.c. or a.c. supplied electronic controlgear
for LED modules
(standards.iteh.ai)

Appareillage de lampes – [IEC 61347-2-13:2014](http://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-6c41d7f45c9e/iec-61347-2-13-2014)
Partie 2-13: Exigences particulières pour les appareillages électroniques
alimentés en courant continu ou alternatif pour les modules de LED

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

T

ICS 29.140.99

ISBN 978-2-8322-1849-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 General requirements	9
5 General notes on tests	10
6 Classification.....	10
7 Marking	10
7.1 Mandatory marking	10
7.2 Information to be provided if applicable.....	10
8 Protection against accidental contact with live parts	10
9 Terminals	10
10 Provisions for protective earthing.....	11
11 Moisture resistance and insulation.....	11
12 Electric strength	11
13 Thermal endurance test for windings of ballasts	11
14 Fault conditions	11
15 Transformer heating	11
15.1 General.....	11
15.2 Normal operation.....	11
15.3 Abnormal operation.....	11
16 Construction.....	12
17 Creepage distances and clearances	12
18 Screws, current-carrying parts and connections.....	12
19 Resistance to heat, fire and tracking.....	12
20 Resistance to corrosion	12
Annex A (normative) Test to establish whether a conductive part is a live part which may cause an electric shock	13
Annex B (normative) Particular requirements for thermally protected lamp controlgear	14
Annex C (normative) Particular requirements for electronic lamp controlgear with means of protection against overheating.....	15
Annex D (normative) Requirements for carrying out the heating tests of thermally protected lamp controlgear	16
Annex E (normative) Use of constant S other than 4 500 in t_w tests.....	17
Annex F (normative) Draught-proof enclosure.....	18
Annex G (normative) Explanation of the derivation of the values of pulse voltages	19
Annex H (normative) Tests.....	20
Annex I (normative) Particular additional requirements for SELV d.c. or a.c. supplied electronic controlgear for LED modules.....	21
Annex J (normative) Particular additional safety requirements for a.c., a.c./d.c. or d.c. supplied electronic controlgear for emergency lighting	22
J.1 General.....	22

J.2	Marking.....	22
J.2.1	Mandatory markings	22
J.2.2	Information to be provided if applicable	22
J.3	General notes on tests.....	22
J.4	Starting conditions	23
J.5	Operating condition.....	23
J.6	Emergency supply current.....	23
J.7	EMC immunity.....	23
J.8	Pulse voltage from central battery systems	23
J.9	Tests for abnormal conditions	24
J.10	Temperature cycling test and endurance test	24
J.11	Functional safety (EOF _x)	24
	Bibliography.....	25
	Table J.1 – Pulse voltages	23

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61347-2-13:2014](https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-4b4cedfbaa4c/iec-61347-2-13-2014)

<https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-4b4cedfbaa4c/iec-61347-2-13-2014>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LAMP CONTROLGEAR –

**Part 2-13: Particular requirements for d.c. or
a.c. supplied electronic controlgear for LED modules**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61347-2-13 has been prepared by subcommittee 34C: Auxiliaries for lamps, of IEC technical committee 34: Lamps and related equipment.

This second edition cancels and replaces the first edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) Replacement of the SELV-equivalent requirements by SELV requirements and reference to the SELV requirements of Annex L in IEC 61347-1:2007/AMD2:2012.
- b) Reference to IEC 61347-1 for the protection against accidental contact with live parts, moisture resistance and insulation and electric strength.
- c) New Annex J for emergency lighting requirements.

The text of this standard is based on the following documents:

FDIS	Report on voting
34C/1092/FDIS	34C/1106/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This standard shall be used in conjunction with IEC 61347-1. Where the requirements of any of the clauses of IEC 61347-1 are referred to in this standard by the phrase "The requirements of Clause n of IEC 61347-1:2007/AMD1:2010/AMD2:2012, apply", this phrase is interpreted as meaning that all requirements of the clause in question of Part 1 apply, except any which are clearly inapplicable to the specific type of lamp controlgear covered by this particular part of IEC 61347-2.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements: in roman type,
- *test specifications: in italic type,*
- notes: in small roman type.

A list of all parts in the IEC 61347, published under the general title *Lamp controlgear* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This second edition of IEC 61347-2-13 is published in conjunction with IEC 61347-1. The formatting into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognized.

This standard and the parts which make up IEC 61347-2, in referring to any of the clauses of IEC 61347-1 specify the extent to which such a clause is applicable and the order in which the tests are to be performed; they also include additional requirements as necessary. All parts which make up IEC 61347-2 are self-contained and therefore do not include references to each other.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 61347-2-13:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-4b4cedfbaa4c/iec-61347-2-13-2014>

LAMP CONTROLGEAR –

Part 2-13: Particular requirements for d.c. or a.c. supplied electronic controlgear for LED modules

1 Scope

This part of IEC 61347 specifies particular safety requirements for electronic controlgear for use on d.c. or a.c. supplies up to 1 000 V (a.c. at 50 Hz or 60 Hz) and at an output frequency which can deviate from the supply frequency, associated with LED modules.

Controlgear for LED modules specified in this standard are designed to provide constant voltage or current at SELV or higher voltages. Deviations from the pure voltage and current types do not exclude the gear from this standard.

The annexes of IEC 61347-1 which are applicable according to this Part 2-13 and using the word “lamp” are understood to also comprise LED modules.

Particular requirements for SELV controlgear are given in Annex I.

Performance requirements are covered by IEC 62384.

Plug-in controlgear, being part of the luminaire, are covered as for built-in controlgear by the additional requirements of the luminaire standard.

<https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-4b4cedfbaa4c/iec-61347-2-13-2014>

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61347-1:2007, *Lamp controlgear – Part 1: General and safety requirements*
Amendment 1:2010
Amendment 2:2012

IEC 61347-2-7:2011, *Lamp controlgear – Part 2-7: Particular requirements for battery supplied electronic controlgear for emergency lighting (self-contained)*

IEC 61547, *Equipment for general lighting purposes – EMC immunity requirements*

IEC 61558 (all parts), *Safety of power transformers, power supplies, reactors and similar products*

IEC 61558-2-6:2009, *Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers*

IEC 61558-2-16:2009, *Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units*

IEC 62384:2006, *DC or AC supplied electronic controlgear for LED modules – Performance requirements*

3 Terms and definitions

For the purpose of this document, the terms and definitions given in IEC 61347-1, as well as the following apply.

3.1

electronic controlgear for LED modules

unit inserted between the supply and one or more LED modules which serves to supply the LED module(s) with its (their) rated voltage or rated current

Note 1 to entry: The unit may consist of one or more separate components and may include means for dimming, correcting the power factor and suppressing radio interference, and further control functions.

Note 2 to entry: The controlgear consists of a power supply and a control unit.

Note 3 to entry: The controlgear may be partly or totally integrated in the LED module.

3.2

d.c. or a.c. supplied controlgear

controlgear that includes stabilising elements for operating one or more LED module(s)

3.3

SELV controlgear

controlgear providing an SELV output isolated from the supply mains by means such as a safety isolating transformer, as specified in IEC 61558-2-6 and IEC 61558-2-16

3.4

associated controlgear

controlgear designed to supply specific appliance(s) or equipment, incorporated or not incorporated

EXAMPLE: An electronic controlgear within an emergency unit where it is assigned in a one-to-one relation to a battery driven ballast.

3.5

plug-in controlgear

controlgear incorporated in an enclosure provided with an integral plug as the means of connection of the electrical supply

3.6

rated output voltage for constant voltage controlgear

output voltage, at rated supply voltage, rated frequency and at rated output power, assigned to the controlgear

3.7

rated output current for constant current controlgear

output current, at rated supply voltage, rated frequency and at rated output power, assigned to the controlgear

3.8

light emitting diode

LED

solid state device embodying a p-n junction, emitting optical radiation when excited by an electric current

Note 1 to entry: This definition is independent from the existence of enclosure(s) and of terminals.

[SOURCE: IEC 60050-845:1987, 845.04.40]

3.9

LED module

light source having no cap, incorporating one or more LED package(s) on a printed circuit board, and possibly including one or more of the following:

electrical, optical, mechanical, and thermal components, interfaces and controlgear

Note 1 to entry: A LED module may be integrated (LEDi module, Type 1) or semi-integrated (LEDsi module, Type 2) or nonintegrated (LEDni module, Type 3).

Note 2 to entry: The LED module is usually designed to be part of a LED lamp or LED luminaire.

3.10

maximum output voltage

maximum voltage which can occur between the output terminals for constant current controlgear in any load condition

3.11

emergency lighting

lighting provided for use when the supply to the normal lighting fails; it includes escape lighting and standby lighting

3.12

rated emergency supply voltage or voltage range

rated voltage or voltage range claimed by the manufacturer where the controlgear will operate according specification

3.13

emergency output factor

EOF_x

ratio of the electrical output parameter when the control gear under test is operated in emergency mode to the output electrical parameter when the control gear is operated with the normal lighting conditions

Note 1 to entry: The electrical output parameter can be current (EOF_I), voltage (EOF_V) or power (EOF_W) at the output(s) of the control gear (depending on the module it could be constant current, constant voltage or constant power).

Note 2 to entry: The emergency output factor is the minimum of the values measured at the appropriate time after failure of the normal supply and continuously.

3.14

emergency supply current

rated supply current of the control gear operating in the emergency mode

4 General requirements

The requirements of Clause 4 of IEC 61347-1:2007/AMD2:2012 apply, together with the following additional requirements.

- Controlgear providing SELV shall comply with the requirements of Annex I. This includes insulation resistance, electric strength, creepage distances and clearance between primary and secondary circuits.
- If a separating, isolating or autotransformer is used, it shall comply with the relevant parts of IEC 61558. If, however, insulated winding wires are used for controlgear with an input voltage of up to 300 V, the dielectric strength test voltage is limited to 3 kV for raw material.

5 General notes on tests

The requirements of Clause 5 of IEC 61347-1:2007/AMD2:2012 apply, with the following additional requirement.

The following number of specimens shall be submitted for testing:

- one unit for the tests of Clauses 6 to 12 and 15 to 20;
- one unit for the tests of Clause 14 (additional units or components, where necessary, may be required in consultation with the manufacturer).

6 Classification

Controlgear are classified according to the method of installation given in Clause 6 of IEC 61347-1:2007 and according to protection against electric shock as:

- auto-wound controlgear;
- separating controlgear;
- isolating controlgear;
- SELV controlgear.

7 Marking

iTeh STANDARD PREVIEW
(standards.iteh.ai)

7.1 Mandatory marking

Controlgear, other than integral controlgear, shall be clearly and durably marked, in accordance with the requirements of 7.2 of IEC 61347-1:2007, with the following mandatory markings:

- items a), b), c), d), e), f), k), l), m), t) and u) of 7.1 of IEC 61347-1:2007/AMD2:2012 together with:
- for constant voltage types: P_{rated} rated output power and U_{rated} rated output voltage;
- for constant current types: P_{rated} rated output power and I_{rated} rated output current;
- if applicable: an indication that the controlgear is suitable for operation with LED modules only.

7.2 Information to be provided if applicable

In addition to the above mandatory markings, the following information, if applicable, shall be given either on the controlgear, or be made available in the manufacturer's catalogue or similar:

- items h), i), j) and s) of 7.1 of IEC 61347-1:2007/AMD2:2012 together with
- a mention of whether the controlgear has mains-connected windings of transformer.

Windings do not apply to ferrite inductors and ferrite line filters.

8 Protection against accidental contact with live parts

The requirements of Clause 10 of IEC 61347-1:2007/AMD2:2012 apply.

9 Terminals

The requirements of Clause 8 of IEC 61347-1:2007 apply.

10 Provisions for protective earthing

The requirements of Clause 9 of IEC 61347-1:2007/AMD2:2012 apply.

11 Moisture resistance and insulation

The requirements of Clause 11 of IEC 61347-1:2007/AMD1:2010/AMD2:2012 apply.

12 Electric strength

The requirements of Clause 12 of IEC 61347-1:2007/AMD2:2012 apply.

13 Thermal endurance test for windings of ballasts

The requirements of Clause 13 of IEC 61347-1:2007/AMD2:2012 are not applicable.

14 Fault conditions

The requirements of Clause 14 of IEC 61347-1:2007/AMD1:2010/AMD2:2012 apply, together with the following additional requirements.

In the case of controlgear provided with the marking  (standards.iteh.ai), the requirements specified in Annex C shall be fulfilled.

iTeh STANDARD PREVIEW

(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-4b4cedfbaa4c/iec-61347-2-13-2014>

15 Transformer heating

<https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-4b4cedfbaa4c/iec-61347-2-13-2014>

15.1 General

If a controlgear contains an SELV, isolating and separating transformer, the controlgear shall be tested according to Clauses L.6 and L.7 of IEC 61347-1:2007/AMD2:2012, where the requirements for controlgear providing SELV are valid also for separating and isolating controlgear.

For SELV controlgear, the output voltage shall not exceed the limits given in 10.4 of IEC 61347-1:2007/AMD2:2012, during the tests of 15.1 and 15.2 of this standard.

15.2 Normal operation

The requirements of Clause L.6 of IEC 61347-1:2007/AMD2:2012 apply, together with the following additional requirement.

For built-in and integral controlgear, tests shall be made under conditions such that the convertor is brought to t_c , as reached under normal operation at rated supply voltage.

15.3 Abnormal operation

The requirements of Clause L.7 of IEC 61347-1:2007/AMD2:2012 apply.

In addition, the following test at any voltage between 90 % and 110 % of the rated supply voltage shall be performed if relevant, with the controlgear operating according to the manufacturer's instructions (including heatsinks, if specified) for 1 h.

Connect double the LED modules or equivalent load for which the controlgear is designed:

- in parallel to the output terminals, for constant voltage output types;
- in series to the output terminals, for the constant current output types.

During and at the end of the tests specified above, the controlgear shall show no defect impairing safety, nor shall any smoke or flammable gases be produced.

16 Construction

The requirements of Clause 15 of IEC 61347-1:2007/AMD2:2012 apply.

17 Creepage distances and clearances

Unless otherwise specified in Clause 14 of this standard, the requirements of Clause 16 of IEC 61347-1:2007 apply.

18 Screws, current-carrying parts and connections

The requirements of Clause 17 of IEC 61347-1:2007 apply.

19 Resistance to heat, fire and tracking

The requirements of Clause 18 of IEC 61347-1:2007 apply.

20 Resistance to corrosion

The requirements of Clause 19 of IEC 61347-1:2007 apply.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61347-2-13:2014](#)

<https://standards.iteh.ai/catalog/standards/iec/61347-2-13-2014>
[4b4cedfbaa4c/iec-61347-2-13-2014](https://standards.iteh.ai/catalog/standards/iec/61347-2-13-2014)

Annex A
(normative)

**Test to establish whether a conductive part
is a live part which may cause an electric shock**

The requirements of Annex A of IEC 61347-1:2007/AMD2:2012 apply.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61347-2-13:2014](https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-4b4cedfbaa4c/iec-61347-2-13-2014)

<https://standards.iteh.ai/catalog/standards/sist/fb31d805-335f-4693-bb60-4b4cedfbaa4c/iec-61347-2-13-2014>