

SLOVENSKI STANDARD **SIST EN ISP 10612-1:1997**

01-december-1997

Information technology - International Standardized Profile RD - Relaying the MAC service using transparent bridging - Part 1: Subnetwork-independent requirements (ISO/IEC ISP 10612-1:1995)

Information technology - International Standardized Profile RD - Relaying the MAC service using transparent bridging - Part 1: Subnetwork-independent requirements (ISO/IEC ISP 10612-1:1995)

Informationstechnik - Internationale Profilnorm RD - Transparente Relais-Funktion in der MAC-Teilschicht - Teil 1: Teilnetzunabhängige Anforderuungen (ISO/IEC ISP 10612-1:1995)

SIST EN ISP 10612-1:1997

https://standards.iteh.ai/catalog/standards/sist/379e8fc9-fc7e-447d-bc21-

Technologies de l'information - Profibnormalisé international RD - Transmission du service MAC utilisant un pontage transparent - Partie 1: Prescriptions indépendantes du sous-réseau (ISO/IEC ISP 10612-1:1995)

Ta slovenski standard je istoveten z: EN ISP 10612-1:1996

ICS:

X^ • | [b] ^ Á] [| aeà] ãz \ ^ 35.100.05 Multilayer applications

\^zãc^

SIST EN ISP 10612-1:1997 en **SIST EN ISP 10612-1:1997**

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISP 10612-1:1997</u> https://standards.iteh.ai/catalog/standards/sist/379e8fc9-fc7e-447d-bc21-19661c5339f2/sist-en-isp-10612-1-1997 **EUROPEAN STANDARD**

EN ISP 10612-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 1996

ICS 35.100.00

Descriptors:

See ISO document

English version

Information technology - International Standardized Profile RD - Relaying the MAC service using transparent bridging - Part 1: Subnetwork-independent requirements (ISO/IEC ISP 10612-1:1995)

Technologies de l'information - Profil Informationstechnik - Internationale Profilnorm normalisé international RD - Transmission du ARD PRE RD - Transparente Relais-Funktion in der service MAC utilisant un pontage transparent - MAC-Teilschicht - Teil 1: Teilnetzunabhängige Partie 1: Prescriptions indépendantes du sous-réseau (ISO/IEC ISP 10612-1:1995) and arcs.iteh.ai

https://standardspire.pi/utplog/ptprojects/370v8ENG7J-A47d-bc21-

MINISTRSTVO ZA ZNANOST IN TEHNOLOGIJO Urad RS za standardizacijo in meroslovje

LJUBLJANA EN 15P 10612-1

PREVZET PO METODI RAZGLASITVE

-12- 1997

This European Standard was approved by CEN on 1995-11-30. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue de Stassart,36 B-1050 Brussels

Page 2 EN ISP 10612-1:1996

Foreword

The text of the International Standard from the Technical Committee ISO/IEC/JTC 1 "Information Technology" of the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) has been taken over as a European Standard by the Technical Board of CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 1996, and conflicting national standards shall be withdrawn at the latest by November 1996.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO/IEC ISP 10612-1:1995 has been approved by CEN as a European Standard without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISP 10612-1:1997</u> https://standards.iteh.ai/catalog/standards/sist/379e8fc9-fc7e-447d-bc21-19661c5339f2/sist-en-isp-10612-1-1997



INTERNATIONAL STANDARDIZED PROFILE ISO/IEC ISP 10612-1

> First edition 1995-02-01

Information technology — International Standardized Profile RD — Relaying the MAC service using transparent bridging —

iTeh STANDARD PREVIEW

Subnetwork-independent requirements

SIST EN ISP 10612-1:1997

https://standards.ich.nicologies de l'information — Profil normalisé international RD — Transmission du service MAC utilisant un pontage transparent —

Partie 1: Prescriptions indépendantes du sous-réseau



ISO/IEC ISP 10612-1:1995(E)

Conten	rage
Forewor	d iii
Introduction	
1	Scope 1
2	Normative references
3	Definitions 1
4	Abbreviations
5	Requirements 2 5.1 Static conformance requirements 2 5.2 Dynamic conformance requirements 2
	A.1 Introduction
Annex B	(standards.iteh.ai) : Additional tutorial material (informative)
	19661c5339t2/sist-en-isp-10612-1-1997

© ISO/IEC 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève • Switzerland

Printed in Switzerland

© ISO/IEC

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. In addition to developing International Standards, ISO/IEC JTC 1 has created a Special Group on Functional Standardization for the processing of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or a set of functions.

or a set of functions. D PREVIEW

Draft International Standardized Profiles are circulated to national bodies

for voting. Publication as an International Standardized Profile requires approval by at least (75 %) of the national bodies casting a vote.

https://standards.iteh.ai/catalog/standards/sist/379e8fc9-fc7e-447d-bc21-

International Standardized Profile ISO/IEC ISP 10612-1 was prepared with the collaboration of

- Asia-Oceania Workshop (AOW);
- European Workshop for Open Systems (EWOS);
- Open Systems Environment Implementors' Workshop (OIW).

ISO/IEC ISP 10612 consists of several parts, under the general title Information technology - International Standardized Profile RD - Relaying the MAC service using transparent bridging:

- Part 1: Subnetwork-independent requirements
- Part 2: CSMA/CD LAN subnetwork-dependent, media-dependent requirements
- Part 3: Token Ring LAN subnetwork-dependent, media-dependent requirements
- Part 4: Profile RD51.51 (CSMA/CD LAN CSMA/CD LAN)

ISO/IEC ISP 10612-1:1995(E)

© ISO/IEC

- Part 5: Profile RD51.54 (CSMA/CD LAN FDDI LAN)
- Part 6: Profile RD54.54 (FDDI LAN FDDI LAN)
- Part 7: Profile RD51.53 (CSMA/CD LAN Token Ring LAN)
- Part 8: Profile RD53.53 (Token Ring LAN Token Ring LAN)
- Part 9: Profile RD53.54 (Token Ring LAN FDDI LAN)

Annex A forms an integral part of this part of ISO/IEC ISP 10612. Annex B is for information only.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISP 10612-1:1997</u> https://standards.iteh.ai/catalog/standards/sist/379e8fc9-fc7e-447d-bc21-19661c5339f2/sist-en-isp-10612-1-1997

ISO/IEC ISP 10612-1:1995(E)

© ISO/IEC

Introduction

ISO/IEC ISP 10612 is defined in accordance with the principles specified by ISO/IEC TR 10000. The context of Functional Standardization is one area in the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

ISPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. One of the most important roles for an ISP is to serve as the basis for the development (by organizations other than ISO and IEC) of internationally recognized test methods. The development and widespread acceptance of tests based on this and other ISPs is crucial to the successful realization of this goal.

iTeh

ISO/IEC ISP 10612 consists of several parts, of which this is part 1. ISO/IEC ISP 10612-1 specifies the profile requirements which are independent of the subnetwork and media. There are further parts which specify subnetwork-dependent and media-dependent requirements. In addition, for each individual profile, there is a part of ISO/IEC ISP 10612 which identifies the specific requirements of that profile, making reference to appropriate material from part 1 and from the subnetwork-dependent

https://standard

parts: 19661c5339f2/sist-en-isp-10612-1-1997