

---

**Information technology - International Standardized Profile RA - Relaying the Connectionless-mode Network Service - Part 9: Definition of profile RA51.1121, relaying the Connectionless-mode Network Service between CSMA/CD LAN subnetworks and PSDNs using virtual calls over a digital data circuit/CSDN leased line permanent access (ISO/IEC ISP 10613-9:1994)**

Information technology - International Standardized Profile RA - Relaying the Connectionless-mode Network Service - Part 9: Definition of profile RA51.1121, relaying the Connectionless-mode Network Service between CSMA/CD LAN subnetworks and PSDNs using virtual calls over a digital data circuit/CSDN leased line permanent access (ISO/IEC ISP 10613-9:1994)

<https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-28f9260dbb64/sist-en-isp-10613-9-1997>

Technologie de l'information - Profil normalisé international RA - Relais de service de réseau en mode sans connexion - Partie 9: Définition du profil RA51.1121, relais de service de réseau en mode sans connexion entre sous-réseaux CSMA/CD LAN et PSDNs utilisant des appels virtuels sur un circuit de données numériques sur un accès permanent en ligne alloué CSDN (ISO/IEC ISP 10613-9:1994)

**Ta slovenski standard je istoveten z: EN ISP 10613-9:1996**

**ICS:**

35.100.05 X^ • [[ b ^ Á ] [ | æ ) ž \ ^ Multilayer applications  
|^ z ā ç ^

**SIST EN ISP 10613-9:1997 en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISP 10613-9:1997](#)

<https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-28f9260dbb64/sist-en-isp-10613-9-1997>

EUROPEAN STANDARD

EN ISP 10613-9

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 1996

ICS 35.100

Supersedes ENV 41801-9:1992

Descriptors: See ISO document

English version

Information technology - International  
Standardized Profile RA - Relaying the  
Connectionless-mode Network Service - Part 9:  
Definition of profile RA51.1121, relaying the  
Connectionless-mode Network Service between  
CSMA/CD LAN subnetworks and PSDNs using  
virtual calls over a digital data circuit/CSDN  
leased line permanent access (ISO/IEC ISP  
10313-9:1994)

Technologie de l'information - Profil normalisé  
international RA - Relais de service de réseau  
en mode sans connexion - Partie 9: Définition  
du profil RA51.1121, relais de service de  
réseau en mode sans connexion entre  
sous-réseaux CSMA/CD LAN et PSDNs utilisant des  
appels virtuels sur un circuit de données  
numériques sur un accès permanent en ligne  
alloué CSDN (ISO/IEC ISP 10613-9:1994)

STANDARD PREVIEW  
(standards.iteh.ai)



REPUBLIKA SLOVENIJA  
MINISTRSTVO ZA ZNANOST IN TEHNOLOGIJO  
Urad RS za standardizacijo in meroslovje  
LJUBLJANA

SIST..... EN ISP 10613-9

PREVZET PO METODI RAZGLASITVE

-12- 1997

This European Standard was approved by CEN on 1995-10-04. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

**CEN**

European Committee for Standardization  
Comité Européen de Normalisation  
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

© 1996

All rights of reproduction and communication in any form and by any means reserved in all countries to CEN and its members.

Ref. No. EN ISP 10613-9:1996 E

Page 2  
EN ISP 10613-9: 1996

### Foreword

The text of the International Standard from ISO/IEC/JTC 1 "Information Technology" of the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) has been taken over as a European Standard by CEN Technical Board.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 1996, and conflicting national standards shall be withdrawn at the latest by July 1996.

According to the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

### Endorsement notice

The text of the International Standard ISO/IEC ISP 10613-9:1994 has been approved by CEN as a European Standard without any modification.

NOTE: EN ISP 10613 - Part 9 replaces ENV 41801-9:1992.

For the time being, this document exists in the English version only.

[SIST EN ISP 10613-9:1997](https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-28f9260dbb64/sist-en-isp-10613-9-1997)

<https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-28f9260dbb64/sist-en-isp-10613-9-1997>

INTERNATIONAL  
STANDARDIZED  
PROFILE

**ISO/IEC**  
**ISP**  
**10613-9**

First edition  
1994-05-15

---



---

**Information technology — International  
Standardized Profile RA — Relaying the  
Connectionless-mode Network Service —**

**Part 9:**

**Definition of profile RA51.1121, relaying the  
Connectionless-mode Network Service  
between CSMA/CD LAN subnetworks and  
PSDNs using virtual calls over a digital data  
circuit/CSDN leased line permanent access**

*Technologies de l'information — Profil normalisé international RA —  
Relais de service de réseau en mode sans connexion —*

*Partie 9: Définition du profil RA51.1121, relais de service de réseau en  
mode sans connexion entre sous-réseaux CSMA/CD LAN et PSDNs  
utilisant des appels virtuels sur un circuit de données numériques sur un  
accès permanent en ligne alloué CSDN*



Reference number  
ISO/IEC ISP 10613-9:1994(E)

## ISO/IEC ISP 10613-9:1994(E)

Contents	Page
Foreword .....	iii
Introduction .....	v
1 Scope .....	1
1.2 Position within the Taxonomy .....	1
1.3 Scenario .....	1
2 Normative references .....	2
3 Definitions .....	3
4 Abbreviations .....	3
5 Requirements .....	3
5.1 Static Conformance Requirements .....	3
5.2 Dynamic Conformance Requirements .....	4
Annex A ISPICS Requirements List (normative) .....	5
A.1 General Options of the Profile .....	5
A.2 Base Standards Selected and Combined in the Profile .....	5
A.3 Constraints on Base Standards .....	5

[SIST EN ISP 10613-9:1997](https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-28f9260dbb64/sist-en-isp-10613-9-1997)  
<https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-28f9260dbb64/sist-en-isp-10613-9-1997>

© ISO/IEC 1994

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève • Switzerland

Printed in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC1. In addition to developing International Standards, ISO/IEC JTC1 has created a Special Group on Functional Standardization for the elaboration of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or a set of functions.

Draft International Standardized Profiles are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75 % of the national bodies casting a vote.

International Standardized Profile ISO/IEC ISP 10613-9 was prepared with the collaboration of

- Asia-Oceania Workshop (AOW);
- European Workshop for Open Systems (EWOS);
- Open Systems Environment Implementors' Workshop (OIW);

<https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-10613-9>

ISO/IEC ISP 10613 consists of several parts, under the general title *Information technology - International Standardized Profile RA - Relaying the Connectionless-mode Network Service*:

- *Part 1: Subnetwork-independent requirements*
- *Part 2: LAN subnetwork-dependent, media-independent requirements*
- *Part 3: CSMA/CD LAN subnetwork-dependent, media-dependent requirements*
- *Part 4: FDDI LAN subnetwork-dependent, media-dependent requirements*
- *Part 5: Definition of profile RA51.51, relaying the Connectionless-mode Network Service between CSMA/CD LAN subnetworks*
- *Part 6: Definition of profile RA51.54, relaying the Connectionless-mode Network Service between CSMA/CD LAN subnetworks and FDDI LAN subnetworks*
- *Part 7: PSDN subnetwork-dependent, media-dependent requirements for virtual calls over a permanent access*
- *Part 8: Definition of profile RA51.1111, relaying the Connectionless-mode Network Service between CSMA/CD LAN subnetworks and PSDNs using virtual calls over a PSTN leased line permanent access*

- *Part 9: Definition of profile RA51.1121, relaying the Connectionless-mode Network Service between CSMA/CD LAN subnetworks and PSDNs using virtual calls over a digital data circuit/CSDN leased line permanent access*
- *Part 10: Token Ring LAN subnetwork-dependent, media-dependent requirements*
- *Part 11: Definition of profile RA51.53, relaying the Connectionless-mode Network Service between CSMA/CD LAN subnetworks and Token Ring LAN subnetworks*
- *Part 12: Definition of profile RA53.53, relaying the Connectionless-mode Network Service between Token Ring LAN subnetworks*
- *Part 13: Definition of profile RA53.54, relaying the Connectionless-mode Network Service between Token Ring LAN subnetworks and FDDI LAN subnetworks*
- *Part 14: Definition of profile RA54.54, relaying the Connectionless-mode Network Service between FDDI LAN subnetworks*
- *Part 15: Definition of profile RA53.1111, relaying the Connectionless-mode Network Service between Token Ring LAN subnetworks and PSDNs using virtual calls over a PSTN leased line permanent access*
- *Part 16: Definition of profile RA53.1121, relaying the Connectionless-mode Network Service between Token Ring LAN subnetworks and PSDNs using virtual calls over a digital data circuit/CSDN leased line permanent access*
- *Part 17: Definition of profile RA54.1111, relaying the Connectionless-mode Network Service between FDDI LAN subnetworks and PSDNs using virtual calls over a PSTN leased line permanent access*
- *Part 18: Definition of profile RA54.1121, relaying the Connectionless-mode Network Service between FDDI LAN subnetworks and PSDNs using virtual calls over a digital data circuit/CSDN leased line permanent access*

Annex A forms an integral part of this part of ISO/IEC ISP 10613.



## Introduction

This International Standardized Profile (ISP) is defined in accordance with the principles specified by ISO/IEC Technical Report 10000.

The context of Functional Standardization is one area in the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

ISPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. One of the most important roles for an ISP is to serve as the basis for the development (by organizations other than ISO and IEC) of internationally recognized tests. The development and widespread acceptance of tests based on this and other ISPs is crucial to the successful realization of this goal.

ISO/IEC ISP 10613 consists of several parts of which this is part 9. ISO/IEC ISP 10613-1 specifies the profile requirements that are subnetwork-independent. There are further parts which specify subnetwork-dependent and media-dependent requirements. In addition, for each individual profile there is a part of ISO/IEC ISP 10613 which identifies the specific requirements of that profile, making reference to appropriate material from part 1 and from the subnetwork dependent parts of ISO/IEC ISP 10613.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISP 10613-9:1997](https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-28f9260dbb64/sist-en-isp-10613-9-1997)

<https://standards.iteh.ai/catalog/standards/sist/737ba75c-3004-4aa6-ba99-28f9260dbb64/sist-en-isp-10613-9-1997>