

SLOVENSKI STANDARD SIST EN ISP 11185-2:1997

01-december-1997

Information technology - International Standardized Profiles FVT2nn - Virtual Terminal Basic Class - Register of control object type definitions - Part 2: FVT213, FVT214 - Sequenced and Unsequenced Terminal Control Objects (ISO/IEC ISP 11185-2:1994)

Information technology - International Standardized Profiles FVT2nn - Virtual Terminal Basic Class - Register of control object type definitions - Part 2: FVT213, FVT214 -Sequenced and Unsequenced Terminal Control Objects (ISO/IEC ISP 11185-2:1994)

Informationstechnik - Internationale Profilmorn FVT2nn 3Virtuelles Terminal Grundstufe -Verzeichnis der Definitionen von Kontrollobjekttypen - Teil 2: FVT213, FVT214 -Sequentielle und nichtsequentielle Terminalkontrollobjekte (ISO/IEC ISP 11185-2:1994) https://standards.iteh.ai/catalog/standards/sist/1a9f6565-5d1a-4433-a5e0-

de7645f6ea28/sist-en-isp-11185-2-1997

Technologies de l'information - Profils normalisés internationaux FVT2nn - Classe de base de terminal virtuel - Registre de définitions de type d'objet de commande - Partie 2: FVT213, FVT214 - Objets de commande de terminal ordonnés et non ordonnés (ISO/IEC ISP 11185-2:1994)

Ta slovenski standard je istoveten z: EN ISP 11185-2:1995

<u>ICS:</u>

35.100.05

X^ ●|[b)^Á][¦æaà}ãz∖^ ¦^zãqç^

Multilayer applications

SIST EN ISP 11185-2:1997

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISP 11185-2:1997</u> https://standards.iteh.ai/catalog/standards/sist/1a9f6565-5d1a-4433-a5e0de7645f6ea28/sist-en-isp-11185-2-1997

SIST EN ISP 11185-2:1997

EUROPEAN STANDARD

EN ISP 11185-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 1995

ICS 35.100

Descriptors:

data processing, information interchange, network interconnection, Open Systems Interconnection, communication procedure, control procedures, profiles

English version

Information technology - International Standardized Profiles FVT2nn - Virtual Terminal Basic Class - Register of control object type definitions - Part 2: FVT213, FVT214 -Sequenced and Unsequenced Terminal Control Objects (ISO/IEC ISP 11185-2:1994)



This European Standard was approved by CEN on 1995-09-07. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

• 1995

All rights of reproduction and communication in any form and by any means reserved in all countries to CEN and its members.

SIST EN ISP 11185-2:1997

Page 2 EN ISP 11185-2:1995

Foreword

ξ

The text of the International standard from ISO/IEC JTC 1 "Information technology" of the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) has been taken over as a European Standard by CEN.

EN ISP 11185 parts 1-11 replaces ENV 41209:1990.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by March 1996, and conflicting national standards shall be withdrawn at the latest by March 1996.

According to CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO IEC/ISP 11185-2:1994 has been approved by CEN as a European Standard without any modification ds.iteh.ai)

<u>SIST EN ISP 11185-2:1997</u> https://standards.iteh.ai/catalog/standards/sist/1a9f6565-5d1a-4433-a5e0de7645f6ea28/sist-en-isp-11185-2-1997

INTERNATIONAL STANDARDIZED PROFILE

ISO/IEC ISP 11185-2

First edition 1994-10-01

Information technology — International Standardized Profiles FVT2nn — Virtual Terminal Basic Class — Register of control iTeh S object type definitions/-

(partdards.iteh.ai)

FVT213, FVT214 — Sequenced and <u>SISTEN ISP 11185-2:1997</u> https://standards.iteUinsequenced.askerminal3Control Objects de7645f6ea28/sist-en-isp-11185-2-1997

> Technologies de l'information — Profils normalisés internationaux FVT2nn — Classe de base de terminal virtuel — Registre de définitions de type d'objet de commande —

Partie 2: FVT213, FVT214 — Objets de commande de terminal ordonnés et non ordonnés



ISO/IEC ISP 11185-2: 1994(E)

Contents

Page

Fo	reword	iii
Introduction iv		
1	Scope 1.1 General 1.2 Position within the taxonomy 1.3 Scenario	1 1 1 2
2	Normative references	3
3	Definitions 3.1 General OSI terminology 3.2 Terminology of VT base standards STANDARD PR	3 3 E ⁴ VIEW
4	Abbreviations	1
5	Principles of conformance to VT Profiles	4
6	Sequenced Terminal Control Object SIST EN ISP 11185-2:1997 6.1 Entry number https://standards.iteh.ai/catalog/standards/sist/1a96563 6.2 Name of sponsoring authority .de764516ea28/sist-en-isp-11185-2-1 6.3 Date	4 5-ádla-4433-a5e0- 9947 4 4 5 5 5 5 5 5 6
7	Unsequenced Terminal Control Object 7.1 Entry number 7.2 Name of sponsoring authority 7.3 Date 7.4 Identifier 7.5 Descriptor value 7.6 CO parameters 7.7 CO values, syntax and semantics 7.8 Additional information 7.9 Usage NNEX A ISPICS Requirements List A.1 Protocol requirements A.2 Profile-specific requirements	6 6 7 7 7 7 7 7 7 7 7 7 8 8 8 8

© ISO/IEC 1994

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC1. In addition to developing International Standards, ISO/IEC JTC1 has created a Special Group on Functional Standardization for the elaboration of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or set of functions.

Draft International Standardized Profiles are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75% of the national bodies casting a vote.

International Standardized Profile ISO/IEC ISP 11185-2 was prepared with the collaboration of

OSI Asia-Oceania Workshop (AOW);

European Workshop for Open Systems, (EWOS);

iTeh STA Open Systems Environment Implementors Workshop (OIW).

This International Standardized Profile ISO/IEC ISP 11185 forms an International Register of information objects in accordance with the procedures for the operation of OSI Registration Authorities laid down in ISO/IEC 9834. It is issued in parts, with additional parts being ssued as further entries are added to the register. Each part is https://standards.iprepared in accordance with an approval and maintenance process laid down by the Special Group on Functional Standardization of ISO/IEC JTC1, Information technology.

ISO/IEC ISP 11185 is issued under the general title Information technology International Standardized Profiles FVT2nn — Virtual Terminal Basic Class — Register of control object type definitions. At present the following parts are published or are in the course of preparation:

- Part 1: FVT211, FVT212 Sequenced and Unsequenced Application Control Objects
- Part 2: FVT213, FVT214 Sequenced and Unsequenced Terminal Control Objects
- Part 3: FVT215, FVT216 Application RIO Record Loading Control Object, Terminal RIO Record Notification Control Object
- Part 4: FVT217 Horizontal Tabulation Control Object
- Part 5: FVT218 Logical Image Control Object
- Part 6: FVT219 Status Message Control Object
- Part 7: FVT2110 Entry-Control Control Object
- Part 8: FVT221 Forms FEICO (Field Entry Instruction Control Object) No.1
- Part 9: FVT222 Paged FEICO (Field Entry Instruction Control Object) No.1
- Part 10: FVT231 Forms FEPCO (Field Entry Pilot Control Object) No.1
- Part 11: FVT232 Paged FEPCO (Field Entry Pilot Control Object) No.1
- Part 12: FVT2116, FVT2117, FVT2118, FVT2119 --- Generalized Telnet Synch, Signal, Negotiation and Subnegotiation Control Objects
- Part 13: FVT2111 Waiting Time Control Object
- Part 14: FVT2112 Printer Control Object
- Part 15: FVT2113 Field Definition Management Control Object
- Part 16: FVT2114 Terminal Signal Titles Control Object
- Part 17: FVT2115 Help Text Control Object

Annex A of this part of ISO/IEC ISP 11185 forms an integral part of this International Standardized Profile.

Introduction

This International Standardized Profile ISO/IEC ISP 11185 is defined within the context of Functional Standardization, in accordance with the principles specified in ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles and registration mechanisms.

The Open Systems Interconnection (OSI) Standard ISO 9040 for the Virtual Terminal Basic Class Service identifies a requirement for an International Register of VT Control Object type definitions. Procedures for the operation of this International Register are laid down in ISO/IEC 9834-5. This International Standardized Profile provides this register. The individual entries in this register constitute Interchange Format and Representation Profiles (F-Profiles) within the framework of ISO/IEC TR 10000.

This part of ISO/IEC ISP 11185 was developed in close cooperation between the three VIEW Regional OSI Workshops, namely the OSE Implementors Workshop (OIW) of the United States, the European Workshop for Open Systems (EWOS) and the OSI Asia-Oceania Workshop (AOW). It was developed under the editorship of EWOS from a control object specification contained in the OIW Stable Implementation Agreements, Version 3 (December 1989). The text is harmonized between these three Workshops and it has been ratified by the plenary assemblies of each Workshop.

de7645f6ea28/sist-en-isp-11185-2-1997

INTERNATIONAL STANDARDIZED PROFILE © ISO/IEC

Information technology — International Standardized Profiles FVT2nn — Virtual Terminal Basic Class — Register of control object type definitions —

Part 2:

FVT213, FVT214 — Sequenced and Unsequenced Terminal **Control Objects**

1 Scope

1.1 General

The concept of Profiles for OSI, and the structure of the International Standardized Profiles that document them, are defined in ISO/IEC TR 10000-1. Such Profiles are divided into site and sub-classes. Two of these are listed into site and sub-classes. Two of these are listed into site and sub-classes. Two of these are listed into site and sub-classes. Two of these are listed into site and sub-classes. Two of these are listed into site are listed into site and sub-classes. Two of these are listed into site are listed into site are listed into site are listed into site and site are listed into site are l classes contain sub-classes comprising functions of the

Virtual Terminal Basic Class Service and Protocol specified 1185-2:1997 ISO/IEC ISP 11185 is the Register of control object in the base standards ISO 9040 and ISO 9041 These are the ds/sist/1a9 type definitions: -a5c0-Application Profiles (A-Profiles) and the Interchange Format

and Representation Profiles (F-Profiles).

The relationship between A-Profiles and F-Profiles is described in 7.3.2 of ISO/IEC TR 10000-1 and is as follows. Application Layer base standards require, implicitly or explicitly, the structure of information carried or referenced by them to be specified for each instance of communication. It is the purpose of F-Profiles to specify such information structures. Particular functional requirements may then be met by the combination of an A-Profile with one or more F-Profiles.

Establishment of a VT-association involves the selection by negotiation of a particular Virtual Terminal Environment profile (VTE-profile), and of particular values for any arguments of that VTE-profile. The VTE-profile specification, and possibly also the values of certain VTE-profile arguments, may in turn reference the definitions of VT control object types and assignment types. These VTE-profiles, control object types and assignment types are thus information structures that require explicit reference within the VT protocol. Particular instances of these structures are fully defined within the base standards, but the base standards also provide for further instances to be defined by registration. Each registered instance constitutes an F-Profile within the framework of ISO/IEC TR 10000.

The Virtual Terminal Basic Class Service and Protocol may be used to realise a wide range of distinct functions. Particular functions may be realised through the selection of appropriate VT functional units, F-Profiles and other VTEprofile argument values. The specification of the selection required to realise a particular function and to promote interoperability constitutes a Virtual Terminal A-Profile within the framework of ISO/IEC TR 10000.

The three International Registers of VT information structures and the specifications of VT Application Profiles are each published as a separate multi-part ISP as follows:

 \pm isp-11185-2-1897/IEC ISP 11186 is the Register of assignment-type definitions;

> ISO/IEC ISP 11187 contains the specifications of VT Application Profiles.

This part of ISO/IEC ISP 11185 contains the definitions of two control object types that may be used to convey uninterpreted signals from a terminal to an application. One is used to convey these signals in sequence with other data. The other is used to convey these signals urgently when there is no requirement to maintain a sequence order with other data.

1.2 Position within the taxonomy

The taxonomy of International Standardized Profiles for OSI is laid down in ISO/IEC TR 10000-2. Within the classification scheme of this taxonomy, the OSI Profiles specified in this International Standardized Profile are in the Virtual Terminal Registered Object sub-class of the class of Interchange Format and Representation Profiles.

A Profile within this subclass has a Profile identifier of the form FVTabc, where abc is a structured numerical identifier that identifies the position of the Profile within each of the three levels of subdivision of the subclass. The values of a and b are single digits but c is an integer that is not necessarily a single digit.

In principle the ISO Virtual Terminal model allows for multiple classes of operation, although at the time of publication of this International Standardized Profile only the Basic Class