

SLOVENSKI STANDARD SIST EN ISP 10607-3:1997

01-december-1997

Information technology - International Standardized Profiles AFTnn - File Transfer, Access and Management - Part 3: AFT11 - Simple File Transfer Service (unstructured) (regional variant of ISO/IEC ISP 10607-3:1995)

Information technology - International Standardized Profiles AFTnn - File Transfer, Access and Management - Part 3: AFT11 - Simple File Transfer Service (unstructured) (regional variant of ISO/IEC ISP 10607-3:1995)

iTeh STANDARD PREVIEW

Informationstechnik - Internationale Profilnormen AFTnn - Dateiübermittlung, Zugriff und Verwaltung - Teil 3: AFT11 - Einfache datenübermittlungsdienste (unstrukturiert) (Regionale Version von ISO/IEC ISP 10607-3:1995)

SIST EN ISP 10607-3:1997

https://standards.iteh.ai/catalog/standards/sist/05b9f788-c849-4bd5-8dd8-

Technologies de l'information - Brofils normalisés internationaux AFTnn - Transfert, acces et gestion de fichier - Partie 3: AFT11 - Service de transfert simple de fichier (non structuré) (variante régionale de l'ISO/IEC ISP 10607-3:1995)

Ta slovenski standard je istoveten z: EN ISP 10607-3:1996

<u>ICS:</u>

35.100.05

X^ ● [[b] ^ Á] [¦æà} ãz\^ ¦^zãç^ Multilayer applications

SIST EN ISP 10607-3:1997

en

SIST EN ISP 10607-3:1997

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISP 10607-3:1997 https://standards.iteh.ai/catalog/standards/sist/05b9f788-c849-4bd5-8dd8b526426f7f14/sist-en-isp-10607-3-1997 SIST EN ISP 10607-3:1997

EUROPEAN STANDARD

EN ISP 10607-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 1996

ICS 35.100

Supersedes EN ISP 10607-3:1993

Descriptors: See ISO document

English version

Information technology - International Standardized Profiles AFTnn - File Transfer, Access and Management - Part 3: AFT11 - Simple File Transfer Service (unstructured) (regional variant of ISO/IEC ISP 10607-3:1995)

Technologies de l'information Profils normalisés internationaux AFInn STransfert, accès et gestion de fichier - Partie 3: AFT11 Informationstechnik Internationale Profilnormen AFTnn - Dateiübermittlung, Zugriff und Verwaltung - Teil 3: AFT11 -Einfache - Service de transfert simple de fichier (non ard structuré) (variante régionale de l 180/180 ISP ard (unstrukturiert) datenübermittlungsdienste **a**1 (Regionale Version ISO/JEC I SP von 10607-3:1995) 10607-3:1995) 4bd5-8dd8https://standards REPUBLIKA SLOVENIJA MINISTRSTVO ZA ZNANOST IN TEHNOLOGIJO

Urad RS za standardizacijo in meroslovje

LJUBLJANA

ŁΝ

81ST....

ISP 10607-3 PREVZET PO METODI RAZGLASITVE -12- 1997

This European Standard was approved by CEN on 1996-08-09. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CFN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

© 1996 Copyright reserved to CEN members

Ref. No. EN ISP 10607-3:1996 E

SIST EN ISP 10607-3:1997

Page 3 EN ISP 10607-3:1996

Foreword

The text of the International Standard from Technical Committee ISO/IEC/JTC 1 "Information Technologies" of the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) has been taken over as an European Standard by the Technical Board of CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 1997, and conflicting national standards shall be withdrawn at the latest by month of February 1997.

This European Standard supersedes EN ISP 10607-3:1993.

For the time being this standard exists in the English version only.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

ENDORSEMENT NOTICE

The text of the International Standard ISO/IEC ISP 10607-3:1995, was approved by CEN as a European Standard with agreed regional variations as given below. Section and line numbers correspond to the equivalent numbers in the international standard.

Diagnostic field detail - Section A.12.6 ST EN ISP 10607-3:1997

Replace A.12.6/7 with://standards.iteh.ai/catalog/standards/sist/05b9f788-c849-4bd5-8dd8-

'For values of the "further details" term support of character strings from the ISO 646 IRV (GO, IR 6 including SPACE) and ISO 8859-1 (GO and G1, IR 6 and IR 100 including SPACE) coded character sets is required.'

G Sets supported - Section A.13.1.3

Replace A.13.1.3/1 with:

'For values of GraphicString support of character strings from the ISO 646 IRV (GO, IR 6 including SPACE) and ISO 8859-1 (GO and G1, IR 6 and IR 100 including SPACE) coded character sets is required.'

G and C sets supported - Section A.13.1.4

Replace A.13.1.4/1 with:

'For values of GeneralString support of character strings from the ISO 646 IRV (GO, IR 6 including SPACE) and ISO 8859-1 (GO and G1, IR 6 and IR 100 including SPACE) coded character sets and ISO 646 (CO) control character set is required.'



INTERNATIONAL STANDARDIZED PROFILE



Second edition 1995-12-15

Information technology — International Standardized Profiles AFTnn — File Transfer, Access and Management —

iTeh STASDARD PREVIEW

AFT11dar Simple File Transfer Service (unstructured)

SIST EN ISP 10607-3:1997 https://standards.iteh.ai/catalog/standards/sist/05b9f788-c849-4bd5-8dd8-

b526426f7f14/sist-en-isp-10607-3-1997

Technologies de l'information — Profils normalisés internationaux AFTnn — Transfert, accès et gestion de fichier —

Partie 3: AFT11 — Service de transfert simple de fichier (non structuré)



Page

ISO/IEC ISP 10607-3 : 1995 (E)

Contents

	Forewordiii
	Introductioniv
1	Scope
2	Normative references STANDARD PREVIEW 2
3	Definitions (standards.iteh.ai) 2
4	Abbreviations
5	Conformance
6	Virtual filestore
7	File protocol

Annexes

Α	Profile Requirements List for ISO/IEC ISP 10607-3 (AFT11)6
в	Profile object identifier27
С	Corrigenda 28
D	Main differences between the 1st edition (1990) and the 2nd edition (1995) of this part of ISO/IEC ISP 1060729

© ISO/IEC 1995 All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher. ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental or non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC1. In addition to developing International Standards, ISO/IEC JTC1 has created a Special Group on Functional Standardization for the elaboration of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or set of functions.

Draft International Standardized Profiles are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75 % of the national bodies casting a vote **condensistent**. (1997)

International Standardized Profile ISO/IEC ISP 10607-3 was prepared with the collaboration of

- Asia-Oceania Workshop (AOW); 3:1997

https://standards.iteh.ai/catalog/standards/sist/05b9f788-c849-4bd5-8dd8-- European Workshop for Open Systems (EWOS);

- Open Systems Environment Implementors' Workshop (OIW).

ISO/IEC ISP 10607 consists of the following parts, under the general title *Information* technology - International Standardized Profiles AFTnn - File Transfer, Access and Management:p

- Part 1: Specification of ACSE, Presentation and Session protocols for the use by FTAM
- Part 2 : Definition of document types, constraint sets and syntaxes
- Part 3 : AFT11 Simple File Transfer Service (unstructured)
- Part 4 : AFT12 Positional File Transfer Service (flat)
- Part 5 : AFT22 Positional File Access Service (flat)
- Part 6 : AFT3 File Management Service

This second edition cancels and replaces the first edition (ISO/IEC ISP 10607-3 : 1990), which has been technically revised.

Annexes A and B form an integral part of this part of ISO/IEC ISP 10607. Annexes C and D are for information only.

Introduction

This part of ISO/IEC ISP 10607 is defined within the context of Functional Standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

One of the most important roles for an ISP is to serve as the basis for the development (by organizations other than ISO and IEC) of internationally recognized tests and test centres. ISPs are produced not simply to legitimize a particular choice of base standards and options, but to promote real system interoperability. The development and widespread acceptance of tests based on this and other ISPs is crucial to the successful realization of this goal.

The text for this part of ISO/IEC ISP 10607 was developed in close co-operation among the FTAM Expert Groups of the three International OSI/OSE Workshops; OSE Implementors' Workshop (OIW), the European Workshop for Open Systems (EWOS) and the Asia-Oceania Workshop (AOW). This part of ISO/IEC ISP 10607 is harmonized among these three Workshops and it was finally ratified by the Workshops' plenary assemblies.

INTERNATIONAL STANDARDIZED PROFILE © ISO/IEC

Information technology — International Standardized Profiles AFTnn — File Transfer, Access and Management —

Part 3:

AFT11 — Simple File Transfer Service (unstructured)

1 Scope

1.1 General

This part of ISO/IEC ISP 10607 (AFT11) covers transfer of files between the filestores of two end systems, using the OSI connection-mode transport service to provide the interconnection. One end system acts in the initiator role and requests access to the file, the other end system acts in the responder role and provides access to the file in the virtual filestore.

These role combinations and the interoperability are shown in table 1.

Table 1 - Interoperable configurations

by the file service provider to file service users, together with the necessary communications between the initiator and the responder.

1.2 Position within the taxonomy

This part of ISO/IEC ISP 10607 is identified in ISO/IEC TR 10000-2 as "AFT11, Simple File Transfer Service (unstructured)"

It may be combined with any T-Profiles (see ISO/IEC TR 10000) specifying the OSI connection-mode transport service.

Table 1 - Interoperable computations								
		Initiator		Responder (2		rds association and transferring files into and out of the		
		Sender	Receiver	Sender	Receiver	responder's virtual filestore as shown in figure 1.		
Initiator	Sender	htt	ns://stand	ards iteb <i>s</i>	<u>SIST EN</u> i/catalog/st	ISP 10607-3:1997 andards/sist/05b9f788-c849-4bd5-8dd8-		
	Receiver			x b526	426f7f14/s	ist-en-isp-10607-3-1997		
Responder	Sender		×			Real End End Real		
	Receiver	x				Filestore System 1 System 2 Filestore 1 - Initiator - - Responder - 2		

Transfer of files is supported for files with an unstructured constraint set and containing binary or character data.

This part of ISO/IEC ISP 10607 specifies implementations that support file transfer, i.e. the ability to

- a) either read a complete file, or
- b) write (replace and/or extend) to a file, or
- c) both;

and optionally to

a) create and delete a file, and

b) read the attributes of a file.

This part of ISO/IEC ISP 10607 specifies how the OSI FTAM application standard shall be used to provide the functions defined above. It does not specify total system capability. In particular, a system may operate this profile and at the same time engage in other communications. The requirements placed on an implementation in this part of ISO/IEC ISP 10607 are solely those necessary for operation of the protocol specified.

This part of ISO/IEC ISP 10607 describes the actions and attributes of the virtual filestore, and the service provided

Figure 1 - File transfer between two end systems

Specifications of this part of ISO/IEC ISP 10607 apply on the double lines of figure 1. The mapping between the virtual filestore and the real filestore together with the local data management system is not defined in this part of ISO/IEC ISP 10607.

This part of ISO/IEC ISP 10607 defines the selection of specific virtual filestore options, file service options and file protocol options. The required functions from the supporting protocol stack of ACSE, presentation and session are specified in ISO/IEC ISP 10607-1 (see also table 2).

Table 2 ·	Profile	Stack
-----------	---------	-------

Application Layer	ISO 8571 ISO/IEC 8650		
Presentation Layer	ISO/IEC 8824-1, ISO/IEC 8825-1, ISO/IEC 8823		
Session Layer	ISO/IEC 8327		

The document types, constraint sets and syntaxes which are referenced in this part of ISO/IEC ISP 10607 are defined in ISO 8571-2 and in ISO/IEC ISP 10607-2.

2 Normative references

The following documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC ISP 10607. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of ISO/IEC ISP 10607 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and ITU-T maintains published editions of its current Recommendations.

Corrigenda to the base standards referenced : See annex C for a complete list of these documents which are identified in this part of ISO/IEC ISP 10607.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.225 (1994) | ISO/IEC 8327-1:_1), Information technology - Open Systems Interconnection - Connection-oriented session protocol : Protocol specification.
- ITU-T Recommendation X.226 (1994) HSO/IEC 8823-1:1994. Information technology - Open Systems Interconnection - Connection-oriented presentation COS.1 protocol : Protocol specification.
- ITU-T Recommendation X.227 (1995) | ISO/IEC 8650 ISP 10607 1:_1), Information technologydardOpemi/Systemsundards/sis Interconnection - Connection-oriented protocol for thest-en-isp-10SO/IEC9SP 10607-2:1995, Information technology -Association Control Service Element : Protocol specification.
- ITU-T Recommendation X.680 (1994) | ISO/IEC 8824-1:1995, Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation.
- ITU-T Recommendation X.690 (1994) | ISO/IEC 8825-1:1995, Information technology - ASN 1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).

2.2 Additional references

- ISO/IEC 646:1991, Information technology ISO 7-bit coded character set for information interchange.
- ISO/IEC 6937:1994, Information technology Coded graphic character set for text communication - Latin alphabet.
- ISO 8571-1:1988, Information processing systems -Open Systems Interconnection - File Transfer, Access and Management - Part 1 : General introduction.
- ISO 8571-2:1988, Information processing systems -Open Systems Interconnection - File Transfer, Access and Management - Part 2 : Virtual Filestore Definition.
- ISO 8571-3:1988, Information processing systems -

Open Systems Interconnection - File Transfer, Access and Management - Part 3 : File Service Definition .

- ISO 8571-4:1988, Information processing systems -Open Systems Interconnection - File Transfer, Access and Management - Part 4 : File Protocol Specification.
- ISO 8571-4:1988/Amd.4:1992, Information processing systems - Open Systems Interconnection - File Transfer, Access and Management - Part 4 : File Protocol Specification - Amendment 4.
- ISO/IEC 8571-5:1990, Information processing systems - Open Systems Interconnection - File Transfer, Access and Management - Part 5 : Protocol Implementation Conformance Statement Proforma.
- ISO 8859-1:1987, Information processing 8-bit single-byte coded graphic character sets - Part 1: Latin alphabet No. 1.
- ISO/IEC TR 10000-1:1992²⁾, Information technology -Framework and taxonomy of International Standardized Profiles - Part 1 : Framework.
- ISO/IEC TR 10000-2:1994²⁾, Information technology -Framework and taxonomy of International Standardized Profiles - Part 2 : Principles and Taxonomy for OSI Profiles.

ISO/IEC ISP 10607-1:1995, Information technology -International Standardized Profiles AFTnn - File Transfer, Access and Management - Part 1 : Specification of ACSE, Presentation and Session protocols for the use by FTAM.

- International Standardized Profiles AFTnn File Transfer, Access and Management - Part 2 : Definition of document types, constraint sets and syntaxes.
- ISO/IEC ISP 10607-4:1995, Information technology -International Standardized Profiles AFTnn - File Transfer, Access and Management - Part 4 : AFT12 -Positional File Transfer Service (flat).
- ISO/IEC ISP 10607-5:1995, Information technology -International Standardized Profiles AFTnn - File Transfer, Access and Management - Part 5 : AFT22 -Positional File Access Service (flat).
- ISO/IEC ISP 10607-6:1995, Information technology -International Standardized Profiles AFTnn File Transfer, Access and Management Part 6 : AFT3 -File Management Service.

3 Definitions

For the purposes of this part of ISO/IEC ISP 10607, the following definitions apply.

Terms used in this part of ISO/IEC ISP 10607 are defined in the referenced base standards.

In addition, the following terms are defined.

¹⁾ To be published.

Currently under revision.

3.1 General

3.1.1 interwork : to be able to communicate to satisfy the intent of the initiator.

3.2 Support level

To specify the support level of protocol features for this part of ISO/IEC ISP 10607, the following terminology is defined.

3.2.1 supported; m : Any feature denoted by "m" is mandatory or optional in the base standard. That feature shall be supported, i.e. its syntax and procedures shall be implemented as specified in the base standard or in this part of ISO/IEC ISP 10607 by all implementations claiming conformance to this part of ISO/IEC ISP 10607.

However, it is not a requirement that the feature shall be used in all instances of communication, unless mandated by the base standard or stated otherwise in this part of ISO/IEC ISP 10607.

NOTES

1 For features which are optional in the base standard, conformant implementations shall be able to interwork with other implementations not supporting this feature.

2 The support of a feature can be conditional, depending on the support of a class of features to which it belongs, e.g. an attribute in an attribute group, a parameter in a PDU, a PDU in a functional unit.

3.2.2 optionally supported; o : Any feature denoted by "o" is left to the implementation as to whether SP 10697-3:1997 conditionally supported that feature is implemented or not standards.iteh.ai/catalog/standards/sts/05b9f7 excluded_bd5-8dd8outside the scope

If an attribute group with a support level of "o" is chosen to be implemented, then all the attributes in this group that are classified as "m" shall be supported.

If a parameter is optionally supported, then the syntax shall be supported, but it is left to each implementation whether the procedures are implemented or not.

When receiving an optional parameter which is not subject of negotiation and is not supported by the receiver, the receiver shall at least inform the sender by informative diagnostic and interworking shall not be disrupted.

3.2.3 conditionally supported; c : Any feature denoted by "c" shall be supported under the conditions specified in this part of ISO/IEC ISP 10607. If these conditions are not met, the feature is outside the scope of this part of ISO/IEC ISP 10607.

3.2.4 excluded; x : Any feature denoted by "x" is excluded in this part of ISO/IEC ISP 10607, i.e. it shall not be implemented.

3.2.5 outside the scope; i : Any feature denoted by "i" is outside the scope of this part of ISO/IEC ISP 10607, i.e. it may be ignored, and will therefore not be subject of an ISP conformance test. However the syntax of all parameters of supported PDUs shall be implemented, even if the procedures are not (i.e. the receiver shall be able to decode the PDU).

3.2.6 not applicable; - : Any feature denoted by "-" is not defined in the context where it is mentioned, e.g. a

parameter which is not part of the respective PDU. The occurrence of "not applicable" features is mainly due to the format of the tables in the Profile Requirements List.

4 Abbreviations

ACSE	Association Control Service Element
AFT	Profile sub-class : File Transfer, Access and
	Management
CR	Carriage Return
FADU	File Access Data Unit
FPDU	File Protocol Data Unit
FTAM	File Transfer, Access and Management
IA5	International Alphabet No. 5
IRV	International Reference Version
ISP	International Standardized Profile
ISPICS	Profile Implementation Conformance Statement
LF	Line Feed
OSI	Open Systems Interconnection
PCI	Protocol Control Information
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance
	Statement

Definitions and abbreviations used in ISO/IEC ISP 10607-3, annex A are defined in ISO 8571.

Support level for protocol features

teh.ai

optionally supported

- - -

5 Conformance

This part of ISO/IEC ISP 10607 states requirements upon implementations to achieve interworking. A claim of conformance to this part of ISO/IEC ISP 10607 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following clauses and in annex A are satisfied. Annex A states the relationship between these requirements and those of the base standards.

5.1 Conformance statement

For each implementation claiming conformance to this part of ISO/IEC ISP 10607 a PICS shall be made available stating support or non-support of each option identified in this part of ISO/IEC ISP 10607.

5.2 FTAM conformance

This part of ISO/IEC ISP 10607 specifies implementation options or selections such that conformant implementations will satisfy the conformance requirements of ISO 8571.

This part of ISO/IEC ISP 10607 includes some additional requirements above those required in ISO 8571-2 for a minimum range of values for the attributes that are supported (as indicated in annex A).

Implementations conforming to this part of ISO/IEC ISP

10607 shall state whether or not they support the initiator and/or the responder role. They shall implement all the supported (m) features (identified in annex A) unless they are part of an unimplemented optional feature. They shall state which optionally supported (o) features are implemented.

6 Virtual filestore

For interworking with implementations conforming to this part of ISO/IEC ISP 10607, the virtual filestore is restricted to files within the unstructured constraint set. The defined actions are restricted to actions on whole files.

The support for file and filestore characteristics, file actions, attribute groups and attributes is as specified in annex A.

6.1 **Filenames**

Apart from the minimum conformance requirements specified in ISO 8571-2, filenames have to be specified in the naming convention of the responding FTAM implementation. It is a local implementation matter of the FTAM responder, whether or not additional name mapping onto the real filestore's filename convention is supported.

A responder shall not require an initiator to use multiple component GraphicString filenames. Requests using a single-component filename value with a sequence of one GraphicString shall be responded to using a single-

component filename value. Use of multiple-component SP 10677-File, protocol sequences of GraphicString is outside the scope of this indards fist 05h 04788, 840, 4hd 5 8d 8

6.2 Permitted actions file attribute

The values for the permitted actions attribute are not restricted by this part of ISO/IEC ISP 10607 (see also ISO 8571-1 figure 5 and ISO 8571-2, 12.2).

6.3 Format effectors

When a single format effector for vertical (or horizontal) movement is optionally permitted to effect a combined vertical and horizontal movement, implementations shall not use this single format effector for effecting the combined vertical and horizontal movement.

NOTE - This part of ISO/IEC ISP 10607 requires only support of C0 control characters of ISO/IEC 646, containing among others the format effectors <CR> and <LF>. Implementations should use <CR><LF> pairs as line terminators.

6.4 **Document type FTAM-1 Unstructured** text file

For FTAM-1 the support level for combinations of universal-class-number and string significance parameters is as specified in table 3.

All other values and combinations are outside the scope of this part of ISO/IEC ISP 10607.

Table 3 - string significance, universal class number

string significance universal class number	variable	fixed	not- significant
26 Visible String	m	m	i
22 IA5String	i	i	m
25 GraphicString	m	m	i
27 GeneralString	i	i	m

6.5 Document type NBS-9 File directory file

Creation and deletion of NBS-9 files are outside the scope of this part of ISO/IEC ISP 10607.

When reading an NBS-9 document, a responder is only required to return the filename attribute, subject to local security and access control. All other requested attributes need not be returned.

Document type INTAP-1 Record file 6.6

The support of the transfer syntax INTAP-TS1 is an option. INTAP-1 may be implemented without supporting the compression method as defined in INTAP-TS1.

b526426f7f14/sist-en-isISO/IEC ISP90607, the basic file protocol and the basic bulk data transfer protocol are included. The error recovery file protocol machine, which may be null depending upon whether or not the recovery or restart data transfer functional units are in use, is used to provide the external file service specified in this part of ISO/IEC ISP 10607. Annex A summarizes the characteristics of the file protocol.

7.1 Length of FPDUs

FTAM protocol machines shall be able to parse and process at a minimum 7 k octets of FTAM PCI, FTAM structural and FTAM user data (including grouped FPDUs) as they would be encoded with the ASN.1 Basic Encoding Rules.

7.2 File service class

An initiator implementation shall include the transfer class in the F-INITIALIZE request PDU.

7.3 Diagnostic parameter

A value for the diagnostic parameter in a response FPDU shall be sent when the action result or state result parameters are not success.

For the diagnostic parameter of F-INITIALIZE, F-P-ABORT and F-RECOVER PDUs, the term suggested delay shall be supported if the recovery functional unit is implemented.